QUALITY IN SEEDS, IS OF THE FIRST IMPORTANCE"

NINETEEN HUNDRED

INDEX.

	Tage.		Page	Larlayens sylvestris Larvender 750 Lawns, Formation of Mowers Mower Attachment Leek Lemon Lemils Lettuce Linguorice Logan Berry Lonicera Logan Berry Lonicera Logan Horry Magnodia Mangel, Wurzel Maitocks Melon, Musk Water Mosembryanthemum Mignonette Millets African Moss Mushroom Spawn Mustard Nasturtinm, Tall Tom Thumb Nectarine Oats Okra Olive Cuion Sets Ornange * Clippers Ornamental Grasses Palm & Deco, Palm S Paim Seeds Palm Seeds Palms Parship Parsley Peach * Pear Fear Fear Fear Fear Fear Fear Fear F	Page.		Pag
Acacia	9.1 ₹122	Curinary Roots &	Mands &	L. Lauthyrus sylvestris	Ei_	Raspherry .	*101 111
Agapanthus	107	Cupressus	199 (12)	Lanvender 776	4~7 위 YY	. Requisites, Agr. &	Hort, 13
Agave	105 TIRL	- Cuttery, Hartient	itural 110) laiwus, Formation o	1 (11)	Elitigiti	" E ('() (
Agricultural Seeds	7112	V REFERENCE	1101 (14)	Masser Attachment	s 1330	Rollers	1.3
Alfalfa		1 Prof. Dir. Trada la la con-	~ I + E I .	Leek	31.1	Roses	490 319
Alfilaria	G1	Trasylarion	137	Lemon :	112	Ryo	- i
Almond Alm	7101 (112	Decorative Plant	Seeds 107	- Legitls	ti l	Rosella .	1
Annalousis	161	Dibblers	1335	Liettere .	1.10	Sacaline	G
Antigonian	75 1107	Digging on *	105 5115 125	Liogoriee	6.1	Sacking Twine	133
Antherienm	107	- Letheverin	[80 mlg]	Logian Berry	112	Salt Rosh	ii
Apple	1101 1112	Throughne Canni.	*Seeds 0.	Loudeera	*70 1123	Salsify	1
Agricum Aramesoria	107 109	Madive		Loopiat *	301 (112	Sanseviera	. 13
Aristodoclain *7	9 8107 100	Lechschildtzin	71.05	Louis	11.5	Saws	2100 10
Articheko	15	ilocaly id us	(1)	Labricators	108	Suprimus Suprimus	19
Artichake, Jern'I'n	رقع المراجع	 Felijdrogram Everbacking 	. 101	Marin Ba	on Store	Stones	133
Asparagus Asparagus Asparagus Asparagus	0 18 1 51	1 harman de	.018 11	Mangal Wurzel	58	Sceds, California (Grown,
Astidistra	105	Pemis	*S5 2111	Maize Mile	62	why they lead t	the world
Astor	10.65.52	Pertilizers.	111	Manure Hucks	135	Sect Drill	111
Bulsam	69	Fiens	*05 (115	Mattocks	135	Sowing Rules for	r 1
Barley	56	Pig Pith and	112	Water	11/4411	Sequeia	. *100 112
Beams Control	19	Flax	112	Mescurlayanthonnum	*투유 소급을	Secontelia	60
- reams, Sign Beer	- Fill	Florists' Sumbio	'S 111	Mignonette	101-70	Shears	1.10
Beet, Sugar	21	Flower Seeds	117	· Millets	60	Smiles	170 3 Sept (\$100
Regaria	*82 1108	Aumual	G:	. African	- 61	Surrel	1
Bellows	1:11	California Nati	5.6 [12	Musa *	105 HTS	Sorghum	6
Dignoma Distance	. *79 (198	Callections of	4	Mushroom Spawn	117	Spades	139
Dindalangos	(i.)	Culture of	67	Mustard	117	Spinach	111
Paniks	115	Everlasting	7.7	Nasturium, Tall	101 50	Sprayer	131
Bougainvillea .	110	Noveltus	. 10	Tom Thamle	7:1	Sprinkler	139
Diviehy ehiton	- 95 figg	Ormaniental Go	ords in	Nectarine	112	Lawn	1370
Decree Santa	21	Permittal	17717	Oats	0.7	Slourry	. G
Brussels Surants		Fodder Plants	(it	Okra Legge	111	Squash	l 1 1
Paryonday Salama, 🗼 👝	110	For Alkali soil	702	Chian	112	Standin	138
Buckwheat	ໍ່ລໍດ	Miscellaneous	. 61	71.1-	119	Stocks	75.0
Caldiago	*9.444 174	Fruit Souls	171	urange *	101 †112	Strawberry	*101 \text{\text{\$\}}}}}}}}}}}} \text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\tex{
Cherus +S	9 Ugama	Fuchsia	350 1118	Clippors	110	Succentents etc	131
Catherda (ma Catharatas a Cata a como es	. 69	Furze or Gorse	111	Ornamental Grasses	172	Summing Stude	
Camellins	1012	Gaillandia		- Palm & Deco. Palm S	ceds 102	Sweet Potato	
Cumpannla	*sa +i2T	Garden Lines	1008	Palm Seeds	. 162	Syringes	1337
Candytuft		Garlie	111	Paris Barros	1 1 1 1	Talde of Plantsper	acre 6
Canna	*83 /140	Garyanzas	61	Physy	, i	Plants per mile	1 (16
Caper Free Carantion	*	Chasteria Chamadana	132	Pandanus	119	Reference Time o	d Staving II
Garrot	21.55	Gooseherry	7101 \$110	<u>Parspip</u>	1.1	Sawing	6.7
'asnarina	95	Guirds, Cirnamer	mat 177	Parsley	101	O. Weights per b	arshel - G
'miliflower	*25 151	Grain	ido	Poner *	101 (142) 101 (149)	Trasinte	- Ci
Colons	*99 +123	Crafting Compon.	nd 1338	Pens	11	Thermonmeters	133
'eutaurea	11.70.89	Wax Granas	1 '	Field .	, 61	Tomata	*10-19-55
Trerry	*101 †149	Vicusses	£12	Sweet Frankt :	1	Tools, Miscellaneor	is 1778
hestmit	112	Grass, Kentucky	18ne 55	Pennit : Penn	(i) 1.10	Transplanters	133
Thicory hives	27	Hooks	1018	Pencils	1:15	Transparators Trans Trans Trans Trans Trans Trans	133
**************************************	TANK OF THE ANDREAD	A Part of the Control		Fribilities.	713 551	Tree Seeds, Decider Tree and Shrule See	ons 100 eds 97
Timbino 19 octa	- 9° € 1.100 €		1111	T UTSHIMBUUL		A tractame linear	9
	117 71 11	Trance Unitivator		Pick Axes	108	4 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1.31
TO VELORIO CITASS SE	4417	Madiatesations	102 880 (100	Planet dr. Tools	*999 - 2148 187	Trees, Coniferac	121
Tover Seeds			- i 1	Plants and Burbs	107	Cressrd and Fra	11 112
fobaca follards fonifera foreousis	**************************************	Hibisens	372-86 1122	Transportation of	[66	Trellises, Plant	111
Coniferie	1 <u>2</u> 5	Hues H. H. L. J.	1338	Transportation of Trees and Roos	106	Trowels	1333
Toreogisis	12.51	Hon Vine	11	4.411111		Three C. W. Lewis at	1.10
ASSETT TRESTURBLE CONTRACTOR	O.1	Horse Radish		Pomeho Pomegranate	132	Turnip	in in
				Post Hole Diggers	135	Twentieth Century, Threshold of	, On the .
- Field - Jerusalem		Hose, Garden Humemannia Lucardada		Potato Hooks	1818	Vegetable Seeds, G	on't list 1
IXTERITY .	4100	THE SOUR DEPOTED IN	1371	Potntoes			!
Planters	1318	Appliances	181	Poultry Supplies Pumpkin	113	Time of Sowing	10
I TOTHEPTS		Hicincea	*70 1123	Pumpkin Purchisers, To intend	I balat	Verteenn	18591
Pope	,. 67		discuss the con-	The contract of the contract o	- Allin	Vetelies	Cii
Pup		Jacaranda	400 1100	Franc	1.12	Violet.	*(11 - 5 to 0)
Pup : Salad Sweet	28.60	Jacaranda Kale	*00 (122	Princhesers, To intene Prince *	144 2013:101	Violets	
Pup Salad Sweet busines	$\begin{array}{c} -0.0 \\ -0$	Jacaranda Kale Knives	140	- Untine *	101 7112	Walnut	*101 7112
Pup Salad Switch Justines Justines Justines Justines	28-63 28-63 71 61 131	Jacaranda Kale Knives Kohl Rald	140 81	Radish Rafia	210-11	Walnut Watering Pers	*101 1111
Pup Salad Sweet losmos lotton lotyledon loss lotyledon loss lotyledon lo	28 63 28 63 11 64 131 131 132	Jacaranda Kale Knives Kelil Rald Galiels	140 331 1338	Madish	10-11 138 138	Walnut Watering Pots Weeders	191 † 191 113 † 101* 110 110 100 100

^{*} Seeds. † Trees, Plants or Roots.

15 TH ANNUAL CATALOGUE

OF THE

GERMAIN FRUIT CO.

COMPRISING

An Historical Sketch of the Company, Why California-Grown Seeds Lead the World, a Complete List of Standard Garden, Field, Flower, Tree and Palm Seeds, Plants, Shrubs, Etc.

GIVING A COMPLETE LIST OF

Agricultural and Horticultural Tools and Requisites, a Choice Line of Rural Books, and a Complete List of Poultry Supplies.



OFFICES AND SALESROOMS:

NOS. 326, 328 AND 330 SOUTH MAIN STREET, LOS ANGELES, CAL.



LOS ANGELES: THE ATWOOD-KRUCKEBERG CO. 1900

TO INTENDING PURCHASERS:

How to Order.—With this catalogue is enclosed an "Order Sheet" which explains itself, and which we request all our enstomers to use. Please remember to write your Name, Postoffiee, County and State as distinctly as possible, also the nearest Express Office, or, if on stage route send us the special directions, giving us the name of the Express Company delivering goods.

How to Remit.—We decline sending perishable goods, as bulbs and plants, C. O. D., unless a remittance of 50 per cent. accompanies the order, to insure us against loss. Orders from unknown correspondents must be accompanied by cash, or satisfactory reference. Cash may be remitted by Postoffice Order, Registered Letter, Express, or sums of less than one dollar in postage stamps.

Mode of Forwarding.—We will forward, free by Mail, to any part of the United States, at the retail price annexed, all Vegetable, Tree and Flower seeds, with the exception of Beans, Corn and Peas, and where otherwise noted, for either of which 10 cents per pound must be added when ordered by mail. We, however, reserve the right to send parcels of seeds by Express, prepaid, when it is to our advantage. All Bird, Grass, Clover and other Agricultural seeds, when ordered by Mail, will be subject to a charge of 10 cents per pound for Postage. When Postage is not added these goods will be sont by Express or Freight at purchaser's expense.

Non-Warranty of Seeds.—We exercise the utmost eare and vigilance in testing all seeds sold by us, but owing to uncontrollable influences and accidents, (such as bad weather, improper soil, insects, etc.) the best seeds will sometimes fail. We have, therefore, in common with all other large seed firms in the United States—members of the American Seed Trade Association—adopted the following disclaimer: "While we exercise the greatest care to have all soeds pure and reliable, we do not give any warranty, express or implied. If the purchaser does not accept the seeds on these torms and conditions they must be returned at once, and the money that has been paid for the same will be refunded."

Testing.—Our seeds are thoroughly and earefully tested, by count, and only those that grow a very strong porcentage are kept in stock and sent out.

Prices Subject to Fluctuations.—The prices annexed to vegetable seeds by the pound, to Beans, Peas, Corn, Grass and Clover seeds, Bird seeds. Agricultural seeds of all kinds, and Onion sets, etc., are subject to market fluctuations, and we reserve the right to change them accordingly. The tendency is for prices to advance; honce we would advise patrons to order early, as in the press of the busy season it is sometimes impossible to fill orders the same day received. We endeaver to avoid delay; still, we cannot claim infallibility, therefore, should error be detected in the execution of orders, purchaser will at once notify us of the fact and we will rectify immediately.

Auxiliary Catalogues.—In addition to our Seed Catalogue, we publish each year two separate eatalogues, one on "Dutch, California and Other Bulbs," and one on "Ineubators, Brooders and Poultry Supplies," either of which will be mailed free on application.

ON * THE * THRESHOLD * * OF * THE * * * TWENTIETH * CENTURY

V V V

N THE threshold of the Twentieth Century, and after an existance of twenty-nine years, it seems timely and fitting to take a somewhat retrospective and prospeetive glance of the seed and plant situation as it presents itself. Eugene Germain started this house in 1871, Los Angeles had scarcely emerged from its atmosphere of a Mexican pueblo, the throb of commercial supremacy as the leading center of a wide area of country, had searcely taken its inception. There was only one railroad, of about twenty miles to the port of San Pedro, travel was limited, and the great fruit business, the shipping of midwinter vegetables, the growing of seed, our immense orange, walnut and kindred industries, were still undeveloped. Hence, in its career, the Germain Fruit Company, successors to Eugene Germain, the founder, has not only seen the building up of these great industries, but it has been part and pareel of the onward trend of the great southwest. Taking its inception in small beginnings, it has gradually grown until it is the oldest and leading seed house south of San Francisco and west of the Missonri river. Confining its early operations to the handling of garden, field and orchard products, it soon recognized the possibilities of Sonthern California as a seed-growing section, and has ever encouraged by every means within its power a diversified and enlightened agriculture and horticulture. Appreciating these pregnant facts, the Germain Fruit Company early felt the desirability of opening a first-elass seed, plant and bulb department to its already extensive fruit and produce business. Its motive in so doing was twofold, viz: First, to snpply the growers of the southwest with only fresh and reliable seeds, and second, to encourage the commercial production of seeds, bulbs and plants within the confines of the State. Needless to add, in both of these landable ambitions, it has been eminently sneeessful. As an evidence of this it is only necessary to state that through its efforts the marketing of the native alfilaria and burr elever seeds, the exporting of California native flower seeds and bulbs, the building up of the large business in exporting Calla, Freesia, Amaryllis, Canna and other bulbous plants, is largely due. Last season its shipments in the above specialties amounted to thousands of dollars. In this connection it is refreshing as well as gratifying to state that the Germain Frnit Company's efforts in the introduction of valuable economic and ornamental plants has been recognized by the national government through its department of agriculture and allied branches. main these new aequisitions have proven of value, and many of commercial importance. A feature of this establishment is its extensive corps of correspondents in the Australian Colonies, in South Africa, in New Zealand, the Phillipine Islands, South and Central America, Old Mexico, and the leading horticultural centers of Europe. In these efforts its has been successful in adding much to our agricultural wealth and development.

It was in 1884 that the Germain Fruit Company opened an exclusive seed house. In the same year it succeeded by reason of purchase to the business of Porter Brothers,

fruit and produce dealers, and segregated the two businesses by occupying the premises of the former for fruit shipping, and three large store rooms situated in the Baker block on North Main street, with its seed department. This branch grew in importance and reputation rapidly, soon doing a business of upwards of \$100,000 per annum. firm remained until 1892. During the interim, however, the trend of business was due southwest, and recognizing this, the Company moved from its quarters in the Baker block to Nos. 143-145 South Main street, where it remained for seven years, until the exigencies of business again called it still further south to its present spacious, commodious quarters, situated at Nos. 326, 328 and 330 South Main street. In area, accommodations, fixtures, and all the accessories of a well-equiped seed establishment, it is safe to say that they have the most complete seed store in the West. Every bit of fixture and furnishing is so arranged as to expedite business at the least possible eost, thus insuring to its patrons low prices and reliable service. The floor space occupied, comprises some 32,000 square feet, affording ample scope for the segregation and individualizing of each department; even the offices being distinct, so that no one branch of the business conflicts with Broadly speaking, the departments of the business are all contingencies of a complete seed store, with possibly one exception, and that is its recent addition of a complete line of poultry supplies, including all essentials necessary to an up-to-date ponltry breeding establishment. Ample telephone and telegraph connections between the several departments and the world at large are provided for, and the ware rooms, shipping and packing rooms, and nursery departments, are all equipped and so situated as to afford dispatch and eelerity in filling orders. These salient features are mentioned to show its eastern, sonthern, northern and foreign patrons that it has long since served its apprenticeship at the business and stands today ready to serve them with the best the world affords—and that means California-grown seeds, bulbs and plants, because experience has proven that they are superior, and hence afford the Germain Fruit Company the gratifying pleasure in giving the best values for the least money. For the truth of this statement a perusal of the following pages headed "Why California-Grown Seeds Lead the World" is asked.

It is alike creditable as well as refreshing to note that during its entire career this corporation has been in the control of the Germains—we write the name phural, because it now is composed exclusively of father and son. In 1890 Edmund Germain was admitted to the counting room of the company where he rapidly mastered its details and developed executive ability of a high order. Indeed, his keen observation and knowledge of men and affairs soon made him master of the business, and gave him a prominent place in the trade. As a natural result he was made manager of the entire business in 1894, which position he has held ever since. That the choice was not only wise but for the best of the House from every point of view is demonstrated in its onward trend under his guiding hand. From 1894 to 1898, while Eugene Germain was serving in the U. S. Consular service in Switzerland, he assumed entire control of the corporations affairs, evincing driving powers and commercial acumen of the first order.

Thanking its thousands of patrons, both at home and abroad, for past favors, it hopes to deserve a continuance of their good will and patronage. Wishing all a happy and prosperous season,

Very truly yours,

GERMAIN FRUIT COMPANY.

Los Angeles, January 10, 1900.

WHY CALIFORNIA-GROWN SEEDS * * * LEAD * THE * WORLD

Geographical Situation and Area.

ALIFORNIA is nothing if not horticultural and agricultural. Possibly no portion of the footstool possesses so many and diverse advantages for the growth of a varied vegetation. Place your finger on a map of the state at its northmost point and trace it to the Mexican line at the south; thence from where the white foam of the Pacific fringes its western coast due east to the Nevada state line, and you will have traveled (with your finger on the map) over an area of country as large as that along the Atlantic coast from the pine-clad hills of Maine to the distant savannahs of the Sonth. Think of it; California has 725 miles of seacoast; extends 330 miles inland—a veritable empire. Its area rivals in extent and natural advantages that of either France or Germany, and eclipses the citrous fruit regions of Italy and Spain in its salubrious climatic conditions for the prosecution of every branch of an enlightened horticulture; in agricultural and pomological possibilities a prototype of the farfamed gardens of the Hesperides.

The Contour of the Country.

California in its basic formation and outline is strikingly typical of the Italian peninsula; but it is superior to that delightful spot of Continental Europe in its variety of climate and diversity of soils. For, be it remembered, within this imperial domain, is to be found, chiefly on account of its situation, (being protected from the East by the Sierra Mountains, which shut off and break the rigors of an Eastern winter, and on the West bathed by the warm Japan Current, which renders the climate warm and equable) every conceivable condition for the growth and perfect development of vegetation, touching the temperate zone at the northern extremity of the State, only to meet and kiss that of the tropics at its southernmost point. Within this range of country are to be found the essentials of plant growth, which makes possible the luxuriance of the vegetation of arid regions on the one hand and those of humid on the other; on the high ranges of the Sierras the snow plants flourish, while in the southern counties stately palms vie with the kingly orange in nodding to the warm and balmy zephyrs of a perpetual spring. The rainfall, the temperatures, the altitudes, the varying character of soils, all conspire to make possible the growth and cultivation of a wider range of economic and ornamental vegetation than any other section of equal area in the World.

Soils and Crops.

In her natural development California may be said to be in a constant state of transition; strange as this statement may appear, it is nevertheless true. At first it was mining, then it was stock raising, then it was cultivation of the cereals; following wheat culture, came the phenomenal development of our fruit industry, wonderful in its extent of country, marvelous in its annual output, surprising in the quality and variety of its production. Now we are on the eve of another transition, namely, to the production on a great scale of the most reliable seeds that ever were grown in any country. This is no idle boast, but a veritable fact, amply proven and attested to in the exacting school of experience. "Tried and not found wanting," is the verdict that has been awarded to every bit of California-grown seed that has been properly grown, harvested and placed upon the market. And though this industry is only in its infancy, yet enough has been demonstrated to prove beyond a doubt that seed growing in importance is destined to rank with fruit culture; indeed, in many respects it will rival and eclipse it. And yet, and in the face of these pregnant facts, from a scientific horticultural point of view, seed growing in this veritable garden of the western slope is an unexploited region whose soils for the grow-

ing of specific seed crops have scareely been scratched. To the student of our rural economy this is well understood, and hence agriculture and horticulture have attracted some of the best brawn, brain and bank from all parts of the world to California. Here and there an opening has been made, a beginning inaugurated, a success attained. Certain localities have proven exceptionally favorable for the growth of certain seeds and plants; other localities are still to be exploited. These embryonic beginnings give encouragement for the future, and lead us to survey the subject of seed production more in detail.

An Historical View.

From the above it must not be inferred that experimental seed farms are only of recent introduction. Far from it; as early as 1851 seed growing was a feature of the landscape in Sacramento County, and later its introduction was more or less carried on in Santa Clara County. These early efforts were mainly the result of local conditions. Seeds were hard to obtain, owing to the great cost of bringing them around the Horn by water, or else overland by wagon; naturally prices were correspondingly high.

From Professor E. J. Wiekson's "California Vegetables," we learn that in 1851 Mr. John M. Horner, of Alvarado, produced 1150 pounds of garden seed; later, in 1857, Mr. A. P. Smith, of Sacramento, had some twenty acres devoted in garden seeds. That he had done a good business even before that date, is shown by the following paragraph taken from the reports of the State Agricultural Society of 1858: "To his vegetable seed department, Mr. Smith turned his attention at an early day, and has pursued it till now he devotes twenty acres of ground, and the time of several laborers, and from it reaps a merited reward. His crop of seeds for the last four years has reached from 3,000 to 4,000 pounds per annum, which up to 1858 averaged \$3.00 per pound." Another pioneer seed grower was D. L. Perkins, of Alameda. At the State Fair in 1860, he and Mr. Smith took several premiums on garden seeds. The committee on awards reported both exhibits as being of high merit, and predicted that "the time is at hand when our gardeners will be saved the time, trouble and expense of looking abroad for their seeds." This, in so far as the committee were concerned, referred to local demands. "Mr. Perkins," to quote from Wiekson's book "California Vegetables," "looked beyond that. In his statement submitted with a claim for a gold medal, at the State Fair in 1867, uses the significant words:"

"For the past ten years all my time has been given to the raising of seeds . . . striving to get the best seeds from all parts of the world. During the past three years I have sent collections of seeds to be tested at the East, and the results in the size and quality over the same varieties grown there have been so marked that several parties have ordered from me, thus showing that California can compete with the world for garden seeds. There is no State in the Union so well adapted to the raising of seeds as California. During five years past I have sent samples of my product to Japan, China, Sandwich Islands, Mexico and to Europe."

Mr. Perkins, however, did not exploit the infant industry to the brilliant future he predicted, but directed his energies in other directions. During the early seventies R. W. Wilson, an experienced seed grower of Roehester, N. Y., began seed farms near Santa Clara, and on commercial and scientific grounds may be considered the father of seed production for the export trade in California. Commencing with 50 acres of land devoted to onion, lottuce, carrot and beet seeds, he did reasonably well, but sold out after a few years to Kellogg & Morse, who continued the business until 1889, when the business was succeeded by others. This business has grown and expanded until it occupies a leading position in the American seed trade, and has had many followers, now in certain lines, California-grown seeds lead the world. Nor is the production far from being limited or confined, but embraces all garden and field seeds, flower seeds, bulbs, and quite a varioty of tree and shrub seeds. With many varieties superior strains have been developed by eareful selection, which have become recognized the world over as superior to the eastern and foreign grown seed.

These basic facts and conditions are self-evident. From the time Perkius made his prediction for a grand future for California, as a seed producing section, to the time that Peter Hendorson, probably the

best anthority on seeds and their production this country ever had, made a similar prophecy in a letter to Mrs. Theodosia B. Shepherd, which encompassed a period of seventeen years. That prediction made in 1881 has largely come true much before its date of fulfillment, and is now a tangible, living, foreible fact. It is as follows:

"I am certain that California, before fifty years, will be the great seed and bulb growing country of the world. You have the exact conditions necessary to grow seeds, and I would advise you to go to work systematically at once."

Acreage and Production of Today.

That advice has been followed and profited by since it was given. During the past score of years, seed growing has become a feature of our landscape in all portions of the State — at least in three great agricultural divisions of the State, viz: The northern, central and southern portions; taking its inception at the north it has gradually spread until seed growing is practiced wherever crops are produced in quantity. The number of people engaged run into the thousands, from the specialist, with a single strain or variety, to the commercial growers having hundreds and thousands of acres devoted to seed. In certain lines California seeds already lead the world, both on grounds of quantity as well as quality. Before another decade shall have passed, we will be supplying the markets of the United States with all the standard garden, field and flower seeds of every seedman's catalogue. This is a foregone conclusion, because we have the varieties of climates and soils to accomplish it. Nature has been lavish with us, in providing every advantage, it now only remains for man to supply the brain, brawn and bank for their development on correct lines.

To prove that seed growing in California is destined to control the markets in seeds in this country and in certain particular lines is to supply the world, let us briefly survey the field as the situation presents itself at the present writing. It is eonceded by all who are in the least familiar with the vitality and germinating qualities of California-grown seeds, that they lead the world in percentage of fertility and superiority of product. Hence we will take them in their importance of commercial production.

Our foremost crop is of course beans; this industry was inaugurated in 1882, in Ventura and Santa Barbara counties, where the conditions are exceptionally favorable for this crop. Some 40,000 to 50,000 acres are devoted to its cultivation, and the annual product of all varieties amounts to nearly 2,000 carloads when the crop reaches maximum yields. This seed is beyond all doubt superior in vitality and germinating power to that produced anywhere either in this country or Europe.

As a close second in volume of production must be mentioned the onion seed output, aggregating some 600,000 pounds per year. This crop finds congenial conditions in the semi-adobe lands which abound in all portions of the State. California onion seed gives a larger percentage in vitality and germinating power, and a corresponding better product, than either eastern or European grown. Our onion sets bear the same relative position as that occupied by the seed. All standard varieties are grown, and the output is sufficient in volume to supply the markets of the entire country.

Lettuce is a seed crop, of which the ontput is 200,000 pounds each year, that luxuriates in a California soil, and of which we now supply the United States with this crop. Tomatoes also do fine, if properly planted and cared for, and the California seed is prononneed A 1 quality. Celery is a big crop in Southern California, the annual shipment of fresh stalks being over 1,000 carloads from a single county. Some fifteen varieties are grown. The annual output of seed aggregates some 20,000 pounds.

In spinach we grow large quantities, the annual production being about 100,000 pounds, the varieties however are limited to about half a dozen. Carrot (200,000 pounds,) radish (100,000 pounds,) leek (5,000 pounds,) salsify (15,000 pounds,) and parsnip, parsley, collards, coleriae, endive, kale, kohl-rabi, etc., are all produced in commercial quantities. Mustard is grown in large quantities, also flax seed to some extent. Briefly, most every variety of garden and field seed is grown to perfection.

In field and tree seeds much has also been accomplished. The native fodder plants, such as alfilaria have become of commercial importance, and the seed is now a regular item of every well regulated establishment. Burr clover is also a big factor. Our native trees and shrubs are considered acquisitions to gardens the world over and their seeds are eagerly sought after, the chief items being Montere

eypress and pine, weeping white oak, the sequoias, etc. Palm seeds, both native and exotic, and particularly in the hardy fan and pinnate leaved sorts, are commanding wide sale at home and abroad.

As is well known to botanists and specialists, the native flora of California abounds in many beautiful flowering and ornamental plants which have long since become pronounced features of gardens everywhere. Chief among these must be mentioned the annuals and perennials, viz: Eschscholtzia California (California Poppy), Ronneya Coulterii (California Mountain Poppy), Delphinium Cardinale (Scarlet Larkspur), Nemophila, Collinsia, Godetia, Mimulus, Coreopsis lanceolata, Abronia umbellata (Sand Verbena), Bartonia, Clarkia, Gilia, Limnanthes Douglassii, Lupins, Whitlavia. In bulbous plants there are also a number strikingly beautiful, and now of recognized commercial value. We refer to Calochortus, Brodiæas, Erythroniums, Bloomerias, Fritillarias, Lilies.

It is possible that California flower seed production has achieved for the State its widest reputation as a seed growing section. In this division sweet peas are the chief product; the area devoted to this crop embraces some 500 acres, and includes about 135 varieties, aggregating some 350,000 pounds per year. It has been found that our long season of summer sunshine produces larger and more perfect blooms than are possible in less favored countries; for the same reason the seed is larger, more plump, and of stronger vitality. Closely following sweet-peas in commercial importance must be mentioned Petunias (California Giants, having a world-wide reputation), Nasturtiums, Cosmos, Verbenas, Asters, Coreopsis, etc., and in fact the whole range of garden flowering annuals. Fuchsias, Pelargoniums, Geraniums, Begonias, Smilax, and many other varieties are produced in appreciable commercial quantities. Bulbous plants grow in great luxuriance. California-grown Calla, Freesia, Amaryllis, Gladiolns, Montbretias, and many other sorts, now command the markets of the world. Carloads are shipped to the east and the European markets annually.

The Why and Wherefore.

Obviously, California seed growing is not an experiment, but a pronounced success, based on conditions of soils and climates for its successful prosecution, second to those of no other section in the world; here the grower has everything in his favor, a remarkably fertile soil, a salubrious climate, which is a happy medium between extreme cold and excessive heat; a long summer season giving great scope for the growing and maturity of all crops, a matter of vital importance in the production of seed. But beyond these advantages of soils, climates, temperatures and altitudes, the California grower is not a creature of Jupiter Pluvious—he turns on his irrigating water when the crop demands it, irrespective of a chance rain. Indeed, his motto all along the line is "Science, not Chance." He grows seed on pretty much the same lines that a manufacturer makes nails or sugar. He has the elements of success absolutely under control; if he fails, it is a matter of judgment rather than of the elements.


A Personal Word in Conclusion.

It affords us a certain pride and gratification to be able to say, that in both seed growing as well as in seed seiling, this house has been an important factor in giving to the great army of growers all over the United States the advantages of California-grown seeds. These advantages are more than skin deep, they have a commercial significance of the first importance, for the planting of California-grown seeds means larger and better crops, and a corresponding increase of money returns to growers. These facts are self evident, and have been so thoroughly demonstrated in the hard school of experience, as to require no further authentication here. The question no longer is "Can you afford to plant California-grown seeds," but "Can you afford not to plant them."



Vegetable Seed Novelties and Specialties.

Asparagus, Snowhead.—(See cut.) This new Asparagus possesses a superiority over all others, in that its shoots remain entirely snow-white, when pushed already 6 inches out of the ground and exposed a whole day to sun and air, which makes other varieties colored and undesirable. It is exceedingly productive and is unrivalled for tenderness and delicacy of flavor, and is without doubt one of the finest introductions of late years. Per pkt. 15e.



Asparagus, Snowhead.

Brussels Sprouts, Hercules.—A medium-sized variety of excellent quality, and one of the most productive sorts yet introduced, producing well-shaped, solid sprouts, which remain a long time in condition for uso. Per pkt. 10e.


Cabbage, Savoy, Ironhead.—This new variety is the earliest Savoy ever raised; produces large, solid, round heads, dark green in color, with yellowish green centers. A very desirable sort for market growers. Per pkt. 10c.

Lettuce, Nansen or Northpole.—A winter cabbage variety, extremely hardy, and stands very severe frost; forms solid erisp heads, of a yellowish green color. Per pkt. 10c.

Musk Melon, Rocky Ford.—This splendid melon derives its name from Rocky Ford, Colo., where it has been grown in large quantities, many earloads of it having been shipped to the markets of the large eastern eities, in the past three years, where it has been in great demand, no melon having ever sold for such high prices as the Rocky Ford. It is a very vigorous grower and one of the most productive sorts ever grown; somewhat resembles the old Netted Gem, but is more oval in shape; the color of the skin when ripe is a greenish gold, the netting prominent and light in color, giving it a very attractive appearance. The flesh is sweet and luscious in flavor and very deep, ripening clear to the rind. As an illustration of the value of this melon, we may mention the fact that a grower in Florida, from 25 acres planted with this sort, cleared \$8,000 net profit. Per pkt. 10e; per oz. 20e; per lb. \$2.00.

Germain's Autumn Musk Melon.—(See cut.) In offering this variety to the public, we believe we have something which will be appreciated by all lovers of good Musk melons. Our Mr. Eugone Germain discovered this variety while residing in Switzerland, but was unable to obtain the name of it. He, however, purchased some of the melons, from which he saved the seed and brought it to this country. We grew this melon last season for the purpose of saving the seed, and find it not

only succeeds in this climate, but produces an enormous crop, and surpasses in flavor anything we have heretofore grown. The melons are oblong in shape, deeply ridged, of a dark green color, slightly tinged with reddish-brown when ripe; the seed cavity is very small, flesh pale green, very deep, ripening clear to the rind and of the finest possible flavor; in fact those who have tasted this melon, have been enthusiastic over it and pronounced it "the best they ever atc." It is a late variety and will keep for a long time. We heartily recommend it both for market growing or for home use. Stock of seed very limited. Per pkt. 25c; per oz. \$1.00.



Germain's Autumn Musk Melon.

Radish, First Crop.—This variety will produce roots fit for the table, eight to ten days earlier, than any other forcing sort. In shape it is oval, and in color, bright aniline-red. Per pkt. 10e.

Radish, Icicle.—As a rule there is not much demand for white radishes, but this new variety has gained unanimous praise, wherever it has been grown. It is an early variety and produces cylindrical, transparent roots 3½ to 4 inches long, very crisp and of the finest possible quality, and which even in a riper state are still of good flavor and do not become woody. Per pkt. 10e: per oz. 60e.

Tomato, Honor Bright.—In this new tomato we have one of the most attractive varieties ever grown. The fruits are produced from 3 to 5 in a cluster, and are large and solid, the flesh is thick and meaty, and of the finest quality, the seed envities are very small, and the skin is smooth and never cracks. During growth it makes many changes in color, first being light green, then waxy white, then changing to lemon color, and again to a rich bright-red when ripe. It is an exceptionally fine market variety, the fruit may be picked when white and packed like apples in boxes for shipping, and after a period of 2 to 4 weeks will ripen to a rich bright-red color. Per pkt. 10e; per oz. 30c.

Flower Seed Novelties and Specialties.

Antirrhinum majus Romeo.—A new and remarkably beautiful variety, of the old but popular Snapdragon. The flowers are deep rose, stained with flesh-color, and spotted with yellow on the lower lip. The stems are dark colored, and the plants of a bushy graceful habit. Per pkt. 15e.


Antirrhinum majus nanum, Black Prince.—This is also a new variety of the Snapdragon, but belongs to the semi-dwarf class. The flowers are black-purple, with velvety black lip, and contrast finely with the narrow steel-blue foliage. Per pkt. 15e.

Dwarf Comet Aster, Bridesmaid.—A valuable addition to the Dwarf Comot group, and a color which is only represented in a few classes of Asters. The flowers when they first open

are white, and afterwards change to a charming lilac-rose. A wonderfully free flowering variety, and produces almost exclusively perfect plants, will prove very effective either for groups or pot culture. Per pkt. 25c.

Lady Aster, Comet-flowered, White with Rose.— (See cut.) This grand new variety is similar to the others of this new class, which we offered in our novelty list of last year, and which are easily distinguished from all other Asters, by the light green lanceolate foliage, as well as the unapproachable free flowering qualities, but in this new variety appears the long-petaled flowers of the popular Comet class. The plants are of exceedingly graceful branching habit, and produce flowers in great quantities on long stems, which will be found invaluable for cutting purposes; also unsurpassed for bedding or pot culture, the contrast between the fresh light green foliage, and the graceful Chrysanthemum-like flowers being particularly effective. Per pkt. 25e.

Candytuft, Little Prince.—(See cut.) We consider this new dwarf Candytuft one of the best novelties offered this season. The plants grow about 6 inches high, and form massive spikes of large pure white flowers, grouped candelabra-wise round the main stem. It is of extremely robust constitution, and continues a long time in bloom; especially valuable for groups and borders, and also makes an excellent pot plant. Planted in masses it produces a splendid snow-like effect, and will be admired by everyone. Per pkt. 15c.



Candytuft, Little Prince.




Lady Aster, Comet-Flowered.

Six Grand New Hybrid Centaureas.

(See cut on next page.)

These are among the finest novelties offered for many years, and will undoubtedly become one of the leading florists' flowers. Since the introduction of the Centaurea Margaritæ some years ago, which at once became so popular, this class of flowers has been greatly improved, and we are now pleased to offer to the public, six grand new varieties, the first four of which are of our own raising. Flowers of some of these varieties have been on sale in the leading floral stores in our city, and have been the admiration of everyone who has seen them. The flowers are all of the same shape as C. Margaritæ, and vary from 2 to 4 inches in diameter, they are of exquisite beauty, delicious fragrance, and of fine texture, produced on long stems and if cut as soon as open, will last from a week to ten days in water: these qualities render them especially valuable for cutting purposes.

Centaurea, California Giant Yellow.—Flowers vory large from 3 4 inches in diamoter, of a pure sulphur-



New Hybrid Centaureas. from 3 to 4 inches in diameter, and of a lovely pinkish purple color.

One particular characteristic of this variety, is its long duration of

bloom, some plants which were in flower early in July, still producing fine blossoms late in December. Per pkt. 15e.

Centaurea, Imperialis.—A remarkably beautiful strain, producing vory large flowers, varying in color from white, rose, like to purple. The plants are of vigorous growth, forming bushy plants 3 to 4 feet high. Per pkt. 15e.

Centaurea, Mariae.—A hybrid between C. Suaveoleus and C. Purpurea. The flowers open a pure sulphur-yellow, and afterwards change to a paler shade with rose tips. In habit the plants are like C. Imperialis, but of somewhat dwarfer growth. Per pkt. 15c.

Collection of the above six grand varieties for 75e.

Coreopsis, California Sunbeams.—An improved form of C. Lanecolata Grandiflora, and produces immense flowers of various forms; some are flat, others Cosmos-shaped, some saucer-shaped, some incurved, while others resemble large buttoreups. They also vary in different shades of yellow, some being very light, others of a deoper color, darker around the eye; all of great beauty and produced on long stems, and remarkably early flowering. Per pkt. 15c


Diantlins, Queen of Holland. (D. Heddewigi albus.)—(See cut.) This new variety of Indian Pink, we feel sure will fill a long-felt want: a pure white variety having hitherto been unknown in this class. The flowers are large, even-edged, and of a lustrous pure white color, a few will be found with a small yellowish or pinkish ring round the eye, but a large percentage of the flowers are purest white. The plants grow about 1 foot high, and are literally covored with flowers, from early summer till fall. Per pkt. 15c.

Dianthus, White Diadem Pink. (D. Heddewigi Diadematus albus flore pleno.)— (See cut.) In this new variety, we have the first variation from the favorite Diadem Pink, from which it is at once distinguished, by the pure white ground color of the petals, which contrasts finely with the delicate Diadem markings, principally of lilac, purple, earmine or blood-red tints. Per pkt. 25c.

Hunnemannia fumariaefolia grandiflora.—This is an improved strain, of the old Hunnemannia fumariaefolia, a native of Mexico, and bears immense yellow tlowers, similar to those of the California Poppy, which it also resembles in foliage, and for which it is a very good substitute: is a hardy perennial,



Dianthus, Queen of Holland.



White Diadem Pink.

forms a large bush, 2 to 3 feet high, and blooms during the greater part of the year. Flowers of it may be had when (the wild Poppy is out of season. Per pkt. 15c.

Mignonette, Ruby.—A new variety of striking appearance. The flowers are of a light, copper-searlet color, the plants compact in growth, and equally useful for pot culture, or for growing in the open ground. Per pkt. 10c.

Tall Nasturtium, Caprice.—A new variety of California origin, belonging to the tall-growing class, and has been rightly named Caprice, because the plants (like Chameleon Nasturtium) bear flowers of different colors, on one and the same plant; some are beautifully blotched, striped or splashed, while others are self-colorod. The foliage is generally of a fine dark green color, making a rich background for the many-colored flowers. Per pkt. 15c.

Poppy, Chamois Rose.—A charming new Poppy, producing large double flowers of a clear chamois-rose color. Quite distinct and a valuable novelty. Per pkt. 15c.

Poppy, Maid of the Mist.—A grand new Poppy of the Paeony-flowered type, and a novelty from our own state. The flowers are very large, and measure from 6 to 7 inches in diameter, of a pure snow-white color, rivaling the Romneya Coulteri in grace and beauty. The petals are large, over-lapping, daintily incurved and deeply and irregularly fringed. The flowers are produced on long stems, and instead of facing upwards as do most Poppies, they turn ontward; the pretty centers fringed with silken stamens, and encircled by the deeply-fringed petals, produce a very striking effect, and suggest, as the grower says, "A pretty face looking out from white mist." Per pkt. 15e.

Mammoth Verbena, Firefly.—A magnificant variety of the Mammoth Verbena, producing immense trusses of bright red flowers with large white eyes. It is entirely distinct and comes quite true from seed; a very free-flowering variety, and as a bedding plant will be of great value. Per pkt. 25e.

Germain's Seeds are all tested by an expert and hence will always be found to give high percentages in germination.

Flower and Vegetable Garden.

A Concise Calendar of Operations Throughout the Year. Especially Adapted for Southern California.

JANUARY.

Flower Garden.—Continue to plant Lilies. All kinds of evergreen and deciduous shrubs can now be planted. The planting of Hyacinths, Tulips, Narcissi, etc., should be completed this month. Hardy annuals may be sown out of doors, and, where artificial heat is obtainable, half hardy annuals may also be sown. A hot-bed of stable manure is easily prepared by piling it 4 or 5 feet in height, well watered and trampled down, over which place a large box or frame, with glass sash, taking care to air and sweeten the bed well before using.

Vegetable Garden.—For main crop sow Broccoli, Carrot, Chicory and Parsnip. At the end of the month, in warm, sheltered situations, Early Rose Potatoes may be planted. Plant Asparagus, Horseradish and Rhubarb roots. These all require deeply-worked ground. Dress beds already planted with about 3 inches of well-rotted mannre. Cucumbers, Egg Plants, Melons, Peppers, Squashes and Tomatoos may be sown under glass for after-planting. A safe plan is to sow about 5 seeds of each variety on reversed pieces of sod, about 4 inches square. On planting in the ground, insert the sod with the growing plants and firm the soil in the usual way. By this method the growing plants will suffer no injury. Stick and hill up Peas and other crops requiring it, and attend strictly to eleanliness.

FEBRUARY.

Flower Garden.—General planting of evergreens and shrubs should be completed as soon as possible. Also finish planting Lilies, Anemones and Ranuneuli. Commence planting Gladioli bulbs for succession. Sow hardy annuals out of doors, especially Sweet Peas, and half hardy annuals as recommended for last month. This is the best month in which to sow Acacia seeds. Soak for 24 hours before sowing, or where practicable, spread dry leaves or bushes over the beds after sowing and watering and set fire to them. This is the best manner of sowing all hard tree-seeds.

Vegetable Garden.—This and the next month will be the busiest of the year in this department, as nearly all crops may be sown in these two months. (See reference table for varieties to be sown.) Continue planting Asparagus and other roots as recommended for last month. Plant main crop of Potatoes. Attend to weeding and hilling up. Thin out Turnips, Carrots and other root erops requiring it.

MARCH.

Flower Garden.—Continue planting Gladioli bulbs for suecession. All hardy and half hardy annuals may be sown in the open ground this month. Alternanthera and other border plants can be planted with safety, as all danger from even slight frost is now over.

Vegetable Garden.—Nearly all vegetable seeds may be freely sown this month. (See reference table.) Plant out Cucumbers, Melons and other plants previously sown under glass. Hill up rows, keep down insects, slugs and vermin, and attend strictly to cleanliness.

APRIL.

Flower Garden.—Plant Dahlias, Gladioli, Theoroses, Tigridias, Theorons Begonias, and all summer-flowering bulbs. Continue sowing hardy and half-hardy annuals. Watch Rose bushes, and if troubled with green Aphis, use tobaeco-dust freely.

Vegetable Garden.—(See reference table for varieties to be sown.) Plant out Egg, Popper, Tomato and Sweet Potato plants, the latter in light, rich soil, well worked, in rows 6 feet apart, and 2 feet in the rows, and keep the soil well worked. Cultivate well and hill up as required.

MAY.

Flower Garden.—As Hyaeinths, Tulips, Narcissi, etc., die down, the bulbs should be dug up, and stored away in a cool, dry place till fall, when they may be replanted. The vacancies thus created should be filled with other flowering plants. Half-hardy and other annuals may still be sown, and

summer-flowering bulbs be planted. The garden should now be brilliant with flowers, and all sowing, planting and general cleaning up should be completed this month, ready for the summer season.

Vegetable Garden.—Pinch out points of shoots of Cucumbers, Melons, Squash, etc., as soon as they commence flowering. Sow vegetable seeds for succession (see reference table), and keep surface of soil well broken.

JUNE.

Flower Garden. — Trim edgings of borders and hedges, and carefully attend to watering. Dahlais and Gladioli may still be planted. Sow Encalyptus and Cypress seeds for winter planting.

Vegetable Garden.—(See reference table for varieties that may be sown for succession.) Hill up all growing crops and stick Pole Beans and Tall Peas as required.

JULY.

Flower Garden.—Continue to dig up and store bulbs as they ripen. Trim edgings and hedgerows, and sow perennial flower seeds in shady situations. Continue sowing Eucalyptus and Cypress seeds.

Vegetable Garden.—Cultivate well between the rows. Sow vegetable seeds for succession, as per Reference Table. If manure is used during this hot month, it should be in liquid form.

AUGUST.

Flower Garden.—This is the best mouth in the year in which to sow hardy perennials. Most varieties if sown this mouth will flower the next year. (See remarks on culture in body of list.) Also sow Calceolaria, Cineraria, Pansy and Primula seeds. (See special remarks on culture of tender annuals.) Continue sowing Eucalyptus and Cypress seeds.

Vegetable Garden.—Plant second crop of potatoes. Sow Cabbage, Cauliflower and Spinach for main crops, and others mentioned in reference table for snecession.

SEPTEMBER.

Flower Garden.—Commence planting Hyacinths, Tulips, Anemones and other Dutch bulbs toward the end of the month. Prick off Calceolarias, Cinerarias and Primulas sown last month, into small pots, and continue sowing same for succession. Pansies can be grown better transplanted into a well-manured bed than in pots, as they are not so liable to be attacked by the red spider. Pansy seed may be sown for succession until the end of Novomber. Also sow all the hardy annuals and percunials.

Vegetable Garden.—Many varieties of vegetable seeds may be sown this month. (See reference table.) Plant out Cabbage and Cauliflower plants sown in July.

OCTOBER.

Flower Garden.—Hyacinths and other Dutch bulbs should be planted freely this month; also early Lilies. Cineraria and Primula seed may still be sown for late flowering. Continue sowing hardy annuals.

Vegetable Garden.—Sow largely Peas, Onions and Spinach for main crop; also other seeds for succession (see reference table), especially Winter Radishes.

NOVEMBER.

Flower Garden.—Continue planting Hyacinths and other Dutch bulbs, and Lilies of all kinds; also plant roses, evergreens, and deciduous shrubs of all kinds. Form new lawns and renovate old ones (for which we recommend our special lawn fertilizer, at the rate of 600 pounds per acro). Carry out landscape alterations, if required; dig and manure borders, and energetically proceed with all heavy work.

Vegetable Garden.—Sow seeds as recommended in reference table for this month, and hill up young crops. Keep the ground thoroughly clean, and dig or plow manure in all unoccupied ground for future usc. Keep down slugs by free use of Hammond's Slug Shot, salt, lime, or any other dressing which is beneficial to the growing crops.

DECEMBER.

Flower Garden.—Operations same as last month.

Vegetable Garden.—Operations same as last month.

Bear in mind we do not sell "cheap" seeds; that is an occupation enjoyed by others. Many seeds are grown under our personal supervision, from strains known to be of superior quality. Poor and unreliable seed is dear at any price, and for that reason no soil-tillor can afford to triflo with "hold-over" or untested seeds. We soll only seeds tosted by an expert on our own grounds; hence you are safe in trusting us with your orders.

REFERENCE TABLE

Showing at a Glance the Best Time to Sow the Different Kinds of

Vegetable Seeds.

This is arranged for the elimate of Los Angeles, In colder districts spring sowings should be made one month later than indicated in column.

EXPLANATIONS.—The letters S or P opposite the variety and under the month in the column, indicate that the Seeds, Roots or Plants may be sown or planted in that month.

VARIETY.	January.	February.	March.	April.	May.	June.	July.	Angust.	September.	October.	November.	December.
Artichoke, Globe			\overline{s}	S								
Asparagus — Seed		S	$\ddot{\tilde{\mathbf{s}}}$	\ddot{s}								
Asparagus — Roots	P	\tilde{P}	\tilde{P}								P	Р
Beet, Table varieties		Ŝ	ŝ	S			S	S	S			
Beans, Broad or English	\tilde{s}	\tilde{s}					~	\	s	S	S	S
Beans, Dwarf or Bush		S	S	S	S	S	S					
Beans, Pole			s	S	S							
Broccoli	s	\mathbf{s}					\mathbf{s}	S	S	S	S	S
Brussels Sprouts	\cdot S	S					S	S	S	S	S	S
Cabbage, Early — Seeds		S	S					S	S	\mathbf{S}	S	S
Cabbage, Early — Plants		\mathbf{P}	P	P					P	P	P	P
Cabbage, Late — Seeds			S	S	S	S						
Cabbage, Late — Plants					P	$-\mathbf{P}$	P					
Carrot	\cdot S	S	S	S	S			S	S	S	S	S
Cauliflowor — Seeds	$\cdot \cdot \cdot \cdot \cdot \cdot \cdot$	S	S	\mathbf{s}			S	\mathbf{s}	S	S	S	S
Cauliflower — Plants		P	P	P	P				P	Р	P	
Chervil		S	S	S	$\mid s \mid$				S	S		
Chives	P	P	P	P					P	[-P]	Р	P
Collards		S	S	S								
Chicory		S	S	S								
Corn, Sweet			S	S	S	S		[
Corn Salad		S	S	S				S	S	S		
Cress	S	S	S	S	S	S	S	S	\mathbf{s}	\mathbf{s}	S	S
Cucumber			S	S	S	$_{\rm S}$						
Dandeliou	.	$\mid S \mid$	S	S					S	\mathbf{s}		
Egg Plant — Seeds			S	\mathbf{s}	S	S						
Egg_Plant — Plants				P	P	P	Р					
Endivo	. S		S	S				\mathbf{S}	S	\mathbf{s}	\mathbf{s}	S
Garlie —Sets	. P	P	P	P				P	P	P	P	P
Horseradish—Sets		P	P	P							P	P
Kale	S	S	S					S	S	S	\mathbf{s}	S
Kohl Rabi		S	S					S	S	S		ļ <u>.</u>
Leek	S	S	S	S					S	S	S	S
Lettuee	. S	S	S	S	S	S	S	S	S	s	S	S
Melons, Musk and Water	.		S	S	S	S						
Mustard	S	$\mid s \mid$	S	S	S	S	S	S	S	$\mid s \mid$	S	S
Okra Onion — Seeds		C1		S	S	1 3					cı	· · · · · · · · · · · · · · · · · · ·
Onion — Seets	P		P	P	, D			S	S	S	S	P
Parsley		P	S	s						P	$\frac{P}{S}$	s
Parsnip		S	S	S				S		S	S	1 13
Peas		S	S	s	s	s	s	S	S	S	S	S
Pepper — Seeds	. ,3	1 2	$\frac{1}{8}$	s	s	S	13	10	В	13	13	
Pepper —Plants		1	13	$\stackrel{\circ}{\mathbb{P}}$	$ \tilde{P} $	P	P					1
Potato — Sets	1	P	Р	P	P		P	P				
Potato, Sweet — Plants	1	*	1	P	P	P	1	'				
Pumpkin	1	1	s	s	s	s			1			
Radish	S	S	$ \ddot{s} $	s	$\frac{1}{8}$	\ddot{s}	s	S	S	S	S	S
Rhubarb — Seeds	1		s	$\frac{3}{8}$		'	`	5		5		~
Rhubarb - Roots	Р.	$\mid \stackrel{\mathtt{p}}{\mathbf{P}} \mid$	P	!							P	P
Salsify		. ŝ	s	S	S						1	
Spinaeh	. S	S	S	S	S	S	S	S	S	S	S	S
Tobaceo		S	ls	ls							~	l ~
	1	. 2	, ,	- 2						ļ		1

VARIETY.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
Tomato — Seeds		$\frac{s}{s}$	82888	8 P 8 8 8	SPSSS	Р S	S S	S	S	S		
Beet, Sugar Beet, Mangel Wurzel, for stock Clover, Searlet Italian Clover, Other sorts. Grass, Bermuda Grass, Other sorts Millet, German Sorghum or Sugai Cane	S		888 8888		00000	S	SS	S	8888	8888 8	www w	S

Rules for Seed Sowing and Vegetable Growing.

- 1. Choose the location for your garden on a sheltered, snnny slope if possible, and with thorough drainage.
- 2. Do not attempt too much. Two acres well enlitivated will produce more than five under slovenly enlitivation.
 - 3. Fertilize liberally before plowing or harrowing.
 - 4. Cultivate deeply, viz.: from 15 to 20 inches.
 - 5. Sow in drills, in preference to broadcast.
 - 6. Plow deeply and repeatedly, and work the soil to as fine a tilth as possible before planting.
 - 7. Keep weeds down. The old adage, "One year's seeding makes seven year's weeding," is correct.
 - 8. Cultivate frequently. Good tillage always pays, and prevents the soil from baking.
- 9. Attend strictly to rotation of erops. Do not let two tap-rooted erops (as Carrots and Parsnips) follow each other, nor two exhaustive head erops (as Cabbages and Cauliflower.) Let the soil have time to recover its fertility. Follow Carrots, for instance, with a surface, shallow feeding erop, as Peas, or vine erops, as Melons and Squashes.
 - 10. Water in drills, and copiously; slight sprinklings overhead do more harm than good.
- 11. Watch elosely for insects. Hammond's "Slug Shot" is very valuable to dust over young plants, as it is only destructive to insects, and is innocuous to larger forms of animal life. It does not harm poultry, and acts on the plant as a fertilizer.
- 12. Buy your seeds only from a reliable seed house, whom you are sure test their seeds before sending them out, and supply only varieties true to name.





Vegetable Seeds—General List.

NOTICE.—In ordering seeds please observe that ounce prices will be charged for quantities less than one-quarter pound, and pound prices for less than ten pound lots. All vegetable seeds, except where otherwise priced, can be supplied in packets at 5c each - 50c per dozen. We have affixed the names of the vegetable seeds in three languages—the first Spanish: second, German; third, French. The English name is of course given in the heading.



Large Green Globe.

ARTICHOKE.

Alcachofa — Artischoke — Artichaut...

Drop the seeds early in the spring, 1 inch deep and 3 or 4 inches apart, in drills 1 foot apart. Hoe often and transplant in the following spring to hills 4 feet apart, setting from 1 to 3 plants in a hill. The soil should be deep, light and rich, and the situation open and free from the influence of trees.

Large Green Globe. - (See cut.) The largest and best. Per oz. 30e: per lb. \$3.50.

ASPARAGUS.

Esparrago — Spargel — Asperge.

Sow in rows a foot apart. Keep carefully hoed and clear from weeds, and the plants will be in condition to set out when one year old. The soil for the permanent bed should be thoroughly manured and




Conover's Colossal.

trenehed to a depth of at least 2 feet. Plant in rows 3 feet apart, and 1 foot between the plants in the rows; spread the roots well out, and let the crown of the plant be covered about 6 or 8 inches when established. Previous to sowing the seed, soak in tepid water for 24 hours.

Columbian Mammoth White.-Very large, tender and sweet. Per oz. 10e; per lb. 75e.

Conover's Colossal.—(See eut.) A standard variety, excellent quality and productive. oz. 10c; per lb. 40c.



Palmetto Asparagus.

Palmetto. - (See eut.) A large, early variety; very regular and even in its growth, and unexcelled for quality and productiveness. Per oz. 10c; per lb. 75e.

The Germain Fruit Company does not trade on its established reputation, but keeps up the excellent quality of its seeds from year to year.

BEANS.

All beans ordered by mail will be charged 10e per lb. additional for postage.


ENGLISH.

Haba — Puff bohne — Feve de Marais.

Drop early in spring, 3 inches apart, in drills 2 or 3 feet apart. When in full bloom nip an inch or two off of each stem. A deep strong loam suits them best.

Broad Windsor.— Large, productive and of fine quality: best for general erop. Per 100 lbs. \$6.00; per lb. 10c.

Early Long Pod.— Good and productive. Per 100 lbs. \$6.00; per lb. 10e.



French Kidney Bean.

DWARF OR BUSH.


Frijoles — Bohne — Haricots Nains. Select light, rich soil and plant 2 inches deep, in



drills 2 feet apart. The plants should be about 3 inches apart, and the earth around them kept loose and clean. The plants should not be disturbed when they are wet, as it would be liable to cause rust. It is better to defer planting until the weather has become warm and settled, as these varieties are not hardy, and will not endure the least frost or cold.

Burpee's Bush Lima.—Splendid [dwarf lima; large and of excellent quality. Per 100 lbs.


Early Red Valentine. \$9.00: per lb. 15c.



Black Wax.— (See ent.) Pods are transparent and yellow; a superior variety. Per 100 lbs. \$10.00; per lb. 15c.

Canadian
Wonder.—(See
eut.) It is without
exception the most
productive dwarf
bean yet introduced; pods long,
exceedingly tender
and of fine flavor.
Per 100 lbs. \$10;
per lb. 15e.

Early Red Valentine.— See cut. Pods round, somewhat curled, productive, tender, and of excellent



Black Wax.

flavor. Per 100 lbs. \$9; per lb. 15c.




Germain's Flageolet Wax.

POLE OR RUNNING.

Frijol de Bejuco-Stangenbohne-Haricots a Rames.

These varieties require a rich soil. Plant in well-manured hills, 3 feet apart each way, covering to a depth of 2 inches. In each hill set a pole 8 or 10 feet long, around which plant 5 or 6 beans, and afterwards thin out, leaving four strong, healthy plants to each hill. They may also be grown without

poles, allowing the vines to run, planting in hills 4 feet apart.



Creaseback. — Handsome green pods, 5 to 6 inches long, perfectly round with crease in back, hence the name. Early, exceedingly productive, and of good quality. Per 100 lbs. \$10.00; per lb. 15c.

Cut Short.—The finest comfield bean grown; takes to the eorn as no other bean will. Per 100 lbs. \$10.00; per lb. 15e.




French Kidney, or Red Turkey.—(See cut.) A good shipping variety: early, and the best for winter


Germain's Improved Golden-Eyed Flageolet Wax.— (See cut.) Early rust-proof variety, producing an enormous crop of large, flat, yellow pods: very tender and of the

Golden Wax.—(See cut.) An early stringless bean; pod of golden wax

Long Yellow Six Weeks.—(See cut.) Very early and productive, one of the best market varieties; pods often 8 inches long, tender and of

crop \$ 9.00 15c





Per 100 lbs. Per lb.

 $10.00-15\varepsilon$

10,00 15e


9,00 15e

9.00 15e

Golden Wax.



Lazy Wife's Pole Bean.



Asparagus or Snake Beans.



German Black Wax.—(See cut.) Excellent	Per 100 lbs.	Per lb.
variety, either for snaps or shelled; tender, rich- colored pods		15e
Kentneky Wonder, or Old Homestead. — A very vigorous grower, and enormously productive. The pods, which hang in great clusters, are very long, tender and of the finest flavor. One of the very best pole beans in cultivation		15e
Large Linia.— A standard variety, unsurpassed in quality as a green or dried shell bean	9.00	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Lazy Wife's.—(See eut.) Very productive; examp or dried bean; may be grown either on poles	9.00	15c


which are of a dazzling searlet color, it is also a fine snap bean and the leading variety of English gardens

cellent either as or on corn

BEETS.

Remolacha - Rothe Rueben - Betterave.

Select a deep, rich, sandy loam, and manure with well-decomposed compost. Sow in drills 14 to 16 inches apart, and cover one inch deep. When the young plants appear, thin to 4 or 5 inches apart. One ounce of seed will sow about 50 feet of row.




Scarlet Runner .- Often cultivated for the beauty of its flowers



Dewing's Early.

Per oz. Per 1b.



Edinind's Blood Turnip Beet.

Germain's Long Blood. - (See cut.) A splendid variety of fine flavor, and being of long symmetrical shape, is more easily sliced than the round varieties...... 50e Swiss Chard, or Silver.-This variety is cultivated for its leaf stalks, which are served up much like Asparagus, and for its leaves, cooked as Spinaeh. Cut often; new and more tender stalks will be produced 10e For best varieties of Sugar Beet and Mangel

Wurzel for feeding stock, see Agricultural Seeds.

10.00 15e

BROCCOLI.

Broeuli - Spargelkohl - Broccoli. Closely allied to the Cauliflower, but hardier. Sow the seeds in beds and transplant to rich, mellow ground, 2 feet apart. A light, free loam, well enriched with rotted stable manure is best. Cultivate the same as Cauliflower. One ounce of seed will produec 2,000 plants.



Eclipse Blood Turnip Beet.

	Per pkt.	Per oz.	Per Ib.
Early Purple CapeVery hardy; heads solid and compact; color greenish			
purple	10c	30e	\$3.00
White Cape.—Later than Early Purple Cape; heads medium size, firm, and a			
rich creamy color	10e	30e	\$3.00

BRUSSELS SPROUTS.

Berza de Bruselas - Rosenkohl - Chou de Bruxelles.

This plant produces from the sides of the stalks numerous little sprouts resembling cabbages, 1 or 2 inches in diameter. They are very tender and sweet. Sow in seed-beds, transplant and cultivate like eabbage.

Dwarf Improved.—(See ent.) Very fine; heads of good quality. Per oz. 15e; per lb. \$1.50.



Dwarf Improved.

Per lb.

1.50

2.00

20c

Per ov

CABBAGE.

Repollo - Kopfkohl - Chon Pomme.

Commence to sow the seeds of the early varieties in August, and each month following, until spring, for succession. Transplant as soon as large enough, to fresh, rich soil, in rows 2 feet apart and 18 inches in the rows. For late use sow the Drumhead sorts in spring, and transplant to well-manured ground 3



Early Red Dutch.

feet each way. In planting Cabbage or Cauliflower, care should be observed that the stem is set under ground as far as the first leaf. The ground should be well worked, to produce good heads, and hoed as many as three times during the season, drawing the earth slightly about the



Early Winningstadt.

for general erop.....

Early Red Dutch.— (See eut.) Used for piekling; good solid heads; fine deep red eolor.....

stems. One onnee will produce 2,000 plants. The Drumhead varieties are used extensively for stock feeding purposes.

EARLIEST VARIETIES.

Early Dwarf Ulm Savoy One of the earliest; unsu		1 0%.	1 61 10.
for family use		15e	\$1.50
Early York One of the earliest; an old favorite variety.		15e	1.50
Early Jersey Wakefield.—(See cut.) This cabbage			
	the leading market gar-		
	deners in the vicinity of		
	New York and Boston	15e	-1.50
	SECOND EARLY VARIE	ETIE	s.
	Per	r oz.	Per lb.
	All Seasons.—See cut.		
	Similar in form to Stone		
	Mason; solid, eompaet:		
	claimed to be as early and		
	larger than the Hender-		
	_	15.	#1 50
	son's Summer 1	roc	фт.90
	Dwarf Green Curled		
	Savoy.—One of the best		
	See voj v Sile of the oest		

All Seasons Cabbage.

Pe Early Winningstadt.—(See cut.) One of the best for general use; heads large, solid and keep well. It heads uniformly in the hottest weather; a standard variety		Per lb. \$1.50			
Fottler's Early Drumhead, or Brunswick.—(See cut.) This variety produces fine large heads	15e	1.50			
Henderson's Early Summer.— (See ent.) This is the earliest of the Drumhead varieties; heads large, solid and keeps well	15e	1.50			
Hollander.— An excellent variety of the Drumhead type; a heavy cropper, a good shipper	30e	3,00	Surehead.	Arm Nach	
			Large Late Drumhead. Dru	mhead	Savoy.
Marblehead Mammoth Drumhead,			Large York.	Day or	Per lb.
		than	York. —(See cut.) Larger the Early York, and a little		1 (1)
	À		ssion. — A valuable variety,	15e	1.50
		Sureh marka Heads	ead.—(See cut.) A variety re- ble for its certainty to head. s large, solid, with scarcely any leaves		1.50
		-0000	LATE VARIETIES.	100	1.00
		eross large	head Savoy.—(See cut.) A between Savoy and Drumhead; solid heads	15c	1.50
Early Jersey Wakefield.		ent.) large,		15e	1.50

iety in the world, some speeimens weighing upwards of 60 lbs.

head.-(See cut.) The largest var-

1.50

	Per oz.	Per lb.
Premium Flat DutchLarge and excellent for winter; of superior quality	15c	\$1.50
Red Drumhead Used for pickling; large, very solid, color deep red	20e	2.00
Stone Mason Drumbead (See ent) An excellent sure heading variety: solid	15e	1.50





Fottler's Early Drumhead.




Stone Mason Drumhead.

Henderson's Early Summer.

CARROT.

Zanahoria — Mohre — Carotte.

Of root crops the Carrot ranks among the first in value and importance. The soil best adapted to it, and root crops in general, is a light loam, which should be richly manured, deeply ploughed, and pulverized. Sow in rows 15 inches apart, and thin the plants 5 or 6 inches in the rows. One onnce of seed will sow about 150 feet of row. Three pounds to the acre.



French Forcing Horn.

Early Scarlet Horn.

Danver's Half Long.

Ox-Heart or Guerande.

Altringham.—Large and finely flavored; color bright orange red	Per oz. 10c	Per Ib. 60e
Danver's Half Long.—(See eut.) A splendid cross between the stump-rooted Short Horn and Long Orange. It is a first-class Carrot for any soil; rich, dark orange	l e	
in color		60e
Early Searlet Horn (See eut.) The most desirable for foreing	. 10e	75e
Early French Forcing Horn.—(See ent.) Small, best for table; generally used for forcing.	l	75e
Improved Long Orange Extra clean, rich eolor, for general crop, good for stock	•	50e
Ox-Heart, or Guerande.—(See eut.) A very choice strain of the stump-rooted variety	l	60e
(Day 6-13 6 - 6 - 2)	. 10e	000

(For field carrots for feeding stock, see Agricultural Seeds.)

The allusions to methods of culture, time of planting, etc., mentioned briefly here and there in this catalogue, apply chiefly to California conditions. Planters in other sections, particularly in the northern, eastern and southern states, obviously, will modify these suggestions to correspond with their local conditions of soils, climates and practices.


CAULIFLOWER.

Coliflor — Blumenkohl — Choufleur.

This is one of the greatest luxuries which the garden It requires care affords. and a favorable season for successful cultivation. For early use, sow from July to September and transplant in rows 212 feet apart, and 2 feet between the plants. For late crop transplant and pursue the same course as with Cabbage. The soil should be rich, moist and deep. One onnce of seed will produce 2,000 plants.

Autumn Giant.—(See cut.) A very large, vigorous late variety, succeeding well in this section. Per pkt. 10c; per oz. \$1.50.

Early Dw'f Erfurt.—(See cut.) A good compact heading variety, of fine quality. Per pkt. 20c; per oz. \$2.00; per lb. \$20.00.



Henderson's Early Snowball.




Large Algiers.




Extra Early Paris.




Lenormands Short-Stemmed Mammoth.



Early Dwarf Erfurt.



Autumn Glant.



Golden Self-Blanching.

CELERY.

Apio - Selleric - Celeri.

Sow seed in frame or open ground. Transplant 4 inches apart, when 3 inches high, in rich soil finely pulverized; water and protect until well rooted, then transplant into rows 5 or 6 feet apart, either on surface or in well-manured trenches a foot in depth, half filled with well-rotted manure. Set the plants from 8 to 12 inches apart. To blanch, draw earth around the plants from time to time, taking care not to cover the tops of the center-shoots. One ounce of seed will produce 5,000 plants.

The Celeriac, or turnip-rooted, may be planted either on level ground or in shallow drills, and cultivated in a manner similar to Celery. The roots are used as a salad.


	Per ox.	Per lb.
Boston Market (Sec cut.) One		
of the best of the white varieties;		
early and hardy	150	\$1.50
carry and nardy	100	φ1.00
Carter's Dwarf Crimson		
Fine dark crimson color; stalks		
sweet and crisp; a first-class		
	15e	1.50
variety	156	1.50
Celeriae, or Turnip-Rooted.		
(See cut.) Forming turnip-shaped		
		0.00
bulbs of Celery flavor	20e	2.00
Per oz. Per lb.		
ACLOSS TULID.	- 1 May 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	


1.50


\$1.50



Boston Market










Dwarf Golden Heart.



Sandringham Dwarf White

White Plume.—(See cut.) The stalks and portions of the inner leaves and heart are naturally white, so that by closing the stalks, either by tying them together or by pressing the soil up against the plant with the hand, the work of blanching is completed. Its eating qualities are equal to the very best of the older sorts, being crisp, solid, and of a nutty flavor, while its white feather-like foliage places it ahead of all

Per oz. Per lb.



CHERVIL.

Perifollo — Kerbel — Cerfueil.

Sow in drills 1 foot apart, and 12 inch deep, when the plants are 2 inches high, thin them out to 6 inches apart.

Per oz. Per lb. Curled. - Used for flavoring soups and stews, also for salads and garnishing 10e \$1.00

CHICORY.

Achicoria — Cichorie — Chicoree.

Much used as a salad by the French. Sow in spring in good rich soil, in drills 18 inches apart, after-culture same as for carrots.



Large Rooted.

Common or Wild .- Used as Barbe de Capuein, a salad much used in France. Sown in spring the roots are transplanted in autumn into sand in a cellar. The shoots which will come up soon, form the Barbe de Capuein

Witloof.—Has very broad leaves with large ribs or stalks, which is its chief merit. When blanched this forms the vegetable which the Belgians call Witloof. In appearance it much resembles a blanched head of Cos Lettuce 10c

Per oz. Per lb.

10e \$1.00



1.00

1.00

Large Rooted, or Coffee. - (See cut.) Much used in Europe as a substitute for coffee, and large quantities of the prepared root are annually exported to this country for a similar use. In the fall the roots require to be taken up and cut in small pieces and put where they will dry, requiring the same treatment used in drying apples. When

COLLARDS OR COLEWORT.

Cabu - Blatter kohl - Chou-Cabu.

A species of Cabbage which is eaten when young, and used quite extensively as greens. Sow in spring in drills 1 foot apart. Thin plants to 8 inches, and treat as Cabbage. Per oz. Per lb.

CORN SALAD.

True Georgia ______ 15e \$1.50

Macha ó Valerianilla - Lammer-Salat - Maehe.

Commonly called Lamb's Lettuee. For a summer supply, sow early in shallow drills 1 foot apart; and for early spring use, sow about the first of September.

Per oz. Per lb. Large Seeded. - Round leaved.... 10e \$1.00

CORN-SWEET.

Maiz — Welschkorn — Mais.

Plant the smaller varieties in drills 3 feet apart and 10 inches apart in the rows; or in hills 3 feet



Crosby's Early.

apart each way and 3 or 4 grains in a hill. The taller varieties on rich soil should be given a space of 4¹2 feet between the drills and 1 foot between the stalks, use some rich mannre in the drills, hoe often, keeping the earth well stirred, drawing it in slightly about the roots.

The following are all grown from extra scleeted stocks. (If ordered

by mail 10c per pound will be charged additional for postage.)

Black Mexican.—The sweetest, riehest and tenderest of all sweet corn; it is remarkably productive. Second early; it is very white when suitable for cooking, but the kernels are bluish black when ripe. Per 100 lbs. \$7.00; per lb. 10e.



Early Mammoth.

P	er 100 lbs.	Per lb.
Crosby's Early Sweet(Sco cut.) Second early, sweet and productivo	\$7.00	10c
Country Gentleman.—Very productive, cars very handsome, from 8 to 9 inches in length and very attractive for the table. The kernels are pearly white, deep and on a very small cobb, and unsurpassed for quality and delicious flavor	1	10e
Early Minnesota Sweet.—(See eut.) One of the earliest, with ears of suitable size for market purposes		10e
Early Mammoth.—(See ent.) This variety produces the largest ears of any variety of early sweet corn		10e
Hickox Improved Sugar.—(See eut.) Ears large, very white, handsome and o rich flavor		10e
Stowell's Evergreen.—(See eut.) A late variety, remaining green longer than any other kind		10e







Early Minnesota.



Stowell's Evergreen.

CRESS OR PEPPERGRASS.

Berro ó Mastuerzo — Kressc — Cresson.

Select good, rich soil, sow the seeds thickly at frequent intervals for a succession, in drills 1 foot apart, covering lightly. A cool, moist soil and shady location is the best for summer sowings. One onnce of seed will sow 10 feet of drill.

CRESS-WATER.

Berro - Brunnenkresse - Cresson de fontaine.



Boston Pickling.

CUCUMBER.


Pepino — Gurke — Concombre.


Plant the seed as soon as the weather bocomes settled and warm, in hills 4 feet apart, using a shovelful of warm, well-rotted manuro to each hill. Cover the manure 3 inches deep with fine earth, and plant 8 or 10 seeds in each hill. The seeds should be covered about 1 inch doep with well-pulvorized soil and firmly pressed down with the back of the hoc. Hoe often, and when

out of danger from insects thin to diplants in each hill. Cneumber, as well as Melon and Squash seeds, are considered best when two or three years old; they run less to vines, and bear earlier and more abundantly.

One ounce will plant about 100 hills.

Cncumbers should be gathered when large enough for use, whether required or not; if left to ripen it destroys their productiveness.






New Siberian.

Early Cluster.—(See eut.) Very productive, grows in clusters, short and prickly.


Very productive, grows in clusters, short and prickly..... 10e 60cEarly Frame. - (See cnt.) A very popular variety, short and prolifie..... 10e 60e Early Russian.-(See cut.) The earliest, grows about 4 inches long 10e 60eGiant Pera.—(See cut on next page.) Large, often 18 inches in length; excellent quality, and fit to eat at all stages of growth 10e 70e



Climbing Delicatessen.



Nichol's Medium Green.



	Per oz.	Per lb.
Long Green.— (See cut on page 29.) An old standard sort:		
makes hard, brittle pickles	10e	60e
New Siberian.—(See cut on		
page 29.) The earliest cucum-		
ber known, having produced fruit 5 inches long within 55 days		
from the time of sowing the		
seed in the open ground. Of		
medium size, a splendid free		
bearer, fruits straight, smooth,		
tender and crisp	10e	60e
Nichol's Medium Green.		
-(See cut on page 29.) Of re-		
cent introduction; one of the		
best for general use	10e	60c
White Apple-Shaped A		
variety introduced by us 3 years		
ago from Australia. Fruit is		
round, and of better flavor than		
any other variety. It is claimed		
by the Australians that this is		
the most wholesome of all cu-		
cumbers, persons who dare not		
eat any other variety being able		
to eat this one with safety. Stock of seed very limited, Per		
pkt. 10c; per oz. \$1.00		
White Spine.— (See cut on		
page 29.) Excellent for table or pickling; a great bearer	10e	60e
West India Gherkin,—(See		
cut on page 29.) Oval shaped,		
prickly, for pickling only	10c	\$1.00

DANDELION.

Amargon — Kuhblume — Pissenlit.

This vegetable has become very popular as an early healthful green, and the roots also are used when dried as a substitute for coffee. Its use in either of these forms is particularly recommended to those who are inclined to any disease of the liver. Sow in drills 1 foot apart, covering the seed 12 inch down. A rich soil is proferable, but this day is the control of the seed 12 inch


deep. A rich soil is preferable, but this plant will thrive anywhere.

EGG PLANT.

Berengena - Eierpflanze - Aubergine.

Sow seed in a frame if possible. When 3 inches high transplant into small pots, so that the plants may become stocky, and be readily planted out from the pots. When the season becomes sufficiently warm, transplant into thoroughly-worked and well-enriched soil about three feet apart each way. Draw the earth up to the stems, when about a foot high. Egg plant seed will not vegetate freely without substantial heat, and if the plants get the least chilled in the earlier stages of their growth they seldom recover. Repeated sowings are sometimes necessary. One ounce of seed will produce 2,000 plants.

Early Long Purple.—Early, of comparatively	er pkt.	Per oz.
easy culture	10e	35e
New York Improved Purple.—(See cut.)		
An improved variety of the Round Purple, of		
deeper color, larger size, and finer quality; a su-		
perior market variety	10c	50c




New York Improved.

ENDIVE.

Esearola ó Endibia — Endivien — Chicoree.

This vegetable is highly esteemed as a salad. Sow small quantities at different times to insure a plentiful supply, as these crops soon run to seed. When the plants are 3 or 4 inches high transplant 1 foot apart each way, and keep free of weeds until the leaves are 6 or 8 inches long; then blanch the leaves by gathering them earefully together when perfectly dry, and tying them by their tips in a conical form with Raffea to exclude light and air. From 3 to 6 weeks is required to thoroughly blanch. One onnee of seed will sow a bed



GARLIC.

Ajo - Knoblauch - Ail.

Garlic Sets.—Per lb. 10e; by mail 10e per lb. extra; 100 lbs. market price.

KALE OR BORECOLE.

Col - Blatterkohl - Chou Vert.


Sow the seeds in beds, covering lightly. Transplant into rich, mellow ground, and enlitivate the same as Cabbage. They are rendered very tender and delicious by moderate touches of frost. One onnce of seed will produce about 2,000 plants.



Green Curled Scotch.

\$1.50

1,50



Colinabo - Kolılrabi - Chou-rave.

Sow in rows 2 feet apart; thin the plants to 1 foot apart. One ounce of seed will produce about 2,000 plants.

Per oz. Per lb.

Early White Vienna.—(See eut.) Flesh white and tender,

eolor _______ 15e



Early White Vienna.

Puerro - Lauch - Poireau.

Sow in drills 1 foot apart, and 1 inch deep, in light, rich soil, liberally manured; thin the plants to 10 inches. One onnec of seed will sow about 100 feet of drill.

foot of Juin		
feet of drill.	Per oz.	Per lb.
London Flag (See cut.) A large and strong plant; hardy	15c	\$1.50
Large Musselburgh A standard old Scotch variety	15c	1.50
Monstrous Carentan A superior variety, with distinct and		
dark colored leaves	20e	2.00




London Flag.

LETTUCE.

Lechuga - Salat - Laitne.

Scleet rich, moist soil, and prepare beds or draw drills, thin or transplant, when 1 or 2 inches high, to 1 foot apart for heading; hoe frequently to prevent them from going to seed. One ounce of seed will produce about 5,000 plants.





Paris wante cos	Paris	White	Cos.
-----------------	-------	-------	------

Denver Market.

Per lb. All the Year Round.-Heads compact and crisp, may be sown for succession all 80e10cthe year round.....



Red Winter Cos.

Black Seeded Simpson. - Leaves almost white; stands the heat well; size nearly doublo that of the Curled Simpsou: prized by all who have cultivated it; our seed is from pure stock.....

Boston Market (White Seeded Tennis Ball.)—White and erisp; the best and earliest for foreing, making small, compact heads.....

80c 10e

Per oz. Per lb.


California Cream Butter.

Per ox. Per lb.


80c

California Cream Butter.—(See ent.) The ontside leaves are of a medium green color, slightly marked with brown spots, while within the leaves are of a rich creamy yellow color. Stands the summer heat wouderfully well, as it grows slowly and forms a 80c10cvery hard head, it remains fit for use a long time Denver Market.—(See cut.) An early head lettuce of great merit; very crisp, tender S0c10eand of excellent flavor.....

Early Curled Simpson, White Seeded.—(See cut.) Rather loose heads; leaves large, light and eurly



Early Curled Simpson.




Hanson

	Per oz.	Per lb.	and there		
Golden Ball.—Very crisp, tender and of ex- cellent flavor, of a delicate golden yellow color, very long standing, and distinct from all other sorts	10e	80e			
Hanson.—(See eut.) Heads very large, tender, crisp; green outside, white within; stands the		300	The state of the s		
heat wellLarge Drumhead, or Malta.—Good sum-		80c			
mer variety; heads large, good flavor	10c	80c	大致		
New York Head.—The very best lettuce for summer; its size is immense; heads not unfrequently weighing 4 pounds each. The outer leaves are dark, the heads blanch white,					The Manager of the Control of the Co
and are crisp, tender and of excellent flavor	10e	80e			=-
Paris White Cos (See cut.) Heads up-			Tomhannock.		
right, tender and erisp; should be tied up to blanch 10 days before cutting, excellent quality	10e	\$1.00	AMAGE		
Prize Head.—Heads of large size; remains tender and crisp through			A CARD		
out the season; very				3	XX
hardy	10e	80e			
White Summer Cabbage. ing tied up, it is very			Salamander.		
slow in running to seed,				Per oz.	Per lb.
and is extremely hardy				20e	\$2.00
Salamander—. (See eut.) One of the best compact heads; color light green outside, and v	vhite i	nside		10e	80e
Tenmis Ball, Black Seeded.—One of the	ie earli	est head	ling varieties	10e	80e
Tomhannock.—(See eut.) An exeellent va	riety,	remarka	ble for its long keeping	10-	80e
Trianon Self-Folding Cos.—An excellent and bleach quickly; large, crisp, tender and of probably the best Cos Lettuce yet introduced	fine fla	vor. Re	esists warm weather and is		1.50
White Summer Cabbage. —(See ent.) lent for summer	Heads	well for	emed and good size; excel-		80c
WonderfulNew, large, averaging from 2	to 3 p	ounds e	ach, hearts solid, of a pale		300
green color, very crisp and tender; it stands the for its long keeping qualities	sumn	er neat	wen, and is remarkable	10e	1.00

MELON-MUSK.

Melón Almizelena — Cantalupen — Museade.

Scleet, light, warm soil. Plant in hills 6 feet apart each way, 6 or 8 seeds to a hill; thin out to 3 or 4 plants when in a forward state. The hills should be prepared by digging out the soil 11/2 feet deep, thoroughly mixing in each hill a couple of shovelfuls of well-decomposed stable manure, filling up a little above the level. The planting should be deferred until warm settled weather. One ounce of seed will plant about 100 hills.



Banana Citron.



-c	445	Sa	b	H	

	Per oz.	Per lb.
Banana Citron.—(See cut on page 33.)		
Creamy white outside, flesh salmon color,		
possessing both the flavor and fragrance of		
the Banana.	10c	\$1.00
Cassaba(See cut.) Oblong and very		
largo; fine flavor, vellowish-green flesh and		
netted skin	10e	60c
Delmonico.—Large, oval, deeply netted;		
floch door overgo delicious flovor	10a	60a





Prolific Nutmeg.

60c

tiesh deep orange, dencious navor 10c 60c	Per oz.	Per lb.
Emerald GemSmall extra early; smooth, dark green skin and orange flesh; very		
sweet	10e	60c

Extra Early Hackensack.—Ripens 10 days earlier than the Large Hackensack.... 10c 60c





Large Hackensack.

Montreal Nutmeg.

	ack.—(See cut.) Large; very prolifie; rich in flavor; thick, jnicy	10e	60e
	Large Yellow Cantaloupe. — Good size; flesh reddish-orauge, sweet and of good flavor	10e	60e
	Montreal Nutmeg.—(See cut.) Grows to an immense size; deep ribbed; flattened at both ends, very thick flesh, rich in flavor	10e	60e
	Osage, or Miller's Cream.—The most fragrant and delicious musk melon grown	10e	60e
Skillman's Fine Netted.	Prolific Nutmeg.—(See cut.) A very good, hardy, and prolific variety; fruit medium size, roundish, netted; flesh thick,		
	groen, and of excellent flavor	10c	60c

MELON-WATER.

Skillman's Fine Netted. - (See cut.) Flesh deep green, of delicions flavor; early 10e

Sandía — Wassermelone — Melon d' Eau.

As soon as the weather becomes settled and warm, select soil and manure as recommended for Musk Melons. Plant in hills 6 or 8 feet apart, 6 to 10 seeds, 1 inch deep, and thin to 3 best plants. Hoe often, and gradually hill up until the vines touch, and after the flowers appear, pinch off the oxtreme end of the most luxuriant shoots.


end of the most luxuriant shoots.		
	Per oz.	Per lb.
Black Spanish.— Medium size, round, black-seeded, red flesh, thin rind, small vine; will admit of closer planting than other varioties; a fine melon, of the best quality		50e
Citron, for Preserves.—Red-seeded; the standard variety for preserves, good also for feeding cattle		50e
Colorado Pie Melon, (Melon Pumpkin.) Good for feeding cattle, or for pies; flesh very firm and solid, with a small proportion of seeds		50e

		Per lb.
Cuban Queen (See cut.) Beautifully marked, light und dark green; solid, erisp,		
bright red flesh; grows to an immense size	1 0e	50c
Dark Icing, or Ice Rind (See cut.) Round, solid, thin rind, very delicious in		
tlayor; not desirable for shipping, owing to its thinness of rind	10e	50e

Dixic.—This water melon possesses the rich, luseious flavor of the old Mountain Sweet, united with the excellent shipping qualities of the Kolb's Gem. It is longer than the latter variety, flesh is of an intense deep scarlet, very sweet, tender and juicy. It is very prolific, with the valuable characteristic of rooting at almost every joint, thereby increasing the duration of the vines. Per oz. 10c; per lb. 50c.

Florida Favorite.-A superior strain; improvement on Rattlesnak; carlier. Per ox. 10e; per, lb. 50e.


Georgia Rattlesnake, or Gypsy.—Standard Southern variety, possessing remarkable shipping qualities; oblong, scarlet flesh, crisp and juicy. Per oz. 10e; per lb. 50e.



Cuban Queen.

Lodi.—A large, solid, cream-colored melon, with red flesh, of a rich delicious flavor, with only half an inch of rina; white-seeded; great favorite in the San Francisco market.

Long Light Icing.—A very excellent melon for general purposes; fine quality



Kolb's Gem.

	Per ox.	Per lb.
Green and Gold.—This variety is of a golden yellow color, it possesses all the		
excellent qualities of the older varieties		50e
Hungarian Honey.—Very early, perfectly round, flesh brilliant red	10c	60e
Kentucky Wonder. — (See cut on next page.) Very highly recommended, enormously productive		50e
Kolb's Gem.—(See cut.) Flesh bright erimson, solid, sweet and luseious, increasing in popularity every year		50c

50c10e

Per oz. Per lb.

50e10e



Phinney's Early.



Dark leing,










Evolution from the Water Melon.




	Per oz.	Per lb.
Mammoth Iron		
Clad.—(See cut.) A		
variety that all large		
growers of melons for		
shipping should give a		
trial	10e	50e
Mountain Sweet		
(See cut.) A large,		
oval melon; flesh red,		
firm and sweet, solid to		
the center; a well-known		
standard variety		50e



Mountain Sweet.

	Per oz.	Per 1b.
New Orange.—The rind will peel like an orange when fully ripe	10e	50e
Peerless, or White-Seeded Ice Cream.—Nearly round, pale green, thin rind, searlet flesh		50e
Phinney's Early,—(See cut on page 35.) The earliest of all varieties; medium size, oval, quick growing variety; thin rind, red flesh		50e
Seminole Extra early, extra large, enormously productive and of delicious flavor	10e	50e
Sweetheart Large, oval; mottled light and dark green, flesh bright red	10e	60e




Mammoth Iron Clad,

0e 50e


MUSHROOM SPAWN.

Seta - Schwamm - Champignon.

Culture.—Mushrooms may be grown in eellars, under benches of green houses, or in sheds, wherever the temperature of 60 degrees can be kept. Secure fresh horse dung, free from straw and litter, and mix in an equal bulk of loam from an old pasture with it. Keep this under cover, taking care to turn it every day to prevent heating, until the pilo is large enough to make a bed of the required size. 3 or 4 feet wide, 8 inches deep and any length desired, are the proper proportions for a bed; these may be varied. Prepare the mixture of loam and manure, making the bed in layers, and pounding down each with the back of the spade. Leavo this to heat through for a few days, and as soon as the



Mushroom.



Mushroom Beds.

heat subsides to 90 degrees, make holes in the bed about 1 foot apart each way; into which put a piece of the spawn 2 or 3 inches in diameter; fill up the holes with the compost, and at the expiration of a week or 10 days the spawn will have thoroughly diffused itself through the bed. Spread a layer of fresh soil over the heap to a depth of 2 inches, and cover with 3 or 4 inches of hay, straw or litter. Examine the bed often to see that it does not get dry. When water is given it should be at a temperature of about 100 degrees, Mushrooms will appear in from 4 to 6 weeks, according to the season.

English Spawn.-1 lb bricks. Each 15e; doz. \$1.70.

French Spawn.—In 2 lb. boxes, including pamphlet of cultural directions. Each \$1.00; 4-lb. boxes \$2.00. When ordering by mail, add 10c per pound to cover postage.

MUSTARD.

Mostaza — Senf — Moutarde.

10c

Used as a salad early in spring, sometimes with lettuee and eress. Sow at intervals throughout the spring, in rows 6 inches apart and rather thick in the rows. Cut when about 2 inches high.

medicinal purposes.....

When ordering by mail, add 10c per lb. to

cover postage.



New Chinese Mustard.

OKRA.


Quimbombo - Essbarer - Gombo.

This vegetable produces long nutritious pods, which, when young, are used in soups and stews, to which they impart a rich flavor. Sow after the ground has become warm, in drills 2 inches deep and 2½ feet apart; thin out the plants to 9 inches in the row; hoe often and draw the earth up to the stems. One ounce of seed will sow 50 feet of row.

Early Dwarf(See ent.) Productive; pods white, round,	Per oz.	rer m.
smooth	10e	75e
Long Green.—Later and more productive; long, ribbed pods	10e	75e
White Velvet Pods round, smooth, free from seams, exceed-		
ingly tender, well flavored and very prolific	10e	75e



Early Dwarf.



Mammoth Silver King.

ONION.

Cebolla — Zwiebel — Ognon.


Select fine, light soil, and manure heavily with the oldest and strongest compost that can be procured. Plow a depth of 5 inches, and work well with the eultivator. Plow again at right angles with the first furrows, and again thoroughy eultivate. The ground will then be in fine working order, and should be leveled smoothly with a rake. Drill 14 inches apart, sowing the seed thinly, eover a quarter of an ineli deep with fine soil, and press down with the back of a spade or light roller. When the young plants are strong enough, thin gradually, so that they stand finally 4 inches apart. Keep elean of weeds, and take eare that the earth does not accumulate about the

bulbs, but allow them to bottom above the ground. When the greenness has loft the tops of the onions, pull them and let them dry a few days before storing. One ounce of seed will sow about 100 feet of drill. Four pounds to the aere.

El Paso, or Large Mexican.—(See eut.) Large size mild and tender. Per oz. 25e; per lb. \$2.50.

Extra Early Pearl, or Barletta.—(See cut.) Small, early, pure white skinned, mild flavor, fine for piekling or for pulling groon. Per oz. 25e; per lb. \$2.50.

Germain's Yellow Globe Danvers.— (See Cut.) A thick, heavy, straw-colored Onion, mild flavored, yields abundantly, ripens early, keeps equal to the best. Per oz. 15e; per lb. \$1.50.



El Paso.



Extra Early Pearl.



Large Eed Wethersfield.



Giant White Tripoli.



Extra Early Red.



White! Portugal.

Extra Early Red.—(See cut.) A flat variety, heavy, close grained, keeps well. Per oz. 15c; per lb. \$1.50.


Giant White Tripoli.— (See cut.) Flat, mild flavored, of quick growth; very large size. Per oz. 25c; per lb. \$2.50.

Large Red Wethersfield.— (See cut.) Grows very large; keeps well, and is pleasant flavored. Per oz. 15c; per lb. \$1.50.

Mammoth Silver King.— (See cut.) Very large, particularly mild and pleasant flavored. Per oz. 25c; per lb. \$2.50.

Marzagole, or Neapolitan.—An extra carly silverskinned variety of great merit. Per oz. 25e; per lb. \$2.50.





White Globe.

New Queen.—Very early, flat, beautifully white, and of the finost flavor; grows to a fair size in California and is one of our best market varieties, its principal rocommendation being its rapidity of growth, and its long keeping qualities. Also an excellent varioty for pulling green or for pickling......

Silver Skin Pickling,—A small French variety, used extensively in Europe for pickling, its white color, in contrast with the fine green veins or lines, gives it a very agreeable appearance.......

25e 2.50

25c \$2.50

Per oz. Per lb.

	rer ox.	rer m.
Spanish King, or Mammoth Prize-		
Taker (See cut on page 40.) Largest Onion		
known; will grow to full size in California, of a		
straw color	20c	\$2.00
White Globe.—(See cut.) Very fine shape, skin white; fine grained, mild and pleasant flavored;		
keops well	25e	2.50
White Portugal, or Silver Skin (See cut)		
Flavor mild, fair size; one of the best white varieties	25c	2.50

ONION SETS.


Bottom Onions, or Onion Sets, are produced by sowing the seed thickly late in spring, in beds or drills, and about the end of August, or whenever the tops die down, tho little bulbs or sets are gathered and kept spread thinly in a dry airy loft, and re-set in the spring, to make large onions.



Yellow Bottom Sets.—(See cut on page 39.)	r lb.	20e
White Bottom Sets.	""	20e
Red Bottom Sets.	4.6	20e

If ordered by mail, 10e per pound will be charged additional for postage. Price per 100 lbs. on application.

Top or Button Onions are the little round bulbs, growing on top of the stalk, and are planted early in the spring, in shallow 12-inch drills, about 4 inches apart, slightly covered; these will produce large onions, maturing much earlier than from the seed. If the large onions are planted again in the spring, they will produce a number of small bulbs growing on the top of the stalk, which serve as a substitute for seed in propagation. Per lb. 25c, postage added as above; price per 100 lbs. on application.



Spanish King, or Mammoth Prize Taker Onion.

PARSLEY

Perijil — Petersilie — Persil.



Champion Moss-Curled.

Parsley succeeds best in rich moist soil. Sow thickly in drills 1 foot apart, and 12 inch deep. The seed germinates slowly, and frequently remains in the ground 2 or 3 weeks without showing any signs of vegetation. When the plants are 2 inches high, thin them out to 4 inches apart. One ounce of seed will sow about 50 feet of row.

Per oz. Per lb.

Champion Moss-Curled.—(See eut.) Beautifully curled;		
finest variety for garnishing	10c	7 5e
Hamburg, or Turnip-Rooted.—The roots are excellent	•	
for flavoring soups	10e	\$1.00

Hollow Crowned. Round.

PARSNIP.

Chirivia - Pastinake - Panais.

A deep, richly manured soil, susceptible to moisture, should be selected for Parsnips. This vegetable requires a long scason to mature, and the seed should therefore be sown early. Drills $^{1}2$ inch deep and 15 inches apart should be marked out; drop the seed in thickly, for where the seeds are few they are apt to perish in the ground, not having sufficient strength to open the pores of the earth. One onnce of seed will sow about 50 feet of row.

Hollow Crowned.—(See cut) Best parsnip grown either	rer oz.	Fer 16.
for table or stock	10e	50e
Round, or Turnip-Rooted.—(Sec ent.) For shallow soil	10e	75e

PEAS.


Chicharos ó Guisantes — Erbsen — Pois.

The pea is one of our most important crops, and to be successfully grown must be liberally treated. A deep, rich soil, well pulverized, and incorporated with a fair allowance of well-decayed manure, should be chosen for the principal crops. For early peas the ground does not require to be so rich. Sowing of the first early variety should be made in October, and the other varieties for

successive - crops, plant every 2 weeks until the first of April.

Peas are sown in single or double rows, from 2 to 6 feet apart, according to the variety or the height to which they attain. Have the rows of the dwarf varieties 2 feet apart, and those of the medium sorts from 3 to 4 feet, and the tall varieties from 5 to 6 feet apart.

The dwarf varieties may be grown without sticks. Two pounds will sow 100 feet of row. If ordered by mail, will be charged 10c per pound additional for postage.




Everbearing.

10.00 15e



Cleveland's Alaska.

FIRST EARLY VARIETIES.



Abundance,

Cleveland's Alaska.

McLean's Little

Premium Gem.—(See cut.) Splendid wrinkled

variety, very early, fine flavor, 18 inches...... 10.00 15e



Abundance.-(See cut.)

An immense bearer; peas large and of excellent quality, 2 feet...... 10.00 15e




McLean's Advancer.





Premium Gem.

Dwarf Sugar .- (Edible pods.) Pods beautifully erimped, very sweet, delicious flavor; use same as snap beans. Per lb. 20e; per 100 lbs. \$12.00.

Heroine.-Very prolifie; long pods containing from 8 to 9 peas of the richest flavor, $2-2^{1}2$ feet. Per lb. 20c; per 100 lbs. \$12.00.







Stratagem.



McLean's Little Gem.

Per	100 lbs. I	Per Ib.
McLean's Advancer (See ent on page		
41.) Green wrinkled variety, fine flavor, very		
productive, 2 feet	\$10.00	15e
Stratagem (See cut.) The most elegant		
and showy pea in eultivation, 2-212 feet	10.00	15c
Yorkshire Hero.—(See cut.) Los Angeles		
market favorite, 212-3 feet, sure eropper	10.00	15e


GENERAL CROP.

Black-Eyed N	farrowfat.—Excellent for		
general erop, fav	orite market sort, 4 feet	7.50	10e
Champion of I	England.—(See ent.) Green		

wrinkled, great favorite, unsurpassed in quality

Everbearing. - (See eut on page 41.) Remarkably prolifie; pods very fine and closely Telephone. - (See eut.) Handsome, well filled pods, peas large size, good quality; 4

10.00 15e to 5 feet.....



Telephone.



California-grown seeds are of higher germinating power than those grown in any other country, therefore buy your seeds direct from California.

PEPPER.

Pimiento - Pfcffer - Piment.

Sow early in the spring in a frame. Transplant when the weather is favorable to open ground, in rows 18 inches apart and 10 inches in the row. The ground should be highly manured before transplanting. When about 6 inches high, hoe tho plants and earth up slightly.

Per oz. Per lb.

Cayenne.—(See Cut.) Pods small, long and tapering;		
coral red when ripe; very hot and strong, best kind for seasoning pickles; the Cayenne Popper of commerce	25e	\$2.25
Celestial A marvel from China, both useful and orna-		
mental	25e	2.50
Cherry Small, round, smooth and productive; a good		
variety	25e	-2.50

Chili, Small, or Bird's Eye.—Pods pendant, sharply conical, about 1½ inches in length, very piquant; excellent for pickles......

Ruby King.


Large Bell, or Bull Nose(See cut.) Early, sweet, and of good flavor		
Large Sweet MountainVery large, and excellent for mangoes		
Mexican Chili.—(true.) Beautiful and productive; 3 to 4 inches in length, pungent	15c	1.50



Large Bell, or Bull Nose.

Red Cluster.—As implied by the name, this variety fruits in bunches at the end of each branch. The thin peppers are of a brilliant coral red color, and very hot in flavor

Ruby King.—(See cnt.) Large size, splendid color, mild and productive.....



25e

2.50



Per oz. Per lb.

Cayenne



POTATOES.

2.25

Patatas — Kartoffeln — Pommes de Terre.

The soil best adapted to the production of fine and clean tubers is a naturally good friable loam, rather light than otherwise, and free from stagnant water. In such soil the produce is abundant and the quality good. Thin sandy soils also produce well-flavored Potatoes, but of course to obtain quantity of produce, the assistance of manure is necessary. The worst soils for the Potato are those which are naturally wet and heavy.

As prices are apt to fluetuate, quotations on Seed Potatoes will be mailed upon application.

Burbank's Seedling.—One of the most prolifie of the late sorts; not liable to rot; handsome and of excellent quality.


Early Rose.—The standard variety for earliness, quality and productive ness; a universal favorite.

Peachblow.—An old variety, largely grown for market; a standard of excellence in quality. Peerless.—One of the best sorts for general cultivation.

PUMPKIN.

Calabaza — Kurbis — Courge.

Plant in manured hills 8 feet apart, and leave 3 strong, healthy plants in each hill. When planted among eorn, take every fourth row. Keep as far from melons and cucumbers as possible, as they are apt to mix. One pound of seed will plant about 400 hills. If ordered by mail, 10 cents per pound will be charged additional for postage.



Mammoth Tours, or Jumbo.	Per oz	Per lb.
Iron Bark.—An Australian variety, used for table exclusively; gray externally, yellow flesh; excellent keeper, very prolific; pumpkins weigh from 7 to 10 pounds, and		
have a very hard shell. Per pkt. 10e		
Cashaw.—(Crook-neeked.) Solid flesh, fine and sweet; keeps well	10e	60c
Cheese Size large; skin reddish orange; flesh thick, fine and sweet	10e	50e
Connecticut Field The true Eastern kind for stock; seeds much used medicinally	10e	40e
Mammoth Tours, or Jumbo.—(See eut.) An imported variety of immeuse size, often weighing 150 pounds; very productive and good keeper; flesh salmon color;		- =.
desirable for eooking purposes and stock feeding	roe	75e
Quaker Pie.—Nearly oval, color creamy white inside and out, flesh sweet and rich, good keeper		60e
See also Agricultural Seeds.		•

RADISH.


Rabano - Radiesehen - Radis.

The Radish will succeed well in any good garden soil, not over moist or too heavy. A sandy loat



French Breakfast.

enriched by well-rotted manure is best. For early and late crops a warm, sheltered situation should be chosen; whilst for those sown in the heat of summer a rather shady spot must be selected. For a succession, sow every two weeks. The ground where the sowing is to be made should be deeply dug and raked fine. The seed is generally sown thinly broadcast, in beds from 4 to 5 feet wide, with 1 foot alleys between, the soil from the latter being used to cover the seeds, but only slightly. The surface is then raked smooth, and in light soils pressed



Scarlet Turnip.


with the back of the spade. The winter varieties should be sown in drills 1 foot apart, and thinned to 6 inches apart in the rows, and if roots of large size are required, as much as 9 inches may be allowed. One onnce of seed will sow about 50 feet of drill or a bed of 50 square feet.




California Mammoth White.

Black Spanish Winter, Long. —(See cut.) Grows to a large size, of oblong shape, quite solid		Per lb.
Black Spanish Winter, Round. -Similar to the above, except in form	•	60e
Beckert's Chartier.—(See cut.) Decidedly distinct in appearance from any radish in cultivation	10 e	50e
California Mammoth White. —(See cnt.) A winter sort introduced into California by the Chinese; 8 to 12 inches long and 2 inches in diameter; flesh white, firm and of excellent		
flavor	10e	60e

China Rose Winter.—Medium size, oblong, of a bright rose color,




Beckert's Chartier.



Mixed Radishes.

Early Long Searlet Short Top.—(See cut.) Roots long, pinkish color; flesh white, crisp. Per oz. 10c; per lb. 50c.



White Strasburg.




Long Black Spanish.

	Per oz.	Per lb.
French Breakfast.—(See eut.) A fine early variety; olive shaped, searlet body with white tips	10e	50e
Long White Spanish. — Similar to Black Spanish except in color; crisp and solid	10e	60c
Scarlet Olive-Shaped. — (See eut on page 46.) Oval; very early and handsome; flesh rose eolored, tender and brittle	10e	60e
Searlet Turnip.—(See eut.) An exeellent early variety, erisp and tender	10 e	50e
Searlet Turnip, White Tipped.— A late introduction of excellent quality	10e	50e

Early Long Scarlet.

White Strasburg.—(See eut.) One of the most valuable summer radishes in cultivation. Per oz. 10e; per lb. 60e.




Searlet Olive Shaped.

White Turnip.—(See cut.) Early, resembles the Scarlet Turnip, except in color, and mixed with same they present a charming appearance for the table

Mixed Radishes.—(See cut on page 45.) Mixture of best sorts of radishes, particularly useful for family garden, supply a nice assortment for the table, of all colors and sizes; large quantities of mixed radishes are sold in eastern markets 10c



10e 50e



White Turnip.



RHUBARB, OR PIE PLANT.

Ruibarbo - Rhabarber - Rhubarbe.

Sow the seed early in the spring, in drills 18 inches apart, and cover 1 inch deep; thin the plants to 6 inches apart, and keep thom free from weeds. When the plants are 1 year old remove to prepared beds and place 4 feet apart each way. Do not ent until the second year, and apply a dressing of manure every fall.

	rer oz.	rer ib.
Monarch, or Giant (See ent.). A superior variety of large size	15c	\$1.50
Victoria Very largo, fine for cooking; cultivated largely by market gardeners for main		
erop late in the season	15 e	1.50

ROSELLA. (Hibiscus Rosella Subdorifa.)

A tropical annual plant, native of India, and introduced hero from Australia, where it is extensively grown for making jelly. It succeeds well in this climate, and is becoming more popular each year; quantities of the fruits being sold in our markets every fall. The plants grow from 3 to 6 feet high and bear abundance of handsome flowers, followed by fruits enclosed in a thick fleshy calyx, from which is made an excellent jelly, like, but an improvement upon, that made from black currants. It also makes a fine sauce when stewed like cranberries. The seed should be sown in February on bottom heat and treated like the ogg plant. Per pkt. 10c; per oz. 50c, per lb. \$5.00.

SALSIFY, OR VEGETABLE OYSTER.

Ostión Vegetal - Haferwurzol - Salsifis.

Select light, rich soil. Sow the seed thickly in drills, 12 inches apart, and covor 1 inch deep. When the plants are 2 or 3 inches high, thin out to 6 inches from each other in the rows; he often, and keep the earth loose and clean around them. They are boiled or stowed like parsnips, the flavor resembling the oyster. One cance of seed will sow 50 feet of row.

	Per oz.	Per lb.
Long White.	10c	\$1.00
Sandwich Island, of onormous size, very tender and delicions	15c	1.25

SORREL.

Acedara — Sauerampfer — Oseille.

Sow in spring, in drills 18 inches apart, in a rich soil, and keep the flower stems cut off as they appear. It remains in the ground year after year, and only needs to be taken up and divided once in four or five years. Inasmuch as the hot sun tends to increase its acidity, a northern exposure is preferable. One ounce will sow 100 feet of drill.

Large Leaved French. Per oz., 15e; per lb., \$1.25

SPINACH.

Espinaea - Spinat - Epinard.



Prickly, or Fall.

For summer use sow early in spring, in drills 1 foot apart, and thin the plants 6 inches from each other in the row. For early spring use, sow in August and September. onnce of seed will sow about 50 feet of row.



Round, or Summer.

	Per oz.	Per lb.
Long Standing.—The valuable characteristic of this variety, is that of remaining a long time before running to seed		35e
New Zealand.—Produces leaves in great abundance throughout the summer; should be transplanted 3 feet apart each way		60e
Prickly, or Fall.— (See cut.) Very hardy; used for fall planting; leaves 7 or 8 inches long and thin in texture		35¢
Round, or Summer.—(See cut.) The variety used for early spring planting; leaves large, thick and compact; the best adapted to our climate		35e

SQUASH.

Calabacera — Kurbiss — Conrge.



Hubbard.

Light, warm soil is best adapted to the growth of the Squash. The seed should not be sown until all danger from frost is past. Plant in hills-prepared in the same manner as for Cuenmbers and Melons -the bush kinds about 4 feet apart, and the running varieties from 6 to 9, according to their nature, as some will run more than others. Plant about ½ dozen seeds in each hill. The earth about the plants should be kept loose and clean from weeds until runners are well started. Cutting off the leading shoots of the running varieties is recommended as having a tendency to promote growth and early maturity of the fruit. One onnce of seed will plant from 15 to 50 hills.




Early White Bush Scalloped.




Summer Crook-Neck,

early maturity of the truit. One office of seed will plant from 20	10 00	1011101
	Per oz.	per lb.
Boston Marrow.—(See cut.) A standard fall Squash of rich orango color, very productive and keeps well		60 c
Early Golden Bush Sealloped.—An early variety, well flavored and productive; oxeellent for market		60e
Early White Bush Scalloped.—(See cut.) The earliest; similar shape to the yellow		60e



Pike's Peak, or Sibley.



Boston Marrow.

Hubbard.—(See cut on page 47.) The best of all winter varieties; grows to a large	Per oz.	Per lb.
Size	10e	50e
Long White Vegetable Marrow An English squash of very superior flavor	10c	60e
Mammoth Chili.—Grows to immense size, often weighing over 200 lbs.; very productive		80e
Marblehead An excellent winter squash, good keeper, dry and sweet; the shell is much harder than the Hubbard, and light blue in color		60e
Pike's Peak, or Sibley.—(See cut on page 17.) Entirely original and distinct, considered an improvement on the Hubbard		60e
Summer Crook-Neck.—(See cut on page 47.) This is the richest summer bush squash; very early and productive		60c
Winter Crook-Neck.—An old standard sort; a good keeper: considered excellent for making pies		60e

TOBACCO.

Tabaeo — Tabak — Tabae.

The seed may be started in hot beds, or sown in the open ground as soon as the ground is warm, in rich, dry soil; rake off the bed and sow broadcast, pressing down firmly and evenly, covering the seed very slightly; keep free from weeds, and water frequently if the weather is dry; set out when all chance of frost is past, 3 feet apart, in land that has been heavily manured with wood ashes if obtainable—brush burned on the ground will answer the purpose. One onnce will sow 25 feet square, and produce plants for one aere.

Havana.—Bearing a fine colored leaf, varying from straw color to dark brown or black, it surpasses all other varieties in flavor for eigars; heavy cropper, fine texture, and the carliest eigar variety to mature and ripen.

American grown.


Cuban grown (Vuelto de Abajo.)

Connecticut Seed Leaf.—Grows to a height of about 5 feet, with leaves from 2½ to 3 feet in length and from 15 to 20 inches broad, one of the best varieties for eigar wrappers

Per oz. Per lb.

Per oz. Per lb.


30c \$3.00



TOMATO.

Tomate — Liebesapfel — Tomate.

Sow the seed in frame or sheltered bed. When the plants are 2 or 3 inches high, thin them out and set them in pots or in another bed, to give them room and make them "stocky." When 5 or 6 inches high, if the weather be warm and settled, transplant them to open ground, selecting a rainy day if possible; in the absence of rain, water and protect till well rooted. Set plants 4 feet apart each way, support by driving 2 or 3 stakes around each plant, and encircle with as many barrel hoops; this will serve





Ignotum.





Livingston's Beauty.

Livingston's Favorite.

to keep the fruit off the ground. One ounce of seed will produce 3,000 plants. The tomato requires a rather light soil to ripen early, but if handsome fruit and a plentiful crop be desired, very rich soil should be selected.

		Per lb.
Acme (See cut.) Very early; delicious flavor, glossy dark crimson, ripens all over, no	0	
core, few seeds	20c	\$2.00
Cherry Flavor unsurpassed; fruit small, a wonderful cropper; best for pickling	20c	2.00
Dwarf Champion In this variety we have a tomato that is entirely distinct	20c	2.00
Early Richmond Extra selected; a favorite winter variety with our Los Angeles		
gardeners in frostless districts	30e	3.00
Ignotum(See cut.) A large, smooth, deep-red variety; said to be the earliest of		
the large varieties	20c	2.00
Livingston's Beauty.—(See cut.) Extra early, growing in clusters of 4 or 5	20c	2.00
Livingston's Favorite.—(See cut.) One of the most perfect shaped tomatoes grown	20c	1.75



Mikado.

Per oz. Per lb. Livingston's Perfection. - (See ent.) Large, blood red; smooth and handsome form 20c \$1.75 Mikado. - (See cut.) A variety of very large size and superior quality.... 20c New Stone. - A splendid variety for shipping; bright scarlet; large, smooth


and firm; excellent quality, and one of the best for general use......



20c2.00

2.00

Livingston's Porfection.



Strawberry, or Ground Cherry.

D. W.		Per oz.	Per 1b
	Ponderosa.—(See cut on page 48.) Grows to an enormous size, sometimes weighing from 2 to 3 pounds each; very smooth and solid. Per pkt. 10e		\$4.00
	Royal Red.—An excellent variety for main crop, beautiful deep red; one of the best for canning purposes, or general use; large round, and very handsome		2.00
Strawberry, or Ground Cherry.	Strawberry, or Ground Cherry.—(See cut.) (Alkekengi.) A distinct species; grows enclosed in husk; excellent for preserves; will keep with husk all winter. Per pkt. 10c		3.50
fruit solid	Trophy.—One of the largest and best flavored sorts cultivated;	20e	2.00

TURNIP.

Nabo - Ruebe - Navet.

For early crops sow the Early White Flat Dutch or Munich during the winter; and for summer crops sow any of the other varieties at intervals of a fortnight until June, in drills 12 inches apart; cover the seed lightly unless the season be very dry; thin out the plants to 6 or 8 inches apart. For fall or winter use sow the Golden Ball, or Purple Top Strap-Leaf. Success in raising turnips depends greatly on the selection of soil, and its subsequent pre-

paration as well as the quality of secd.



Early Purple Top Munich.

Early Purple Top Munich.-(See cut.) One of the carliest varieties. Per oz. 10c; per lb. 50c.

Early White Egg. -- An egg shaped variety, for spring and fall sowing; flesh firm, fine-grained, mild and sweet: an extra keeper, and in every respect a first-class table and market sort. Per oz. 10e; per lb. 50e.



Purple Top Strap-Leaf.

		Per lb.
Early White Flat Dutch (See cut.) White flesh, medium size, quick growth	10c	50e
Golden Ball Round, smooth, English Turnip of fine quality; skin bright yellow;		
good keeper	10e	50e
Purple Top Strap-Leaf(See cut.) Very productive, matures quickly; flesh		
white, sweet	10e	500
Purple Top White Globe Of decided merit, globular shape	10c	50s

RUTABAGA, OR SWEDISH TURNIPS.



Imperial Purple Top Swede.

Extensively grown for a farm crop; also esteemed for table use; the roots are close-grained, very hard and will endure a considerable degree of cold without injury. Select light, clean soil and sow in drills 2 feet apart, and thin out to 10 or 12 inches in the row, 2 pounds of seed to the acre.

Imperial Hardy Purple Top	Per oz.	Per lb.
(See cut.) Large, handsome roots, of fine quality	10e	40e
Laing's Improved Purple Top	100	400

Earliest variety; succeeds on rich, free soil 10c



Early White Flat Dutch.

40e

Bear in mind we do not sell "cheap" seeds; that is an occupation enjoyed by others. Many seeds are grown under our personal supervision, from strains known to be of superior quality. Poor and unreliable seed is dear at any price, and for that reason no soil-tiller can afford to trifle with "held-over" or untested seeds. We sell only seeds tested by an expert on our own grounds; hence you are safe in trusting us with your orders.

Culinary Roots and Plants.

Note.—When ordered to be sent by mail, remit in addition to price, for Asparagus Roots 50c per 100; Cabbage, Cauliflower, Celery, Sweet Potato, Pepper, Tomato plants and Horse-radish roots, 5c per dozen; 35c per 100; Rhubarb roots 5c each; Egg Plants 15c per dozen; Hop Vine roots 10c each, Chives 3c per clump.

r doz. I	er 100.	Per 1,000.
	\$1.00	\$7.50
	40e	3.00
	1.00	7.50
50c		
75e	5.00	
50e	3.50	
15c	1.00	
50e	3.50	
\$1.00	7.50	
	50	4.00
15e	1.00	
	50c 75e 50e 15c 50c	40e 1.00 50e 75e 5.00 50e 3.50 15e 1.00 50e 3.50 \$1.00 7.50

Seeds of Pot, Sweet, and Medicinal Herbs.

A well assorted selection of the various kinds of Herbs should have a place in every garden. Their value in seasoning and flavoring is well known and appreciated. Some kinds are aromatic, while others are used for medicinal purposes. Care should be taken to harvest on a dry day, just before they fully blossom. They may be sown in a sheltered, well-prepared border, merely deep enough to cover the seeds. When plants appear, they should be thinned out to a foot apart. Water carefully with a fine rose watering pot, and keep the surface soil loose. A slight mulching of fine litter will be found beneficial the first summer.

All can be supplied in pkts. at 5c each; 50c per dozen pkts.



Lavender.

	Per oz.
Angelica, Garden(Archangelica offici-	
nalis.) Useful on account of its medicinal	
qualities	35c
Anise(Pimpinella anisum.) Seeds and	
leaves are both aromatic and carminative.	
Officinal and medicinal	10c
Balm (Melissa officinalis.) For making	
Balm Tca; valuable in case of fever	50c
Basil, Sweet(Ocymum basilicum.) Cul-	
inary herb: used for flavoring soups, etc.,	25c
Borage (Borago officinalis.) Used for	
salads; excellent for bees	15c
Caraway(Carum carvi.) Principally eul-	
tivated for its seeds, which are used in con-	
fectionery and medicine. The under leaves	
are sometimes used for flavoring soups	10e
Catnip.—(Nepeta cataria.) Has medicinal	
qualities	\$1.00
Coriander(Coriandrum sativum.) Seeds	
aromatic, used in confectionery	10c



Rosemary.

	•3
Rosemary (Rosmarinus officinalis. See cut.)—An aromatic herb; the leaves are used for making hair-wash	Per oz.
Rue (Ruta graveoleus.)—Used for medieinal purposes; also used as a remedy for croup in fowls	25e
Saffron (Carthamus tinctorius.) — Used medicinally; and in dyeing	15 e
Sage (Salvia officinalis.)—Used in dressing and sauces	20e
Savory, Summer (Satureja hortensis.)— Used as a culinary herb	15e
Savory, Winter (Satureja montana.)—	

Thyme.

Marjoram, Sweet (Majorana hortensis. See eut.)—Used for scasoning..... 25e

Cumin (Cuminum Cyminum.)—Leaves and seeds both used for flavoring.....

Dill (Anethum graveolens.) - Seeds aromatic, much used to flavor piekles.....

Fennel, Sweet (Fæniculum vulgare.)-Used for flavoring soups and salads.....

Horehound (Marrubium vulgare.)—Valued highly as a remedy for eoughs and pulmonary

discases Hyssop (Hyssopus officinalis.)—The leaves and flowers are dried and used medicinally

A well known, popular, aromatic plant, used for distilling Lavender Water.....

Lavender (Lavendula vera.

Per oz.

10e

10e

10e

30e

25e

25e

Per oz.

See eut.)—

Thyme, Broad Leaved (Thymus vulgaris. See cut.)—Used in soups, sauces and dressings, as seasoning..... 30e Wormwood (Artemisia Absinthium.)—Used for medicinal purposes..... 25e

Tansy (Tanacetum vulgare.) — Good for bitters and medicinal purposes.....

Used as above, perennial 50c

Valuable Fodder Plant for Alkali Soils and Arid Regions.


The matter of green forage for stock under arid conditions, and also to utilize the arid soils for which California is noted, much experimental culture has been tried with varying success, until the introduction of the salt bushes of Australia. These have given excellent satisfaction, adapting themselves to our arid conditions and thriving on alkali soils as no other plant has. In a late bulletin detailing the results of 18 years of experimental cultures under all sorts of conditions and soils, the State University Experiment Stations give the following summary of the specific results:

"Atriplex Semibaecatum is the most generally useful species of all that have been planted, although others are worthy of cultivation. It shows that semibaecatum grows on strong alkali soil, furnishing a very large amount of satisfactory pasturage or fodder; that it also thrives on arid non-alkaline uplands, even where wells have to be sunk 200 feet to water, and where the annual rainfall has been less than five inches. * * * The salt bushes are of easy, rapid growth, and are hardy undor California conditions. Reported from Australia as enduring 14° Fahr., without injury, some of the American tests would indicate that semibaccatum will stand considerably more cold than this."

Agricultural Seeds.

BEET-SUGAR VARIETIES.

Sow in the beginning of March; first plowing and subsoiling to the depth of at least fifteen inches. The seed should be soaked for 12 hours before sowing, and be covered at least one inch when sown. The rows should be 15 inches apart, and the plants should be thinned to 8 inches apart in the rows. Sow about 15 lbs. per acre. Twenty-five pounds supplied at 100 lb. rates. If ordered by mail, 10e per lb. will be charged additional for postage.



Klein Wanzlebener.


Vilmorin's Improved White.

Lane's Improved Imperial.

Klein Wanzlebener. — (See cut.) Well known, richest in sucrose, and heaviest cropper		100 lbs.
Lane's Improved Imperial. — (See cut) An American variety originated in Vermont; contains a large percentage of sugar, is a large, uniform cropper, and is highly esteemed both for sugar purposes or for feeding stock. Has yielded 40 tons per acre	20e	12.00
Vilmorin's Improved White. — (See cut.) A much improved variety of the White Silesian, extensively cultivated as a sugar producing beet. Very valuable	20c	12.00
White Silesian. — Grows to a large size; useful for sugar purposes or stock feeding	15c	10.00

MANGEL WURZEL.

Cultivated extensively for stock. Select a deep rich loam and manure well. Sow any time from the middle of Novomber until April, in drills $2^{1}2$ to 3 feet apart, and thin to 9 inchos in the row. The long varieties prefer a light sandy loam. The round varieties are the best for planting on stiff soil. Sow 6 pounds to the acre. If ordered by mail, 10 cents per pound will be charged additional for postage.




Golden Tankard Mangel.

Mammoth Long Red Mangel.

Yellow Ovoid Mangel.

		Per 100 lbs.
Golden Tankard.— (See eut.) Bright yellow, handsome and sweet: large cropper highly esteemed by dairymen		\$15.00
Golden Giant.—(See ent.) The largest of the yellow varieties, of oval shape, growing half above ground, an enormous cropper, yielding from 46 to 60 tons per aere	. 20e	15.00
Mammoth Long Red(See cut.) Grows partly above ground, immense size		15.00
Yellow Ovoid, or Olive-Shaped.—(See cut.) A distinct variety; very productive		15.00
Yellow Globe.—(See cnt.) A splendid keeper; the easiest to harvest from stiff soil.	. 2 0 e	15.00



Large White Belgian Carrot.

CARROT.

A light, friable sandy loam is best suited for Carrots. Apply plenty of fine, well decomposed manure, and cultivate thoroughly and often. It is important that the soil be perfectly free from stones. If ordered by mail, 10c per lb. additional will be charged for postage.


FIELD PUMPKINS.

JERUSALEM ARTICHOKES.

Well known in most localities. It is a tuberous-rooted sunflower, and is said to be capable of producing 1,500 bnshels of tubers to the acre. Hogs thrive when fed on Artichokes, which are not only food, but are said to supply sufficient water to allay thirst. Some farmers cure the tops for hay.

Common and Red Brazilian.—Per 100 lbs. \$3.50; larger quantities, price on application.

Professor E. J. Wickson's "California Vegetables" in Garden and Field. A manual for practice, with and without irrigation, for semi-tropical countries. The most complete work on the subject. Mailed for \$2.20. Every grower of Vegetables should have a copy of this valuable book.



Jerusalem Artichoke.

Seed Grain.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10 cents per pound. As the market is apt to fluetuate, quotations on 100 lb. or ton lots of the following varieties of seeds given on application.

BARLEY.

Common. - Extra cleaned. Prices on application.

Beardless.—Best for hay, being entirely free from beards, so injurious to the mouths of horses. Prices on application.

Bald or Russian.—Has no hull or husk, and much resembles wheat, except that the grains are larger; greatly esteemed for hay. Prices on application.

BUCKWHEAT.

Common.—Buckwheat should be sown broadcast, at the rate of about 45 pounds to the aere. The average yield is from 25 to 30 bushels per aere. It should be threshed as soon as dry, on the ground or barn floor. If allowed to stand in mass it quickly gathers moisture. It is an excellent food for poultry, and is also useful for bees. Per lb. 5c; 100 lbs. \$4.00.

Silver Hull.—This improved variety is much botter than the old sort. It is in bloom longer, matures sooner, and yields better. The husk is thinner, the corners less prominent, and the grain of a beautiful light gray color. The flour is said to be better and more nutritious. Excellent for bees. Per lb. 10c; 100 lbs. \$6.00.


Japanese.— (See cut.) A distinct variety, with grains nearly twico as large as those of the common kind. The straw is stouter and heavier; it branches more and does not need to be sown as thickly. It is a very heavy eropper and less likely to blight than the other varieties. Per lb. 10c; 100 lbs. \$6.00.



Japanese Buckwheat.

CORN-EASTERN VARIETIES.

Champion White Pearl. — (100 days. See eut.) The stalk is short and thick. The ear grows low on the stalk, from 7 to 12 inches in length, almost parallel throughout, of medium size, aver-



Golden Beauty.

aging 16 rows of grain. The grains are pure white, very deep, compact and heavy. Two grains will more than span the cob; the cob is small. It roots deeply and matures early. We recommend it highly. Selected ears, shelled, per lb. 5c; 100 lbs. \$3.50.

Golden Beauty.—(100 days. See cut.) The cars are remarkable in size, and filled out comletely to the extreme end of the cob. The cob is the smallest, in comparison with the size of the ear, of any variety in cultivation, and when broken in half, a grain will reach across. The richness of color and fine quality of the grain make it vastly superior for grinding into meal. The grains are not of a hard flinty nature, neither are they so soft as to be greatly shrivelled. It matures early, ripening in 100 to 110 days from planting, and surpasses all in size and beauty of grain. Selected ears, shelled, por 1b. 5c; 100 lbs. \$3.50.

Hickory King. — (110 days. See cut.) This corn is entirely distinct from all other varieties, having the largest grain with the smallest cob ever introduced in a white corn. A single grain will completely cover the cob of an ear broken in half. Selected ears, shelled, per lb. 5c; 100 lbs. \$3.50.

Improved Learning. — (90 days.) This is one of the earliest yellow dent corns in cultivation, ripening in 90 to 100 days from planting, surpassing the Yellow Canada and Flint varieties in earliness, productiveness, and quality. Over 4 tons of shelled corn have been grown on 1 acre. Selected ears, shelled, per lb. 5c; 100 lbs. \$3.50.

CORN—CALIFORNIA GROWN.

Large Yellow.

Yellow Spanish.

Large White.

Small White.

Prices quoted upon application.

POP CORN.

White Pearl.—A standard market variety, per lb. 5c; 100 lbs. \$3.50.

White Rice.—A popular and productive variety. The kernels are fine, white and pointed, and the cars from 4 to 5 inches in length, and from 1 to 1¹4 in diameter. A favorito variety with retail grocers. Per lb. 10c; 100 lbs. \$4.50.

Queen's Golden.—The ears are large and produced in great abundance; the stalks grow about 6 feet high. Pops perfectly white. Per lb. 5c; 100 lbs. \$3.50.

OATS.

Heavy White Oregon. - Prices quoted upon application.

Rustproof Red. - Texas grown. Prices quoted upon application.

Rustproof Red .- California grown. Prices quoted upon application.

RYE.

Winter. - Prices quoted on application.

WHEAT.

Australian White, Russian White, Sonora White. - Prices quoted on application.

The Seed Dealer and "Cheap" Seeds versus the Seedsman and "Superior" Seeds.

The United States Department of Agriculture's Experiment Station in Massachusetts in a recent article on seed-testing, state that —

"Seeds may be collected from the stock kept in country stores, much of which is produced by growers of little skill, and possibly in localities where mixing by cross fertilization cannot be avoided."


In a late paper Peter Honderson, a recognized authority on American seed-growing, pointedly said:

"The seed dealer is any man who does not grow or control his own seed-bearing plants. He may also sell other goods, or deal in seeds alone; at any rate his only object is profit, and with seeds as with all of his other merchandise, his interest lies in buying as low as possible; the consequence is that the person who supplies him with seeds is the one who quotes him the lowest price. The effect is blighting on quality, for the price does not justify the grower in 'roguing' seed-bearing plants very rigidly, nor in eliminating through cleaning too much of the light, small or imperfect seeds; the consequence is that the seeds are of mixed sizes and maturity, and the person who buys and sows them gets a very irregular crop maturing at different times, entailing extra labor and expense in harvesting portions at intervals, with the final result of some of the crop being unmarketable and rejected.

with the final result of some of the crop being unmarketable and rejected.

Cheap sceds are often produced from the poorest plants, that cannot be used for anything else. Cheap seed beans and peas are often taken from the later maturing pods after a market crop has been gathered. Cheap radish, turnip, beet seed, etc., is often saved from roots not good enough for the table or for sale. Cheap cabbage sced has been grown from the stumps after the heads have been marketed. Cheap cauliflower seed is grown from free seeding plants that will not head. Cheap seeds are always grown with the least possible outlay of money, trouble and care. Cheap seeds are often old sceds, and old seeds germinate slowly, and the plants produced from them grow slowly and are less vigorous and prolific."

As contradistinguished from the above well taken criticisms and suggestions, it is needless to again emphasize the fact that all our seeds are grown by us, or under special contract for us, or by growers whose reputation and quality of product always give satisfactory results. Our seeds are reliable because they are California grown and thoroughly tested before being placed on sale.



Clover and Grass Seeds.

For Lawns, Meadows, and Permanent Pastures.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10 cents per pound. As market is apt to fluctuate, quotations on 100 lb. lots of the following varieties of seeds given on application, and samples mailed free. 25 lbs. charged at 100 lb. rate.

CLOVER SEEDS.



Italian Crimson, or Scarlet Clover.

Alsike, or Swedish (Trifolium hybridum.)—A hybrid between the Red and White Clovers, but of much stronger growth than the latter, and will yield a heavy erop on any soil. Stands drouth well, yields a large return in hay, and is unsurpassed for bees. Sow early in spring. Per lb. 20c.

Alfalfa, or Lucerne (Medicago sativa.)—This valuable species is too well known in California to need description. Per lb. 15e; 100 lbs. market price.

Bokhara, or Sweet Clover (Melilotus alba.) —Very valuable for soiling. It grows from 4 to 6 feet high, and may be cut 3 times or more if sown in good soil. Should be cut before flowering. Very good for bees. Per lb. 40c.

Burr Clover (Medicago maculata.)—California Burr Clover, Spotted Medick. An excollent fodder plant for the South. Flourishes in dry soils. About 12 lbs. of the burrs should be sown to the aere, and on good soil, lightly covered, will soon cover the entire surface. Per lb. 15c; 100 lbs., market price.

Italian Crimson, or Scarlet Clover (Trifolium incarnatum.—See cut.) A very valuable forage plant. As a "stolen erop" it is unsurpassed, for it ean be sown in the fall and cut in the spring in time to plant another crop on the same ground. The yield of green fodder ranges from 10 to 13 tons to the aere. In addition to its valuable qualities as a forage plant it is no less desirable as a green manure, absorbing as it does, large quantities of nitrogen from the atmosphere, which, in its capacity as a fertilizer, it transfers to the soil. Sow 12 pounds to the acre. Per lb. 15c; 100 lbs. \$10.00.

Mammoth Red, or Cow Grass (Trifolium pratense perenne.) Quite distinct from the common

Red Clever, having a shrubby stem, and a longer and more penetrating root, thus onabling it to withstand drouth well. Grows 3 to 4 feet high, and is much used as a green manure. Sow 20 lbs. per acre alone, or 5 lbs. when mixed with grasses. Per lb. 20e.

Small Red (Trifolium pratense.)—A most valuable variety for fodder, also excellent for plowing under for manure. Per lb. 20e.


White Dutch (Trifolium repens.)—An excellent pasturage plant. Its flowers are also a favorite resort for the honey bee. It succeeds on all rich, clayey lands, if not too wet. It is the best variety for lawns, either alone or mixed with grasses, and is now in great demand for that purpose. Per lb. 30c; 4 lbs for \$1.00.

GRASS SEEDS.

The following are the most valuable grasses for agricultural and other purposes. Prices of some varieties may change as the season advances.

Bermuda, or Couch Grass (Cynodon daetylon.)—This grass, the "Doob" grass of India, is one of the most valuable for hot countries, suitable either for lawn or pasture, and valuable for fixing loose soils. For eight months in the year it is beautifully green; in cold weather it turns brown. The seed will not germinate in cold weather. April, May and September are the best months in which to sow. Use 10 lbs. to the aere. Per lb. \$1.00.

Crested Dog's-Tail Grass (Cynosurus eristatus.)—A valuable grass for sheep pastures, on dry, hard soils and hills. It belongs to the family of lawn grasses. 25 lbs. to the acre. Per lb. 40e.



Perennial Rye Grass.

Red Top.

Italian Rye Grass (Lolium Italieum.)—A valuable annual variety, thriving well in any soil, and yielding early and abundant crops. Especially valuable for pasture in Sonthern California. Although strietly speaking it is an annual, if cut before going to seed, it may be considered perennial in this climate. Claimed to stand any amount of forcing by irrigation. Sow 30 lbs. to the acre. Per lb. 15c; 100 lbs. \$9.00.

Kentucky Blue, or Smooth Meadow Grass (Poa pratensis.)—Principally used for lawns, also valuable for pasture. For lawns sow 150 lbs. per acre; for pasture 50 lbs. per acre is sufficient. We offer none but fancy cleaned seed. Per lb. 25c; 5 lbs. for \$1.00; 100 lbs. at market rates.

Orehard Grass, or Coeksfoot (Dactylis glomerata.)—A valuable grass, all kinds of stock being greedily fond of it. Will bear cropping very well. When established will withstand both floods and drouth. Sow 40 lbs. to the acre. Per lb. 20c; 100 lbs. at market price.

Perennial, or Australian Rye Grass (Lolium perenne. See ent.)—The merits of this grass are becoming more recognized every year. It adapts itself to almost any soil, germinates freely, and seeds abundantly. Of upright habit, bearing abundance of nutritious foliage, it is much relished by stock, and its roots being fibrous and penetrating, give it a permanency not possessed by many other species. Sow 40 lbs. per aere. Per lb. 15e; 100 lbs. \$8.00.

Red Top (Agrostis vulgaris. See eut.)—A valuable permanent grass in mixture for either pastures or lawns, standing heat well and growing in almost any soil. Ripens later than almost any other grass, Sow 30 lbs. to the aere. Faney eleaned seed per lb. 25e; 100 lbs. \$20.00. Fair seed per lb. 15e; 100 lbs. at market price.

Timothy, or Herd's Grass (Phleum pratense.)—This grass thrives best on moist soil, or rich wheat-bearing alluvial lands. Should be cut when seeds are ripe, as the nutritive value of the hay will be twice as great as when cut in flower. Ou account of it first yielding an abundant hay crop and then a nutritions aftermath, it is particularly valuable as pasture grass. Sow 20 lbs. to the acre. Per lb. 10c; 100 lbs. \$7.00.

Fodder Plants.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10e per lb. As market is apt to fluctuate, quotations on 100 lb. lots of the following varieties of seed given on application. 25 lbs. charged at 100 lb. rates.

MILLETS.

French Round White, Imported.—A very choice variety of Millet with large, round, pearly white seeds, used by the French for making into bread, generally sold in this country for feeding valuable foreign birds. Per lb. 15e; 100 lbs. \$12.00.



Hungarian Millet.

German, or Golden Millet.—This variety is not so early as Common Millet, but yields a much larger crop. Will grow from 3 to 5 feet in height. The heads are closely condensed and the spikes very numerous. It will yield 2 crops a season. Sow 25 lbs. to the acre. Per lb. 10e; 100 lbs. \$4.50.

Hungarian (Grass) Millet (Panieum Germanieum. See eut.)—This annual forage plant is a Millet, and is one of the most valuable for a hay erop, as it will grow in any ordinary soil, and will withstand the most severe droughts. It may be sown in this latitude middle of June. As a green erop for plowing in, it is very fruetifying. Per lb. 10e: 100 lbs. \$4.50.

Italian Millet (Setaria Italiea.)—This variety grows much larger than Hungarian Grass, and produces a heavier crop; not quite so early; heads nodding, 4 to 6 inches long, yellowish; seeds oval, slightly flattened, yellow. Per lb. 10e; 100 lbs. \$7.00.

Common Millet (Panieum miliaeeum.)—Very early; height 3 to 4 feet; foliage broad and very abundant; heads open; branching panieles; seeds glossy, oval, somewhat flattened. Per lb. 5e; 100 lbs. \$4.00. The foregoing Millets should all be eut while in bloom.

Pearl, or Egyptian Millet (Penieillaria spieata.)—This is quite distinct from all other species, and is without doubt destined to take a place

in the front rank of vegetable forage plants. Sown in light, sandy soil, the plants at first appear feeble, resembling Broom Corn; but when a few inches above ground they begin to tiller, and new shoots appear very rapidly from the original root. When cultivated for fodder the seed should be dropped in drills and given plenty of room, on account of the peculiar habit of tillering. The fodder is in the best condition for cutting and curing when the stalks are 5 to 6 feet high. Per lb. 25e; 10 lbs. \$2.00.

Evergreen Millet, or Johnson Grass (Sorghum Halepense.)—A perenuial with fleshy underground stems, about the size of the little finger. These are very tender, and are much liked by hogs. They literally fill the ground near the surface, and every joint will develop a bud. On good ground, the stems attain a height of 5 to 10 feet, growing about as thick as they can stand on the ground. It likes dry, hot weather, and will grow luxuriantly where it is too hot and dry for most other grasses. Sow early in the spring, at the rate of 30 lbs. of seed per acre. The seed should not be sown until the weather becomes moderately warm. Per lb. 15e; 100 lbs. \$10.00.

FIELD PEAS.

These are grown for marketing dry, for split peas, fodder or for stock, and for soiling. Plant at the rate of 150 lbs. to the aere broadcast, or in drills at the rate of 80 lbs. per aere.

Black-eyed Marrowfat.—Very hardy and prolific. Good for either soiling or fodder. Per lb. 10e; per 100 lbs. \$7.50.

Blue Prussian.—The boiling pea of commerce. Per lb. 5e: 100 lbs. \$4.00.

Canadian Field.-Very valuable for soiling. Per lb. 5e; 100 lbs. \$4.00.


Southern Cow Pea, Black Eye.—This is not exactly a pea, but more properly belongs to the bean family. The pods may be harvested for the grain, or the plants plowed under to fertilize the soil. The seed or grain is ground and used for eattle fodder; the stalks and leaves also make excellent fodder, fed green. Poor, sandy land, may be greatly improved by plowing under a crop of Cow Peas, and thus made into fertile loam. Plant in a thoroughly pulverized soil. If grown for fodder or the seed, plant 3½ feet apart and cultivate thoroughly. The seeds must not be sown until the ground has become thoroughly warm. Per lb. 10c; 100 lbs. \$6.00.

Miscellaneous Fodder Plants.

African Millet.—A variety growing stalks 8 to 10 feet high, and yielding heads of grain 12 to 14 inches long, weighing 6 ounces to ¹2 lb. when fully ripe. If the whole stalk is cut down and eured when the seeds are in the dough state, it makes excellent forage; easy to cure, keeps well in out-door shocks, and much liked by stock in the winter. It also makes excellent green feed; bears in dry weather and gives a crop where corn would wholly fail. Per lb. 10c; 100 lbs. \$5.00.

Alfilaria (Erodium eicutarium.)—Commonly called Crane's Bill, or Wild Geranium, as it belongs to the same family. The seed is very searce and hard to procure, owing to the difficulty in gathering free from weeds. As to quality, it is one of the most nutritious of plants; cattle, sheep, horses and hogs alike prefer it to any other natural product of the plains. It makes the sweetest milk and butter, and the best meat of any of the natural fodder plants of this State. When nearly at maturity it is very fattening, and may be considered a strong, safe feed for grazing animals. We heartily recommend it for use on the large stock grazing ranges of Arizona and New Mexico. Sow 20 lbs. per aere. Per lb. 75c; special prices given on large quantities.

Australian Salt Bush (Atriplex semibaceatum. See eut.)—This forage plant, which was introduced a few years ago from Australia, has been grown here with the very best results. The plants have a diffuso habit of growth, each one when fully developed covering an area of 3 or 4 feet in diameter.



Australian Salt Bush.

It is much relished by stock, and supplies the salt so necessary to their well being. Its groatest recommendation, however, in the estimation of many farmers, is the fact that it will thrive better on alkali land than any other. It is proved by analysis to be very nutritious, and contains, when dried, from 8 to 10 per cent of salty matter. The yield is about 20 tons of green fodder per acre, which will make 5

tons of hay. The plant is perennial; if intended for a grazing pasture, it is better not to cut it the first year, but let the seed fall and thus form a sod. Prepare the land by plowing and harrowing as for other crops. The seed may be sown in beds or boxes and transplanted to from 6 to 8 feet apart each way, but it is better to sow it where it is to remain, either thinly broadcast or in hills, taking eare in all cases to cover the seed very lightly. Use 1 pound of seed to the acre if sown broadcast or 4 ounces if transplanted. In cutting the fodder, be careful not to injure the crowns of the plants. Per oz. 15c; per lb. \$1.25.

Australian Salt Bush, "Old Man."—A distinct species, and quite different from the Atriplex semibaccatum. It succeeds on alkali land as well as, and withstands drought better than the latter kind, while on account of its upright growth (growing sometimes 15 feet high) it is easily cut. In its immense productiveness it is far ahead of the common kind, while its leaves are much larger. In Australia, the cattle men prefer the "Old Man" to any other kind for cattle, while the A. semibaccatum is used for sheep and the smaller animals, on account of its being more easily reached by them. Plant in hills 6 feet apart each way, several seeds to a hill, thinning out to the two strongest plants. Per pkt. 10c; per oz. 30c; per lb. \$3.00.

Egyptian Rice Corn, or Brown Dhoura.—It is much sweeter than corn stalks, and eattle, horses and hogs will eat it ravenously. The seed is excellent for fowls. Culture same as corn. Sow 5 lbs. to the aere. Per lb. 5e: 100 lbs. \$3.00.



Jerusalem Corn.

Egyptian Rice Corn, or White Dhoura.—The yield of grain is very great, and cooked when the kernels are not fully ripe, like green corn, it has the flavor of chestnuts, or after fully ripe, cooked like rice, or ground into fine flour or meal, and used for baking. A favorite variety with poultry raisers. Per lb. 5c; 100 lbs. \$3.00.

Jerusalem Corn.—(See cut.) Lately introduced from Palestine, and will stand drought better than any of the non-saccharine sorghums. The most valuable forage plant ever offered in this climate. It has yielded five enttings during the season. Height about 5 feet, and when matured, the grain is an excellent chicken food. Sow 4 lbs. to the acre. Per lb. 10c; 100 lbs. \$5.00.

Kaffir Corn, or Imphi.— Introduced from South Africa. The plant is low, stocky and perfectly erect. It does not tiller, but branches from the top joints. The whole stock, as well as the leaves, cures into excellent fodder, and is good for feed at all stages of its growth. When the grain turns white, clip the heads, and other heads will come. If required for fodder, sow in the spring, either broadcast or in drills, 3 feet apart at the rate of 10 lbs. per acre. If required for grain, sow 4 lbs. per acre. White or Red. Per lb. 10e; 100 lbs. \$5.00.

Lathyrus Sylvestris Wagnerii (Flat Wood Pea.)—Claimed to be the most profitable fod-

der plant evor grown. It is twice as nutritious as Alfalfa and of equal value with oil cake for feeding purposes. Perennial, lasting over fifty years; the roots penetrating into the sub-soil from 10 to 18 feet. Has proved to be pre-eminently the plant for dronthy, and barren soils. Sow in spring in rows and at the depth of 1 inch. With the pea sow a few grains of barley to indicate the position of the rows, as it will be necessary to hee the ground before the Lathyrus appears above it. In the following spring transplant to 1 foot apart each way. Per oz. 20e; per lb. \$2.00.

Milo Maize, or White Branching Dhoura.—Valuable as a forage plant and for its grain, having great capacity to stand drouth. It can be cut and fed at any stage, or cured when heading out, for fodder. It bears grain in erect, full heads, and is almost equal to corn for feeding all sorts of stock; also makes excellent meal. It requires all summer to mature seed. Sow 3 to 5 pounds per acre. Can be cut for greon feed several times a season. Average yield of seed about 40 bushels per acre. Per lb. 100; 100 lbs. \$5.00.

Milo Maize, or Yellow Branching Dhoura.—Similar to the white as before described but of larger heads. Per lb. 10c; 100 lbs. \$5.00.

Rape, Dwarf Essex.—A valuable fodder plant for sheep, yields an abundant crop and is very fattening; contains about 9 per cent of carbo-hydrates, 2 per cent, albumen, and some fat. It is also exceedingly useful as a green manure. For fodder, sow from 8 to 10 pounds per acre; for soiling, sow from 15 to 20 pounds per acre. Per lb. 15c; 100 lbs. \$10.00.

Sacaline (Polygonum sachalinense.)—Grows to the height of 10 or 12 feet, and may be cut three times a year. The stems and leaves, which are very nutritious, are greedily eaten by cattle and sheep. The seed should be started in boxes, and the young plants afterwards transplanted 3 feet apart each way. Per pkt. 10e; per oz. 30e; per lb. \$3.00.

Seradella (Ornithopus sativus.)—A valuable forage plant, admitting of two cuttings in one season, and succeeding well in dry, sandy soil. Excellent for sheep. Per lb. 25c; 100 lbs. 15.00

Soja Benn.—A valuable forage plant, much advertised of late. It is easily grown and very nutritions, and is highly recommended for pasturing, or for feeding as green fodder. The beans are an excellent substitute for coffee. Sow broadcast 30 to 40 lbs. to the acre, or 12 to 15 lbs. in drills. Per lb. 10e; 100 lbs. \$7.00.

Sorghum, or Chinese Sugar Cane (Sorghum saccharatum.) Early Amber.—The earliest and most productive variety. Its saccharine matter is of first quality, fine and rich; it grows to the height of from 10 to 12 feet; makes sugar or syrup equal to any in the market. One of our best green fodder plants, producing from 2 to 3 cuttings during the summer. The seed is relished by all kinds of stock. Sow 6 lbs. in drills, and 12 lbs. broadcast to the acre. Per lb. 10c; 100 lbs. \$4.00.

Sorghum, Early Orange,—It is from 8 to 10 days later than the Early Amber; produces syrup of excellent quality. Per lb. 10c; 100 lbs. \$5.00.

Spurry (Spergula Arvensis.)—Small annual plant succeeding best in sandy soil. It can be used in a green state, or for hay. Sow 15 lbs. to the acre. Per lb. 20c; 100 lbs. \$15.00,

Sweet Corn.—For fodder, ensilage, or soiling. Per lb. 5e; 100 lbs. \$4.00.

Teosinte (Reana luxuriaus.)—Recommended as the most prolific forage plant yet introduced. In appearance somewhat resembles corn, but the leaves are much longer and broader. The stalk, containing much saccharine matter, is very nutritious. It can be cut several times during the season, yielding enormously. Plant in spring in drills 3 feet apart, and 2 to 3 seeds every 12 inches in drill; 4 lbs. to the acre. Per oz. 15c; per lb. \$1,50.

Vetches, or Tares (Vicia sativa.)—A most valuable forage plant. Also excellent as a green manure. Sow in early spring, with oats, barley or rye, which help to support it, and greatly add to its productiveness. When sown in conjunction with any of the above, 30 lbs. is sufficient for an acre; if alone 100 lbs. is required. Per lb. 15c; 100 lbs. \$9.00.

Vetch, Sand or Winter (Vicia villosa.)—A valuable forage plant from Europe, and now in great demand here. It will thrive on the most barren soils and produce two cuttings during the season; also valuable for ploughing in as a green manure. It may be sown alone or together with rye, the latter method is preferable, as the Vetches grow from $3\frac{1}{2}$ to 5 feet, the rye will afford support for them. Sow from 65 to 90 lbs. to the acre. Per lb. 15c; 100 lbs. \$9.00.

Sundry Seeds of Economic Plants, Etc.

Express or freight charges always to be paid by the purchaser. If wanted to be sent by mail, postage must be added at the rate of 10c por lb. As market is apt to fluctuato, quotations on 100 lb. lots not given of the following varieties of seeds will be sent on application. 25 lbs. charged at 100 lb. rate.

Broom Corn. IMPROVED EVERGREEN.—This variety is more cultivated than any other, on account of the color and quality of its brush, which is of good length, fine and straight, and always green; it brings the highest market price; grows about 7 feet high. Per lb. 10c; 100 lbs. \$5.00.

Broom Corn. Large California Golden.—One of the most popular kinds for making brooms. Per lb. 10c; 100 lbs. \$5.00.

Broom Corn. Dwarf.—This variety grows about 4 feet high, extra fine for making brushes or whisks. Sow 12 lbs. of Broom Corn seed of the above varieties to the acre. Per lb. 10c; 100 lbs. \$6.00.

Broom, Scotch (Genista scoparia.)—The young growth of this shrub is chiofly valuable has food for sheep and other animals in winter. Coarse brooms are also made from it. Per oz. 10c; por lb. 50c.

Caper Tree (Capparis spinosa.)—The undeveloped flower-buds are the true Capers of commerce. Flowers blush, very handsome. Per pkt. 10c.

Caterpillars (Astragalus var.)—A curious plant, interesting from the fact that the seed pods resemble living Caterpillars. Much fun is caused by mixing them in salads. Per pkt. 10c.

Cotton. Sea Island. - Best variety. Per oz. 10c; per lb. 25c.

Cotton. Tenn. Upland. - Sow 25 lbs. to the acre. Per oz. 10c; per lb. 25c.

Fenugreek (Trigonella fenum Græcum.)—An annual, very fragrant. The seed is often used to give temporary fire and vigor to horses: also given to cattle while fattening, causing them to drink and digest their food. Per oz. 10c: per lb. 60c.

Flax, or Linseed.-Best Riga. Per lb. 10c.

Furze, or Gorse (Ulex Europeus.)—Sheep and cattle browse on the young growth of this plant, with much rolish. Also valuable for hedges and fences. Per oz. 25c; per lb. \$2.50.


Garvanzas, or Chick Peas .- Largely used for sonps. Por lb. 10c.

Hop Vine (Humulus lupulus.) - Well known. Per pkt. 10e; per oz. \$1.50.

Lentils (Ervum lens.)—Best imported. Succeed best in dry, sandy soil; used for soups. Per lb. 15e, Lentils (Ervum lens.)—California grown. Per lb. 10c.

Liquorice (Glycyrrhiza glabra.)—In pods. A perennial plant, the roots of which furnish the Liquorice of commerce. Per oz. 30c; per lb. \$3.00.

Peanut.—This plant thrives and produces bost on a light, sandy, tolerably fertile soil. They may be planted from March to May in pods, or shelled; it is best to drop about 4 in a hill on the level ground, the rows being laid off $3^{1}2$ feet wide, and the hills 2 feet asunder; cover them 2 or 3 inches. When they come up, thin them to 2 in a hill. They will produce from 25 to 75 bushels per acre, according to soil and culture. Virginian, per lb. 15e; 100 lbs. market price. California grown, per lb. 10c; 100 lbs. market price.



Mammoth Russian Sunflower.

Lupin, Blue.—One of the best plants for soiling, succeeding well in the poorest soil. Many lands that were formerly poor, have had their value greatly enhanced by plowing in the Lupin as a manure. Per lb. 15c; 100 lbs. \$10.00.

Lupin, Yellow.—Used for soiling same as the Blue variety. Per lb. 15c; 100 lbs. \$10.00.

Poppy. Opium.—The seed furnishes about 35 per cent. of an agreeable sweet oil, good for eating, painting and illuminating. Per oz. 20c; per lb. \$1.00.

Pyrethrum Cinerariaefolium.—The plant from which is made the Persian insect powder in Europe, or "Buhach" as made in California. Per pkt. 25c; per oz. \$1.00.

Ramie. SILVER CHINA GRASS. (Urtica nivea.)—This is the variety new so extensively cultivated in the South for its fibre. Per oz. 75c; per lb. \$9.00.

Seurvy Grass (Cochlearia officinalis.)—Used in salads same as Cress. A good antiseorbutic. Per oz. 25c.

Sunflower (Helianthus annus.)—The Sunflower is rapidly acquiring a reputation as a valuable farm crop. Its seeds are superior food for poultry (said to improve the meat), and it has yielded 40 bushels per acre.

Manmoth Russian.—(See cut.) Very large. Per lb. 10c; 100 lbs. market price.

BIRD SEED.

If required by mail 10 cents per pound must be added to propay postage.

Mixed Bird Seed	10e 10e 10e 10e	25e 25e 25e 25e	Lettuee Seed, for birds Cuttle Fish Bone Rice, unhalled	25e 35e 25e
Rape, German Sweet	10e 10c	25e 25c	Sunflower	15c 10e 25c

Useful Tables for the Farmer and Planter.

SOWING TABLE FOR THE GARDEN.

QUANTITY OF SEED REQUIRED TO PRODUCE A GIVEN NUMBER OF PLANTS,
OR TO SOW A CERTAIN QUANTITY OF GROUND.

Artichoke 1 oz to 500 plants	Melon, Water 1 oz to 30 1
Asparagus 1 oz to 60 feet of drill, 500 plants	Melon, Musk 1 oz to 100 l
Beans, Dwarf1 lb to 50 ft of drill	Okra 1 oz to 50 ft of
Beans, Tall	Onion Seed 1 oz to 100 ft of
Beet 1 oz to 50 ft of drill	Onion, Top Sets 1 lb to 60 ft of
Broccoli 1 oz to 2000 plants	Onion, Bottom Sets 1 lb to 75 ft of
Brussels Sprouts 1 oz to 2000 plants	Parsnip1 oz to 100 ft of
Cabbage 1 oz to 2000 plants	Parsley 1 oz to 100 ft of
Carrot 1 oz to 150 ft of drill	Peas 1 lb to 50 ft of o
Cauliflower	Pepper 1 oz to 1000 pla
Celery 1 oz to 5000 plants	Pumpkin 1 oz to 25
Chicory 1 oz to 100 ft of drill	Radish 1 oz to 50 ft of
Coru	Salsify 1 oz to 50 ft of o
Cress 1 oz to 10 ft of drill	Sage 1 oz to 100 ft of e
Cucumber 1 oz to 100 hills	Spinach 1 oz to 50 ft of e
Egg Plant 1 oz to 2000 plants	Squash, Early
Endive 1 oz to 3000 plants	Squash, Winter 1 oz to 15 1
Kale 1 oz to 2000 plants	Tomato 1 oz to 3000 pla
Kobl Rabi 1 oz to 2000 plants	Tobacco 1 oz to 10,000 pl;
Leek 1 oz to 100 ft of drill	Turnip, Early 1 oz to 75 ft of c
Lettuce 1 oz to 5000 plants	Turnip, Rutabaga 1 oz to 100 it of

NUMBER OF TREES OR PLANTS TO AN ACRE OF GROUND.

SET AT REGULAR DISTANCES APART.

Distance Apart. No. of Plants. 3 inches by 4 inches522,720 4 inches by 4 inches392,040 6 inches by 6 inches174,240 1 foot by 1 foot43,560 1 foot by 1 foot43,560 2 feet by 1 foot21,780 2 feet by 2 feet10,890 2 feet by 2 feet14,520 3 feet by 1 foot14,520 3 feet by 2 feet4840 3 feet by 3 feet4840 3 feet by 3 feet4840 4 feet by 2 feet555 4 feet by 1 foot10,890 4 feet by 2 feet3,555 4 feet by 3 feet3,555 4 feet by 3 feet3,630 4 feet by 4 feet3,630 4 feet by 4 feet3,630 4 feet by 4 feet2722	Distance Apart. No. of Plants. 4 ½ by 4 ½ feet	Distance Apart. No. of Plants. 14 feet by 14 feet

Rule.—Multiply the distance in feet between the rows, by the distance the plants are apart, in the rows, and the product will be the number of square feet for each plant or hill; which, divided into the number of square feet in an aere (43,560) will give the number of plants or trees to the aere.

TABLE SHOWING THE QUANTITY OF SEED USUALLY SOWN PER ACRE.

	Lbs. to the Acre.
Alfalfa	25
Barley - broadcast	100
Beaus, Dwarf or Bush - hills .	40
Beans, Dwarf or Bush - drills	
Beans, Tall or Pole - hills	
Beet, Garden	
Beet, Sugar	
Beet, Maugel Wuczel	6
Deet, Mauger Wittzer	
Broom Corn - drills	
Buckwheat - broadcast	45
Cabbage — in beds to cover an a after transplanting.	icre (1, to 10
after transplanting.	.)
Carrot - drills	3
 Clover, Red. alone — broadcast. 	
Clover, White, alono - broadca	st 10
Clover, Alsiko – broadcast	10
Corn. Sweet or Field — hills	15
Corn, to cut green for fodder—c broadcast, Cucumber — hills	frills or)
broadcast.	125
Cucumber - hills	1 to 2
Flax (when wanted for seed)	30
Flay (when wented for films)	50
Grass, Bernuda	
Grass, Crested Dogstail	
Cram Fortunity Div. Green	20
Grass, Kentucky Blue (for past	
Grass, Kentucky Blue (for law)	is)150
Grass, Orehard	40
Grass, Orchard	Rye } 40
(for meadow.)	j 40

Lbs. to the Acre.
Grass, Perennial or Australian Rye 75
(101 12 W 11.)
Grass, Italian Rye 30
Grass, Red Top
Grass, Timothy
Grass, Hungarian 25
Millet 25
Hemp - broadcast
Melon, Water - hills 2 to 3
Melon, Musk - hills2
Oats - broadcast
Onions, for Dry Bulbs - drills 4
Onions, for Bottom Sets
Parsnip - drills
Peas - drills
Peas - broadcast 150
Potatoes - hills
Pumpkin – hills
Radish - drills
Rye — broadcast 100
Spinaeh — drills
Squash, Bush Varieties - hills 4
Squash, Running Varieties hills
Tomato in beds to transplant
Turnip and Rutabaga—drills
Turnip and Rutabaga — broadcast
Vetehes — broadcast
Whent - broadenst
Wheat - broadcast
Wheat — drills 75

TABLE OF WEIGHTS.

SHOWING THE STANDARD WEIGHTS PER BUSHEL OF SOME OF THE MORE COMMON SEEDS,

Barley	48 lbs.	Flax	56 lbs.	Rye56 lt) 8.
Beans	. ° 00.	Hemp		Red Top Grass14	
Buckwheat		Hungarian Grass	18 "	Rape	₹
Blue Grass		Millet		Timothy45	τ
Clover		Oats	32 "	Vetches or Tares 60	T.
('orn	.56 "	Peus 6	10 tt	Wheat 60 '	*

TABLE SHOWING THE NUMBER OF PLANTS IN LENGTH FROM ONE FOOT TO ONE HUNDRED FEET APART.


USEFUL FOR PLANTING HEDGES, WINDBREAKS, SHADE TREES, ETC.

Distance	No.	Distance	No.	Distance	No.
Apart	per Mile	Apart.	per Mile	Apart	per Mile
	5,280	15 feet		GO feet	88
2 feet	2,640		264		81
3 feet	1.760		211		75
4 feet					70
5 feet	1,056		151		66
G feet		40 feet			62
7 feet	754		117		58
8 feet	€60	50 feet			55
9 feet	586	55 feet	96	100 feet	52
10 fcet	528				

Hints on the Formation and Improvement of Lawns, Tennis Grounds and Parks.

The preparation of the Lawn is usually preliminary to the laying out of the Flower Beds in new grounds. This should be earefully done, as if this work is imperfeet, it eannet afterwards be remedied, unless by undeing the work done, and redoing it in a proper manner. The first thing to be done is to got the ground to the proper grade desired. Then dig or plow up the ground to the depth of 8 inches, afterward earefully harrowing and removing all large stones, etc. If the soil is thin, procure a supply of fine mould and spread over to a depth of 5 inches. If the soil is poor, well-rotted stable manure, well incorporated with the soil, will be vory beneficial; or if this is unobtainable, 600 pounds of ground

bone per aere may be applied. Then rake level and roll well the soil to make a firm bottom. When sowing the seed, choose a calm, damp, cloudy day, and sow at the rate of 150 pounds to the aere (1 pound will sow well 16 feet square.) The seed should be earefully raked in and again well rolled. In dry weather regular and eareful watering is strictly essential. Never let the ground dry out. Should the surface once become pewder dry while the seed is germinating, the latter would inevitably perish. When the grass is up to the height of 3 inches, it should be eut and rolled, and eutting should be repeated every week till the grass has become firm and turfy. When weeds appear they should be earefully eut out with a sharp knife, eare being taken to disturb the young grass no more than is absolutely neeessary. With the most eareful sowing and attention some bare spots will be found in the lawn; these may be filled up by seoring the spots with a steel rake, and then resowing and raking in more seed. A light dressing of manure or lawn fertilizer should be applied to every Lawn annually, and the roller should be used frequently during winter, when the state of the ground and the weather will permit.



Tennis Grounds.

To Grass a Bank or Terrace. For each square rod of land take 1 lb. of grass seed, and thoroughly mix with 4 cubic feet of good, dry, garden soil. When well mixed, add water enough to bring it to the consistency of soft mortar. After the slope is properly graded and watered, spread the paste over it as thinly and evenly as psssible.

Kentucky Blue Grass. Extra, fancy eleaned. The grass usually sold for lawn purposes. Per lb., 25e; 5 lbs., \$1.00; 100 lbs., market price.



From Seeds.

REMARKS ON SOWING AND CULTURE.

We have heard it remarked that the position of a person or a nation in the scale of refinement and civilization may be judged by his or their love of two things, viz: Music and Flowers.

The use and growth of flowers, especially, marks the progress of individuals and nations, the greatest nations of the earth being those with whom the love of Floriculture most prevails. To the lover of flowers, what can be more interesting than to sow the seed, water, and otherwise care for the growth and development of the plant, and at last, enjoy the expansion of the flowers? What does the sense of proprietorship of the purchaser of flowers, compare to that of the grower of them? The latter feels that they are verily his own, the results of his fostering eare. Among the flowers which may be grown with a minimum amount of eare and expense are those varieties which reproduce themselves from seeds. These are classed as Annuals, Biennials and Percunials, and these are subdivided into Hardy, Half Hardy and Tender varieties of each class. Hardy Annuals are those plants which may be sown in the open air. They grow, flower, produce seed and then die. Half Hardy Annuals are those varieties which require an even temperature of at least 60 degrees to germinate the seed, and will not stand frost; consequently, they must not be sown in the open ground during the fall or winter months, and not in spring till April. A good rule for those to follow who wish to sow this class is to wait for the proper weather and season in which to sow Corn, Melon or Pumpkin seeds. These being Half Hardy Annual vegetable seeds, it follows that Half Hardy Annual flower seeds may be sown without risk at the same time.

Tender Annuals are those that require greenhouse protection, as Caleeolaria, etc., the seeds are usually very fine, and it requires skill and care to raise them.

Hardy Biennials are those that flower the second year from sowing the seed and then die.

Hardy Perennials are among the finest of our border plants. They do not usually flower till the second year after sowing, but may be relied upon to produce larger clumps of flowers year by year for many years. Half Hardy Perennials are those which require some protection during the coldest weather as they will not stand frost. Tender Perennials are those species that require greenhouse or other protection during the greater part of the year, as they are, generally speaking, natives of tropical countries.

The best time to sow Hardy Annuals is in the fall months, as they will make much stronger plants, and flower much more abundantly when wintered over. They may be sown in any finely prepared shady border, and transplanted when large enough, to where they are to flower. Do not eover the seeds too deep. A good rule is to cover each seed its own depth with soil, at the same time taking eare to water carefully. Never water so much that the soil gets "soggy," i.e., saturated; nor never let the top get dry. Most varieties will germinate within ten days.

They may also be sown at any time during the spring months for summer blooming, care being taken to shade the young plants, after transplanting, in hot weather.

Half Hardy Annuals may be sown in April out of doors, or in boxes in March or earlier. If in boxes they should be covered, or removed under cover during the night time, and during heavy rains. Those who have hot beds may sow the seed in February and grow the plants in 3-ineh pots, for planting

out doors in April, thus gaining two months on those who have not this advantage. (See instructions for making hot beds, in Calendar of operations.) If sown in boxes, the boxes should have an ineh of rough soil, or gravel, at the bottom for drainage; the remainder of the box should be filled within an ineh of the top with sifted, light, rich soil, firmly pressed and the seed should be sown, covered its own depth with soil, again pressed and watered. When the young plants are large enough to be handled, priek out into other boxes, planting them about 1 ineh apart, and, when weather permits, they should afterwards be planted in the open ground to the place where they are to flower.

Tender Annuals should be sown in pots as follows: Take a 5 or 6-inch flower pot, put an inch of drainage in the bottom, then two inches of finely sifted soil, firmly pressed, with a sprinkling of sand on top. Then sow the seed, and do not cover, but press it into the soil. Water with a very fine sprinkler, and cover the top of the pot with a sheet of glass. Remove the glass for an hour daily to dry up the damp. When seedlings appear, gradually harden them off to the air. As soon as they can be handled prick out into 2-inch pots, and shift again when necessary.

Hardy Biennials and Perennials should be shown in September. Many varieties, if sown then, will flower the next year. If sown in spring they will not flower till a year later. They may be sown in a shady border, and when large enough, transplanted to where they are to remain.

Half Hardy and Tender Perennials should be sown in boxes, and treated as recommended for Half Hardy Annuals, till plants appear, when they should be pricked into 2-inch pots, and shifted afterwards when necessary.

We have arranged our list of Flower Seeds, according to the various classes. Annuals (including separate lists of Ornamental Grasses, and Gourds, and Everlasting Flowers.) Climbers, Annual and Perennial, and Biennials and Perennials in separate lists.

ABBREVIATIONS: hh means Half Hardy, Annual or Perennial; t means Tender Annual or Perennial. When no abbreviation is used, the variety will prove hardy in this climate. The letter h affixed to a variety, means that it is useful for bouquets and ent flowers.

All 5e packets at 50e per dozen.

All 10c packets at \$1.00 per dozen.

All 15c packets at \$1.50 per dozen.

All 25e packets at \$2.50 per dozen.

10 per cent Discount for Cash allowed on all orders for Flowor Seeds amounting to \$1.00 and upwards.

ANNUALS.

Per	pkt.
Abronia Umbellata. Delieate roso; ht. ¹ 4 ft. The "Sand" Vorbena, beautiful native trailer.	ък. 5с
Adonis Flos. Crimson, with black eye; ht.	
1 ft	5e
The "Pheasant's Eye," a beautiful, showy,	96
free flowering plant.	
tree nowering plant.	
Ageratum Mexicanum, Imp. Dwarf Blue.	
Ageratum Moxieanum. (See cut.) Imporial Dwarf Blue; ht. 34 ft Imperial Dwarf Whito; ht. 34 ft Fine for bedding or mixed borders.	5c 5c
Alonsoa Warscewizcii. Searlet, very free	
blooming; ht2ft	5e

ALS.	
Per pl	t.
	бe
~ ~ ~ · · · · · · · · · · · · · · · · ·	jе
Amaranthus Molaneholieus Ruber. hh.	
	e
Salicifolius. hh. (Fountain Plant.) Purple,	
crimson and gold; ht. 3 ft 5	e
Trieolor. lih. (Joseph's Coat.) Red, green,	
,	ie
The Amaranthus are splendid plants to give	
a tropical effect in mixed borders and .	
shrubbery. Plant in sunny places and	
poor soil.	
Anagallis. Mixed, various colors; ht. 12 ft. 5	e
The "Pimpernel," free blooming, attractive	
plant for borders.	
Argemone. Mixed, white and yellow; ht.	
2 ft	c
The "Mexican Poppy." Very showy.	
Arnebia Cornuta. Yellow spotted with black	
or maroon; ht. 1 ¹ 4 ft	e
The "Arabian Primrose." b.	
Aster. American Branching. Flosh pink; ht.	
1½ ft	_
American Branching. Lavender; ht. 11/2 ft 10	
American Branching, White; ht. 112 ft 10	
American Branching. Mixed; ht. 112 ft 10	c

	Betteridge's	-	,	ht.	pkt.
,	eau or Crown.				100
ters,	mixed; ht. $1\frac{\pi}{2}$	4 ft			10e



Cocardeau Aster.



Celosia Cristata, Glasgow Prize.


Per pkt.
Aster. Washington, mixed; ht. 112 ft 10e
Well known useful plants; invaluable for a
display in the garden and also for cut
flowers. The American Branching and
Comet varieties are the favorites among
florists. The Lady Aster is a new and dis-
tinct class with very narrow leaves and re-
markable free flowering qualities, and is
one of the finest for cutting purposes b.
Balsam. hh. Double Rose-flowered, mixed;
ht. 2 ft 10e
Camellia-flowered, (See cut.) Mixed; ht.
2 ft 10c
Dwarf, mixed; ht. 1 ft
Carnation striped, mixed; ht. 2 ft 10c
Solferino. White, Lilac and Scarlet; ht. 2 ft. 10c
Balsams, or "Touch Me Nots," are among
the finest of our annuals, either for garden
or pot culture. Wo offer none but the
finest strains.
amost stignis.



Camellia-flowered Balsam.

Brachycome Iberidifolia. Mixed; ht. 12 ft. 5e
"Swan River Daisies." Free blooming plants,
with Cinoraria-liko flowers. Native of
Western Australia.
Browallia Elata, hh. Mixed; ht. 112 ft 10e
Cacalla Coccinea. Scarlet; 12 ft
Calandrinia Umbellata. Vivid crimson, Portulaca-like plants, fond of sunshine, well suited for rock work; ht. ¹ 4 ft
Calceolaria Hybrida Suporba. t. Beautifully blotched, mottled and striped; ht. 1½ ft
The seed we offer has been hybridized by the best cultivators, and is the most su- perb strain procurable. Sow in August.

	Per pkt.
Calendula Officinalis. "Meteor."	fellow,
striped and bordered orange; ht $1^1{}_2$	2 ft 5e
"Prince of Orange," ht. 34 ft	5e
"Pot Marigolds." Of easy[culture.	ь.
Calliopsis Bicolor. Yellow and brow	vn; lıt.
2 ft	5e
Coronata. Yellow, large flowered; ht	t. 2 ft 5e
Fine Mixed. All colors; ht. 2 ft	5e
Also called Coreopsis. b. (See Peren	mials.)
"Prince of Orange," ht. 34 ft	5e b. vn; lit. 5e c. 2 ft. 5e 5e 5e



Candytuft, White.

Candytuft. Carter's Carmine; ht. 1 ft 10e
Purple, ht. 1 ft 5e
Rocket, white, ht. 1 ft 5e
White (See eut) ht. 34 ft 5e
White, fragrant; ht. 1 ft 5e
Fine mixed, all eolors; ht. 1 ft 5e
Good for bedding in masses. b.
Catchfly. Fine mixed; ht. 1 ft 5e
Celosia Cristata. hh. Empress,
dwarf, erimson, splendid; ht.
34 ft
Glasgow Prize. (See eut on page
69.) Crimson; ht. 1 ft 15e
Finest mixed; ht. 34 to 1 ft 10e
Pyramidalis. Mixed; ht. 2 ft 5e
Celosia Cristata is the Coekseomb.
Celosia Pyramidalis is the feath-
ered variety.
Centaurea Cyanus. Emperor Wil-
liam, sky blue; ht. 2 ft 5c
Cyanus. White; ht. 2 ft 5e
Cyanus. Red; ht. 2 ft 5e
Cyanus. Dark blue; ht. 2 ft 5e
Cyanus. Mixed; ht. 2 ft 5e
Chameleon. Flowers similar in shape
to C. Margaritæ, but varying in eolor, from light yellow, or straw
eolor, from right yerlow, or straw
eolor, to pink and yellow, or light rose; ht. 1½ ft. b 15e
Margaritæ. (See eut.) Large, pure white flowers, about 2½ inches in
white flowers, about 2½ inches in
diameter, with the edge petals beautifully tubed and twisted;
ht. 1½ ft. b
, =

Per	pkt.
Centaurea Moschata. White; ht. 3 ft	
Mosehata. Purple; ht. 3 ft	5e
Suaveolens. Yellow; ht. 1½ ft	5e
The last three mixed; ht. 1½ to 3 ft	5e
The Cyanus varieties are the well known	
Corn Flowers; b. The Mosehata varieties	
and Suaveolens are the old fashioned Sweet Sultans; b.	
Centranthus. Mixed, various colors.	
Showy annuals, with valerian-like flowers,	
b; ht. 1 ft	5e
Chrysanthemum Tricolor Album, White;	
ht. 2 ft	Бe
Tricolor Burridgeanum. (See eut.) White	υę
with crimson ring; ht. 2 ft	5e
Trieolor Double Mixed. Various colors; ht.	1)(
2 ft	5e
Trieolor W. E. Gladstone. Rich erimson;	
ht. 2 ft	5e
Coronarium. Double white; ht. 2 ft	5e
Coronarium. Double yellow; ht. 2 ft	56
(See also perennials.) The annual Chrysan-	
themum is rapidly rising in favor, being	
showier than the Margnerite, and of di-	
verse eolors. b.	
Cineraria Hybrida. t. Choice mixed;	
ht. 1 ft	50e
(See also perennials.) Valuable winter and	
spring flowering pot plants for window or	
greenhouse eulture.	
Clarkia Elegans. Double rose; ht. 112 ft	5.
Pulchella. Purple; ht. 1½ ft	5e
- 1 dipio, no 1/2 it	O.C.



Centaurea Margaritæ.

Per pk	ιt.
Clintonia Pulchella. Blue, white and yel-	
low; ht. ½ ft) (
Pretty for rock work.	
Collinsia Bicolor. (See cut.) Purple and	
white; ht. 1 ft 5	бe
Convolvulus Minor, Mixed colors, Dwarf	
	5e
Corn Flower. (See Centaurea.)	
Cosmos. Pure white; ht 4 ft 5	бe
Pink; (See cut.) ht. 4 ft 5	i e
Purple; ht. 4 ft 5	i e
Fine Mixed; ht. 4 ft	į (
Mammoth Perfection. Mixed; ht. 4 ft 10)e
New Hybrid. White; ltt. 4 ft 10)e
New Hybrid. Crimson; ltt. 4 ft 10)c
New Ilybrid. Light pink; ht. 4 ft 10	
New Hybrid. Dark pink; ltt. 4 ft 10	
Improved Yellow; lt. 3 ft	ic
Showy flowers of easy cultivation. b.	
Cosmidium Burridgeanum. Maroon and	
yellow; ht. 2 ft 5	ic
Resembling Calliopsis. b.	
Datura Huberiana. hh. Double mixed; ht.	
3 ft 10	c
Echium Creticum. "Vipers' Bugloss." Scar-	
let; ht. 3 ft10	c
Eschscholtzia Californica. Yellow; ht.	
1 ft 5	c
"Golden West." Canary yellow and orange;	
ht. 1 ft 10	e
Dan 1-4	

Per pkt.
White and carmine; ht. 1 ft 10e
Orange; lt. 1 ft 5e
Orange, double; ht. 1 ft 10c
White; lt. 1 ft 5e
White, double; ht. 1 ft 10e
Rose Cardinal. Rose; ht. 1 ft 10e
Mandarin. Orange and Mandarin
red; lit. 1 ft 10e
Fine mixed, all sorts; ht. 1 ft 5e



Cosmos, Pink.

The well known "California Poppy." The "Golden West" is a new variety, producing very large flowers, of a light canary yellow color, with an orange blotch at the base of each petal, forming a maltese cross in the center of the flower.






Chrysanthemum Tricolor Burridgeanum.

Godetia.	The Bride.	Crimson	and wh	Per pkt iite;
	ft			
	ed; ht. 1½ f			
Splendid,	profuse blo	oming a	nnuals	\mathbf{for}
borders	and groups.			



Larkspur. Dwarf Rocket.

Gypsophila Muralis. Rose; ht. 12 ft Elegans. Rosy white; ht. 112 ft	
'Very graceful. b. [See Perennials.]	_
Hawkweed. Mixed; ht. 1 ft	эе
Helianthus Californiens. Double, ht. 6 ft	5c
Globosus Fistulosus. Double quilled; ht. 6 ft	5c
Nanus. Dwarf, double; ht. 3 ft	5e
Ornamental double varieties of the well-	
known Sunflower, good for backgrounds.	



Leptosyne Stillmani.

IT	COMPANY'8
	Per pk biscus Africanus. Yellow, with dark center; ht. 2 ft
_	Plant. [Mesembryanthemum Crystallinum.] White, trailer 5
	ulfussia Amelloides. Mixed; ht. 1 ft 5 Cape Marguerite." b.
La	rkspur. Dwarf Rocket. (Sec eut.) Mixed; ht. 2 ft
E	Imperor. Azure blue; ht. 2½ ft 5
E	Emperor. Rose; ht. 2½ ft 5
	Call Stock-flowered, mixed; ht. 2½ ft 5

Marigold, French.


Lavatera Trimestris. Red; ht. 2 ft	5c
Leptosiphon Hybridus. Mixed; ht. 13 ft.	5c
Leptosyne Stillmani. (See Cut.) Yellow	
ht. 1 ft	15c
A native of the Sierra Nevadas; of bushy	
compact habit, with graceful thinly cut	
foliage, and golden yellow blossoms over	
11/2 inches in diameter, and fine for eut-	
ting purposes. b.	
Ab.	



Mignonette.

5 e
5c
5c

Per	pkt
Lobelia Erinus Erecta. Blue; ht. ½ ft	100
Crystal Palace Compacta. Dark blue; ht.	
1 ₃ ft	100
"Emperor William." Light blue, compact;	100
Pretty plants for edging or hanging baskets.	
(See also Perennials.)	



Phlox Drummondii, Double Yellow.

Nanus. Dwarf, blue; ht. ½ ft... 5c



Phlox Drummondii, Rose.

Malope Grandiflora Purpurea. Redish purple; ht. 2 ft
Marigold. African, Lemon-colored; ht.
African, Orange; ht. 2 ft
African, Mixed; ht. 2 ft
French, Dwarf. Orange; ht. 1 ft

Per	nbt
Marigold. French, Dwarf Striped; ht. 1 ft	5e
French, Legion of Honor, golden yellow,	
marked with velvety brown; ht. 34 ft	5e
French, Tall striped; ht. 2 ft	5c
French, Mixed. (See cnt.) ht. 1 ft	5e
Favorite showy plants for mixed borders.	
(See also Calendula.)	
Matthiola Bicornis. Purple; ht. 12 ft	5e
The Night-scented Stock. Fragrant.	
Mesembryanthemum Tricolor. Purple	
rose and white, trailer	5e
"Dew Plant," for edging, or rockwook.	
Mignonette, Sweet. (See cut.) Greenish	
white; ht. ½ ft	5e
Large flowering, greenish white; ht. 34 ft	5e
Compact dwarf; ht. ¹ 3 ft	
Golden Queen; ht. 1 ft	10e
Machet, fine for pot culture; ht. 1 ft	
Miles's hybrid spiral, very large spikes; ht.	
1 ft	1 0c
Parson's White, fine long spikes; ht. 1 ft	
The last four kinds are extra fine. b.	




Nasturtium, Crimson.

Nasturtium, Tom Thumb. Chamel-	
eon. A new variety producing flowers	
of different colors on the same plant; ht.	
1 ft	1 0c
Cloth of Gold. Light scarlet, yellow foliage,	
ht. 1 ft	5e
Dark Crimson. (See cut); ht. 1 ft	5c
Empress of India. Dark leaves and crimson	
flowers; ht. 34 ft	10c
Golden King, dark foliage; ht. 1 ft	5c
King of Tom Thumbs. Dark foliage, scarlet	
flowers; ht. 1 ft	5c
King Theodore. Nearly black; ht. 1 ft	10 c
Ladybird. Orange yellow, red spots; ht. 1 ft.	
Pearl. White; ht. 1 ft	5c
Ruby King. Light ruby red; ht. 1 ft	10c
Scarlet; ht. 1 ft	
Yellow; ht. 1 ft	5c

Day plot	
Nasturtium, Tom Thumb. Finest mixed; ht. 1 ft	Phlox Drummondii. Double Yellow. (See eut on page 73.) ht. 1 ft
Nasturtium, Lilliput. Nicotiana Affinis. Ornamental tobaeco. Large, white and fragrant; ht. 3 ft	
white; ht. 1 ft	Tulip Poppy.
	Platystemon Californieus. Yollow; ht. 34 ft
Phlox Drummondii, Large Flowering. Phlox Drummondii. White; ht. 1 ft	Whito; ht. \frac{1}{2} ft
150 dole white, nt. 1 it 15c	Mixed; ht. 12 ft 50

Per pk	
Portulaca. Double, white; ht. 12 ft 10	c
Golden; ht. 12 ft 10	e
Pink; ht. 12 ft)c
Scarlet; ht. 12 ft 10)e
Mixed, finest quality; ht. 12 ft)e
For exhibiting a display of dazzling brilliancy	
the Portulaca is unrivalled. It revels in	
sunshine, and will stand quite a degree of	
drought.	
Ricinus Cambodgensis. Leaves and stems	
nearly black, very fine; ht. 5 ft 5	ie.
Sanguineus. Blood red foliage; ht. 6 ft 5	
Ornamental Castor Beans.	
Salpiglossis. hh. Finest tall mixed; ht.	
1½ ft	١.
Flowers are somewhat like Petunias, with	<i>'</i> C
veined, velvety surface. b.	
Sanvitalia Procumbens. Single yellow,	
	jе
	je je
	, C
Profuse blooming trailing plants for beds, rock-work, etc. Sometimes called the	
"Trailing Sunflower."	
_	jс
The Calabrian Pink or "Soapwort."	
Schizanthus Pinnatus. Blue; ht. 11/2 ft 5	jе
Grahami. Lilae and yellow; ht. 112 ft 5	jе
Finest mixed; ht. 1½ ft 5	éc
Of much interest and beauty, the flowers be-	
ing beautifully marked, after the style of	
some orchids.	






Torenia Fournieri.

Giant Perfection.	Dark blue; ht. 2 ft 15c
Giant Perfection.	White; ht. 2 ft 15c
Giant Perfection.	Mixed; ht. 2 ft 10e
Princess Aliee.	(Cut and Come Again.)
White: ht. 11/2	ft 10e



Stocks, Dwarf Bouquet.

Senecio, or Jacobea. Double mixed;
ht. 1 ft 10e
"American Groundsel." Showy flow-
ers, succeeding well in any soil. b.
Silene Pendula Compacta. Red; ht.
³ 4 ft 5e
Compacta, double, red; ht. 34 ft 5c
Fine for bedding or edging.
Statice Suworowi. Bright rose, large
spikes, b. ht. 1½ ft 10c
[See also perennials.]
Stocks, Ten Weeks. (See cut.)
Dwarf Bouquet. Finest mixed; ht. 1 ft 10e
Large Flowered. Blood red; ht. 1 ft 10e
Large Flowered. Light blue; ht. 1 ft 10e
Large Flowered. White; ht. 1 ft 10c
Large Flowered. (See cut.) Finest
mixed, ht. 1 ft 10e
mixed, ht. 1 ft 10e



Stocks, Large Flowered.




Zinnia, Mammoth Double.

Per pkt,
Stocks. Wallflower Leaved. Finest mixed;
ht. 1 ft 15e
Wallflower Leaved Snowflake. Pure white;
ht. 1 ft
[For Intermediate, Brompton and other
Stocks, see Perennials.] The Stocks of-
fered above are the finest obtainable. The
seed is saved from pot grown plants, and
may be relied upon to produce nearly all
double flowers. The Princess Aliee and
Giant Perfection varieties are the finost
for eutting purposes. b.
Sunflower. See Helianthus.
Sweet Sultan. See Centaurea.
Sweet Peas. See list of climbers.
Tagetes Signata Pumila. Yellow striped
brown, fine for bedding; ht. 34 ft 5e
Torenia Fournieri. t. (See eut on page 75.)
Violet with lilae and yellow; ht. 34 ft 15e
A valuable plant for pots, baskets or borders.
Venus' Looking Glass, Blue; ht. 34 ft 5e
Protty bell-shaped flowers, blooming pro-
fusely, well adapted for edgings and hang-
ing baskets.
Venus' Navelwort White ht 1 ft 50

Per	pkt.
Virginian Stock. Red; ht. ½ ft	5e
Virginian Stock. White; ht. ½ ft	5e
Virginian Stock. Mixed; ht. ½ ft	5 e
Visearia Cœlirosea. "Rose of	
Heaven," pink; ht. 34 ft	5e
Elegans Picta. Rose and scarlet;	
ht. 1 ft	5e
Ocnlata. Rose, dark eye; ht. 1 ft	· 5e
Whitlavia Grandiflora. Violet;	
ht. ½ ft	5e
Gloxinioides. White and blue; ht.	
½ ft	5 e
Zinnia. (See cut.) Finest double	
mixed; ht. 2 ft	5e
Dwarf double, mixed; ht. 1 ft	5e
Mammoth dbl. mxd (see eut); ht.3 ft	10e
Haageana, fl. pl. double yellow;	10c
"Youth and Old Age." Of great	
beauty and variety of color b	

It is now an acknowledged fact the world over, that California-grown seeds are of better quality and retain their vitality longer than those grown in other climates. Therefore, buy your seeds direct from California.



Zinnia, Double.

"The growing of seeds demands the nicest skill and the closest fellowship with plants. It is a business which demands much earo and pains, and its promoters must be students. It is one of the most special and difficult of all agricultural operations."—[U. S. Department of Agriculture Year Book.

In this connection let it be distinctly understood that the Germain Fruit Co. are professional seedsmen—growers as well as sellers—of long experience and recognized standing among growers and dealers. When planting their superior California-grown seeds better crops and better returns are the results—a consideration which no soil tiller can afford to ignore.

SEEDS OF EVERLASTING FLOWERS.

These are greatly admired and highly prized for winter bouquets. They should be cut when partially expanded, and hung with the heads downward until thoroughly dry. a.—Annual. p.—Perennial.

Aeroclinium. a.	Single	white;	Per ht. 1 ft	•
Pink, ht. 1 ft	• • • • • • • • • • • • • • • • • • • •			5e
Mixed; ht. 1 ft				5e



Acroclinium, Double Pink.

Double white,	fifty per cent	double fl	owers;
ht. 1 ft			10c
Double Pink.	(See cut.)	Fifty pe	r cent
double flowo	rs; ht. 1 ft		10e



Globe Amaranthus.

Per	pkt.
Ammobium alatum. a. White; ht. 1 ft	-
Globe Amaranthus. a. Purple; ht. 1 ft	5e
Whito; ht. 1 ft	5e
Fine Mixed. (See cut); ht. 1 ft	5e
Gnaphalium Leontopodium. p. White;	
ht. ½ ft	15 e
The true "Alpine Edelweiss."	



Helichrysum, Double.

Helichrysum. (Straw Flower.) a. Tall
double pink; ht. 2 ft10e
Tall double white; ht. 2 ft 10e
Tall double mixed (see cut); ht. 2 ft10e
Rhodanthe Maculata. a. Pink; ht. 1 ft 10e
Alba. White; ht. 1 ft10e
Manglesii. Bright rose; ht. 1 ft 10e
Mixed; ht. 1 ft10e
Xeranthemum. a. Double mixed; ht.
2 ft 5e


ORNAMENTAL GOURDS AND CUCURBITACEAE.

These are nearly all Climbing Annuals, with curious grotesque fruits. When dried many of the shells may be utilized for various purposes, as for dippers, drinking utensils, troughs, etc. They grow rapidly in hot weather, and are very useful for screening unsightly objects. lil a.

. Per pkt.	
Abobra Viridiflora. Greenish flowers;a tub-	
erous perennial gourd, with pretty scarlet	
fruits; ht. 6 ft 10e	


Pe	r pkt.
Bryonopsis Laciniosa Erythrocarpa. Very	7
ornamental, with pleasing cut foliage, and	l
bright colored fruits: ht. 5 ft	10e

Cucumber,	C.v.lee	(Chann)	pkt.
See cut.)			
Wild Very			




Snake Cucumber.

Gourd.	Bottle-shaped.	White	flowers;	ht.
10 ft.				10c
	-shaped; ht. 10			
	(See Cnt.) ht			



Dish Rag. When properly prepared this is very serviceable in many ways; ht. 6 ft.... 10e


Per p Gourd. Egg-shaped "Nest Egg;" (See cut.)	kt.
ht. 10 ft 1	0e
Goosoberry, smallest; ht. 6 ft	Ос
Hercules' Club. Fruits 7 to 8 ft. in length;	
ht. 15 ft 1	0c
Orange-shaped, (Mock Orange;) ht. 15 ft 1	0c
Pear-shaped; ht. 10 ft 1	0c



Dipper Gourd.

Serpent. (Trichosanthes Colubrina.) Very
long and coiled; ht. 10 ft 10c
Sugar Trough. Enormous, holding several
gallons; ht. 15 ft 10c
Momordica Balsamina. "Balsam Apple;"
ht. 6 ft 10c
Charantia. "Balsam Pear;" ht. 5 ft 10c
The Momordicas are very handsome. The
fruits burst when ripe, exposing the bright
orange scarlet interior, which resembles a
handsomo flower.

Ornamental Gonrds. Finest mixed kinds, 10c



Egg-Shaped Gourd.

SEEDS OF CLIMBING PLANTS.

a. - Annual. p. - Perennial.

	Per pkt.
Adlumia Cirrhosa. p. Pink; ht. 8 i	ft 10e
The graceful "Allegheny Vino," also	cailed
"Mountain Fringe."	
Ampelopsis Quinquefolia. p. Good	fol-
iage; ht. 50 ft	10c

	Per pkt.
Veitchii. p. (Japan Ivy;) ht. 50 ft	10c
The well known "Virginia Creeper.	
Antigonon Leptopus. p. Rose	15e
One of the most elegant climbers know	
Native of Mexico. (Rosa de Montana.)

Per pkt.	Per pkt.
Aristolochia Elegans. hhp. Choeolate and purple; ht. 30 ft	Convolvulus Major, a. Blue; ht. 10 ft 5e Crimson; ht. 10 ft 5c Pink; ht. 10 ft 5e
The latter is ealled the "Dutehman's Pipe."	Striped; ht. 10 ft
Very odd looking and interesting.	White; ht. 10 ft
Balloon Vine, hha. White and green; ht. S ft 5e	Aureus Superbus. Yellow. Very fine and
Bears a pretty inflated capsule.	rare; ht. 8 ft
Bignonia Radieans. p. Orange searlet;	The well-known "Morning Glories."
ht. 15 ft	Cypress Vine. Searlet, hha. (See eut.) ht. 8 ft 5e
Seld Tollow	White, hha. ht. 8 ft
	Mixed; ht. 8 ft
	Dolichos Lablab, hha. Mixed; ht. 8 ft 5e Lignosus, p. "Australian Pea Vine," rose and purple, one of the best elimbers, for a
	hot, dry elimate; ht. 15 ft 10c
	Eccremocarpus Seaber, p. Orange; ht. 6 ft
Vo	Humulus Japonieus, a. ht. 20 ft 10c
	(Japanese Hop.) A beautiful elimber, which may be sown in open ground in spring,
Cypress Vine.	attaining immense proportions in a short time.
Kæmpferii. p. Purple; ht. 15 ft 10e Stans. (Tceoma). p. Orange. distinct foli-	Imperial Japanese Morning Glory, hha. Mixed, all colors, very large; ht. 30 ft 10c
age; ht. 10 ft	Ipomoea, Heavenly Blue, hha. Light blue; ht. 15 ft 10e
'Evergreen; ht. 20 ft 10e "Trumpet Vines," sometimes elassed with	Learii. "Blue Moon-flower," splendid, p; ht. 25 ft
Teeomas, robust, hardy elimbers. Vory ornamontal.	Mexicana Grandiflora Alba. "True White Moon-flower," hhp. ht. 15 ft15c
Canary Bird Flower. hha. Yellow; ht. 8 ft10e	Kennedya Bimaeulata Grandiflora, p. Purple; ht. 10 ft
(Tropæolum Peregrinum.) A charming annual vine, with delicate foliage.	Lathyrus Latifolius, p. Mixed, rose and white; ht. 6 ft 5e
Clematis Flammula, p. White; ht. 10 ft. 10e	The "Everlasting Pca."
Viticella, p. Purplo; ht. 10 ft	Loasa Aurantiaea, hha. Golden yellow; ht.
The "Virgin's Bower," well known profuso blooming elimbers. The seed requires several months to germinate.	The "Chilian Nettle" plant, with beautiful and interesting flowers. Must be handled with gloves, as the leaves sting.
Clianthus Puniceus, p. Bright searlet; ht.	Lonicera Tartariea, p. (Tartarian Honey-
6 ft	suckle.) Rose; ht. 6 ft 10e
"New Zealand Glory Pca." A very handsome climber.	Mandevillea Suaveolens, p. White; ht. 15 ft
Citoria Ternatea, hhp. Blue; ht. 6 ft 15c	"Chili Jasmino." Vory fragrant. Maurandia, hhp. White; ht. 8 ft 10c
Cobaea Scandens, p. Purple; ht. 20 ft 10e Alba, p. White; ht. 20 ft 10e	Purplo; ht. 8 ft 10c
Macrostemma, p. Yellowish green, tipped	Fine mixed; ht. 8 ft 10c
with violet; stamons of enormous length; ht. 15 ft 15e	Mina Lobata. (See cut on page 80.) Red, yellow and white, ta. ht. 15 ft10c
Rapid growing elimbers, with bell-shaped	Sanguinea. Blood red, ta. ht. 15 ft 10c
flowers.	Very showy, great favorites in this section.

Per p	kt.
Nasturtium, Tall. (See cut.) Chame-	
leon. A new variety, producing flowers of	
different colors on the same plant; ht. 6 ft 1	0e
Dark crimson; ht. 6 ft	
Orange; ht. 6 ft	Бe
Pearl. Creamy white; ht. 6 ft	5e
Scarlet: ht. 6 ft	5c



Nasturtium, Tall Chamelcon.

Vesuvius.	Salmon rose, dark leaved, splen-	
did; ht.	6 ft	10e
Yellow; ht	6 ft	10e
	ed: ht. 6 ft	

	Per pkt
Passiflora Cardinalis, hhp. Scarlet;	ht.
8 ft	25e
Cœrulea, p. Blue; ht. 8 ft	10e
Edulis. Edible, p. Mauve; ht. 8 ft	10e
Fulgens. Red, hhp. ht. 8 ft	15e
Princeps coccinea. Scarlet, hhp. ht. 6	ft 25e
Quadrangularis, hhp. (Maerocarpa.) "La	rge
Granadilla;" ht. 10 ft	25e
Trifasciata, hlp. Three angled stem, edib	le;
ht. 8 ft	•
Fine mixed; ht. 6 to 8 ft	10 e
The above collection comprises all the m	ost
beautiful and useful varieties of "Pass	
Flowers."	



Mina Lobata.

Phaseolus Caracalla. hlip. Lilae, purple and white; the "Snail Vine," very beauti-	
ful and interesting; ht. 8 ft 16	Эc
Smilax. p. Bulb; white; very useful for festooning, etc.; ht. 6 ft)e
Sollya Heterophylla. hhp. "Climbing Blue Bell." A pretty climber, with charming intense blue flowers; ht. 6 ft	

Special Offer of California-Grown Flower Seeds in Collections.

These are put up in small separate packets, each labeled with the name or color, and all enclosed in a larger envelope labeled with name and number of varieties contained therein.

- No. 1-25 fine varieties of California-grown flower seeds, \$1.
- No. 2-12 varieties of California-grown flower seeds, 50c.
- No. 3-12 beautiful varieties, trailing and climb'g plants, 50c.
- No. 4- 6 beautiful varieties, trailing and climbing plants, 25c
- No. 5-! 6 fine varieties of overlasting flowers, 25c.
- No. 6-6 choice varieties of Tom Thumb Nasturtiums, 25c.
- No. 7-6 choice varieties of tall or climbing Nasturtiums, 25c
- No. 8-4 beautiful varieties of Ornameutal Gourds, 25c.
- No. 9-5 grand varieties of Passion Flowers, 25c.
- No. 10-5 grand varieties of Tacsonias, 50c.



Lady Penzanee. Standard orange-pink, wings deep pink.

Lottie Eckford. White suffused and edged with lavender.

Lovely. Shell pink, very large, extra fino. Mars. Fiory crimson, deepening with age. Monarch. Deep purplish maroon.

Mrs. Eckford. Delicate primrose yellow.
Mrs. Joseph Chamberlain. Bright rose striped on white ground.

Peach Blossom. Salmon pink, wings soft pink.

Prima Donna. Soft pink, extra fine.
Princess of Wales. White, striped with
mauve.

Ramona. White, striped and splashed with deliente pink.

Schator. White ground, striped with chocolate. Stanley. Rich dark maroon, the best dark variety.

Venus. Salmon buff, shadod with pink.

The above varieties 5e per pkt.; 50e per dozen pkts.; 15c per oz.; 35e ¹4 lb.; \$1 lb. The whole collection of 35 varieties, 1 pkt. of each, mailed free for \$1.25.

California Large Flowering Mixed. From 20 named varieties, 5e per pkt.; 10e per oz.; 25e ¹4 lb; 75e lb.

CUPID OR DWARF SWEET PEAS.

While these cannot properly be classed under the heading of Climbers, we have placed them here in order to have our Sweet Peas under one list, and thus render it more convenient for our customers in selecting varieties. They grow from 6 to 10 inches high making dwarf compact plants, often spreading over an area of from 12 to 15 inches, and will be found very valuable for bedding purposes. The flowers are fully as large as the ordinary Sweet Peas and produced in great abundance.

Alice Eckford Cupid. Standards creamy white, suffused with soft pink, wings silvery white, flushed with pink in the center. Per pkt. 15c.

Beauty Cupid. Standard rose, shading to white at the edges and lightly striped with carmine at the base, wings rosy earnine. Per pkt. 15e.

Pink Cupid. Standards bright rose pink, wings white or light pink. Per pkt. 10c.

Primrose Cupid. Pale primrose or creamy white. Per pkt. 15c.

White Cupid. Pure white, very fine. Per pkt. 5e.

One pkt. each of the above 5 varieties mailed free for 50c.


Per pkt.
Tacsonla, hhp. Exoniensis. Light red;
ht. 6 ft
Ignea. Fiery red; ht. 6 ft 15c
Van Volxemi. Dazzling scarlet; ht 6 ft 15c
Mollissima. Pink; ht. 6 ft
Mixed; ht. 6 ft 10e
Beautiful climbors, resembling Passifloras in
foliage and flowers, colors varying from
pink to crimson. Very ornamental.
Thunbergia Alata. hha. Mixed. White
and yellow; ht 6 ft 10e
Free bloomers of rapid growth; flowers of
white and yellow shades, with striking
black centers.

Per pkt.
Tropaeolum Lobbianum. Spitfire. a. Vivid
scarlet; ht. 6 ft 5e
Finest mixed. a. All colors; ht. 6 ft 5e
Useful climbers, which may be pegged down and used for bedding purposes. May also be grown in pots for wintor flowering. Colors dazzlingly brilliant.
Wistaria Sinensis. p. Light blue; ht. 50 ft
A charming old fashioned hardy climber, producing its pale blue flowers in large clusters in early spring.

PERENNIALS.

Per Pkt.
Alyssum Saxatilo. Beautiful yellow; ht.
3 ₁ ft
Fine for borders or rock work. b.
Anchusa Capensis. Azure bluo; ht. 11/2 ft 5c
"Cape Alkanet" free blooming biennial. b.
Anemone Coronaria. (See cut.) Mixed;
ht. ½ ft 10e
The "Windflower." Beautiful early spring
flowering plants.
Antirrhinum Majus. Tall mixed; ht. 2 ft 5e
Dwarf, mixed; ht. 1 ft 5c
Tom Thumb, mixed; ht. 34 ft 5e
"Snapdragons," hardy porennials, flowering
the first year, unsurpassed for bordors. b.
Aquilegia Chrysantha. Yellow; ht. 1½ ft 10e
Double mixed hybrids, very fine; ht. 1½ ft 10c
Single mixed; lt. 1^{1}_{2} ft 5e
"Columbines." Handsome hardy perennials,
indispensable as decorative border plants. b.
Arabis Alpina. Whito; ht. 12 ft 5e
"Rock Cress," useful for rockwork.
Asperula Odorata. White; ht. ½ ft 10e "Woodruff," very fragrant.
Aster. Perennial varieties, finest mixed,
"Michelmas Daisies;" ht. 3 ft
Aurienla. Finest English hybrids; ht. ½ ft 25e From the finest collection. Fine deep
colors, variously margined. Good for

pot culture.





Anemone Coronaria.


			Per pkt.
Begonia.	Rex. Ornar	mental leaved, i	finest
mixed;	ht. 1 ft	·	50c
Splendid d	ecorative plan	nts, suitable for	r pot
culture.	The tubers	of the first na	anued
variety s	hould be sha	ken out of the	pots
and kept	in a dry, wa	rm place during	g the
winter.			



Bellis Perennis.

Bellis Perennis. fl. pl. (See cut.) Mixed donble, fine; ht. ¹ 4 ft	15e 15e 15e
Boeconia Japonica. White; ht. 4 ft	10c
Cordata. Buff; ht. 6 to 10 ft	
Very ornamental, planted as single speci-	
mens, or in groups on lawns.	
Caetus. Finest mixed; ht. ½ to 4 ft	15e
Saved from the best and most distinct	
species.	
Campanula Carpatica. Blue; ht. ½ ft	5e
Pyramidalis. Blue; lit. 3 ft	5e
Fine mixed perennial; ht. 1 to 3 ft	5e
[See also "Cantorbury Bells."]	•••
"Bell Flowers." Hardy plants, well suited	
for mixed borders.	
Canna. New French hybrids, mixed; ht.	
4 ft	10e
Handsome plants for lawn decoration and	
for back grounds. Soak the seed in tepid	
water for twenty-four hours before sow-	
ing.	
Canterbury Bells. Single blue; ht-	
2 ft	5c
Single White; ht. 2 ft	5c
Single Rose; ht. 2 ft	5c
Single mixed; ht. 2 ft	5e
Double White; ht. 2 ft	
Double Rose; ht. 2 ft	

Per pkt.
Canterbury Bells. Double Blue; ht. 2 ft 10e
Double Mixed; ht. 2 ft
Calyeanthema mixed; ltt. 2 ft
Very handsome border perennials of great
ntility, and deservedly popular favorites.
The last two kinds are of great beauty,
the ealyx being of the same color as the
•
flower. They are called "Hose in Hose,"
or "Cup and Sancer," Canterbury Bells, b.
Carnation. Finest German mixed; ht.
1½ ft 25e
Redondo mixed; ht. 1½ ft
Perpetual, or Tree, very fine; ht. 2 ft 25e
Grenadin; early dwarf, red; ht. ½ ft 15e
Marguerite mixed. (See cut.) Will commence
flowering within four months from the
time of coming up; lt. 1½ ft 15e
Our collection comprises the most richly
scented and beautifully marked varieties, b.
Centaurea Candidissima. White foliage;
lit. 1 ft
Gymnoearpa; ht. 1 ft
The "Dusty Miller." Fine plants for ribbon
beds or borders.
Cerastium Tomentosum. White leaves,
trailer 15e
"Jerusalem Star." Useful for edgings and
rock work.
Chargenthamin Frategons White vol-
low-eye (Paris Daisy;) ht. 2 ft
Indicum (Chinese,) mixed; ht. 3 ft 10e
Nanum (Pompone,) mixed; ht. 2 ft10e
Japonicum (Japanese,) mixed; ht. 3 ft 10c
Chrysanthenium runtescens is the won-
known "Paris Daisy," or "Marguerite." The other kinds are the Chinese and Japan-
ese varietics, so extensively grown and
nsed during the fall month. b.
Cineraria Maritima Candidissima; ht. 1 ft. 10e
Silvery foliage, very useful for ribbon beds
SHO DOPOPPS.





Marguerite Carnation.

Per pkt.
Clianthus Dampierii. Scarlet with black center: ht. 4 ft
The Australian "Desert Pea." A magnifi- cent flower. Water sparingly after sowing.
Coleus. t. Finest mixed; ht. 2 ft
Convolvalus Mauritanicus. Lavender. Trailer
Coreopsis Laneeolata. (See cut.) Yellow; ht. 2 ft
Cuphea Platyeentra. Scarlet and black; lit. 2 ft
Cyclamen Persieum. hh. bulb. (See cut.) Fine mixed, white and pink; ht. ½ ft
Daisy. See Bellis.



Cyclamen Persicum.



Coreopsis Lanceolata.

Per pkt.
Delphinium Cashmerianum. Dark blue
ht. 4 ft
Cardinale. (Scarlet Larkspur.) Bright scar-
let; ht. 5 ft 10c
Elatum. Mixed. (Bee Larkspur.) ht. 3 ft 5e
Formosum. Bright blue; ht. 4 ft 10e
Hybridum. Double, extra choice mixed; ht.
3 ft
"Perennial Larkspurs." Fine border plants
of brilliant colors.
Dianthus Chinensis. Double mixed; ht;
1 ft 10e
Heddewigii. Fine mixed; ht. 1 ft 10e
Heddewigii. Crimson Belle, dark erimson;
h+ 1 f+ 100



Dianthus Diadematus.

Per pkt.	Per pkt.
Dianthus Diadematus "Double Diadem Pink." (See cut); ht. 1 ft	French Honeysuckle. Red and white mixed; ht 3 ft 5c
Laciniatus Single mixed; ht 1 ft	Hedysarum Coronarium. Hardy, profuse blooming. Succeeds well near the seaside. Not to be confounded with the
Imperialis. (Double Imperial Pink.) Mixed; ht. 1 ft	elimbing Honeysuckle, as it is quite a dis- tinct species.
Hybridus Double mixed; ht. 1 ft	
Digitalis Gloxinioides. Fine mixed; ht. 3 ft 5c "Foxgloves," bearing fine spikes of variously spotted and blotched flowers for borders and shrubbery.	
Dodecatheon Media. Lilae; ht. ½ ft 10e "American Cowslip." Fine for rock work, etc.	
	Fuchsia, Double.
I A CONTRACTOR OF THE PARTY OF	Fuchsia Hybrida. hh. Single, finest mixed, ht. 3 ft
Dianthus Laciniatus, Double.	
Echeveria Metallica. Red; ht. ¹ 4 ft 25c "Live-for-Ever." Handsome, succulent plant for edgings, with metalic lustre on leaves.	
Erpetion Reniforme. (Viola Hederacea.) Blue; ht. ¹ ₂ ft	
Erythrina Crista Galli. Dark red; ht. 6 ft 25c "Coral Tree." Handsome decorative plant for shrubbery, etc.	
Evening Primrose. Yellow; ht. 3 ft 5c Very showy for mixed borders and shrubbery.	
Ferns. All species mixed; ht. 12 to 2 ft15c Saved from the choicest varieties.	
Forget-Me-Not. See Myosotis.	Gaillardia Lorenziana.
Fraxinella. Red; ht. 2 ft	Gaillardia Picta. Red and yellow, ht. 1½ ft
seed is clow to corminate	ant) by 11/ft mixed colors, (500

·	er pkt.
Gaillardia Grandiflora. Splendid mixed ht. 2 ft	
Grandiflora Maxima. Golden yellow; l	ıt.
The "Blanket" flower. Very showy bord plants, b.	
Gazania Splendens. Orange; trailer "Black-eyed Susan." A very showy bord plant.	10e er
Gentiana Acaulis. Intense blue; ht. ¹ 4 f An Alpine plant of great beauty, fine f borders and rockwork.	t 10c or
ht. 1½ ft Double Zonale. Finest mixed; ht. 3 ft Single Zonale. (See cut.) Finest mixed ht. 5 to 6 ft Tricolor, gold and bronze leaves; ht. 2 ft (See Pelargonium for show varieties.) See saved from best varieties of all the kinds. Geum Coccineum. Scarlet; ht. 2 ft "Scarlet Avens." A Chilian plant of gree beauty, very useful in mixed borders.	15e 25e 1; 10e 25e d b 10e




Geranium Zonale.

Per pkt.

Gloxinia Hybrida, t. Finest mixed; ht 1 ft 25e A beautiful greenhouse perennial bulb. Seed saved from the finest erect and drooping varieties.

Gypsophila Paniculata. White; ht. 1½ ft. 5e Very graceful, flowering in panieles, and excellent for cut flowers. b. (See Annuals.)



Heuchera Alba.

Heliotropium. Finest mixed; ht. 6 ft 10e "Cherry Pie." Deliciously fragrant, also
fine for pot culture. b.
Heuchera Sanguinea. Crimson, ht. 1 ft 15e
Alba. (See eut.) White; ltt. 1 ft 15e
Allied to the Saxifragas, very graceful, val-
uable for ent flowers. b.
Hibiscus Coeeineus. Scarlet; ht. 5 ft 10e
Roseus Grandiflorus. Pink; ht. 4 ft 10e
Well known showy perennial shrubs with
brilliant flowers.
Hollyhock. Finest double German mixed;
ht. 5 ft
Chater's superb doublo mixed English; ht.
5 ft 10e
Chater's superb doublo white; ht. 5 ft 10e
Chater's superb double white shaded rose;
ht. 5 ft 10e
Chater's superb double white shaded pur-
ple; ht. 5 ft10e
Chater's superb double erimson; ht. 5 ft 10c
Chater's superb double eream shaded pur-
ple; ht. 5 ft
Chater's superb double maroon; ht. 5 ft 10c
Chater's superb double pink; ht. 5 ft 10e
Chater's superb double salmon rose; lit 5 ft 10e
Chater's superb double yellow; ht. 5 feet 10e
Favorite hardy perennials. Will flower the
first season if sown early.
Honesty. Purple. A biennial; ht. 1½ ft 10e
Interesting in a dried state, the membran- eous lining of the seed pod making a
handsome ornament to winter honounts h

handsome ornament to winter bouquets. b.

Per pk	ĸt.
Hunnemannia Fumariæfolia. Yellow;	
ht. 2 ft	Эс
A showy plant belonging to the Poppy family.	
Hyacinthus Candicans; ht. 3 ft	Эе
Iberis Gibraltarica. White, suffused with	
rose; ht. 1 ft	
Sempervirens. White; ht. 1 ft	Эc
Ipomopsis. Fine mixed. Bicnnial; ht.	
3 ft 10	Эc
"Texas Plumes." Showy scarlet and gold pyramidal blossoms and feathery foliage.	
Lantana. Finest mixed; ht. 4 ft 10)e
White, rose, and yellow particolored fragrant flowers like the Heliotrope in form. b.	,


Myosotis Alpestris.

Lasiandra Macrantha. Blue; ht. 6 ft. 25e One of the finest autumn flowering ever- green shrubs, producing flowers abundantly 3 to 4 inches across of a rich violet blue.
Lavender. Blue; a hardy shrub, well
known and esteemed for its delicious frag- ranee; ht. 3 ft 5e
Linaria Cymballaria. "Kenilworth Ivy."
White; vory pretty for rockwork and hang-
ing baskets; trailer 10c
Lobelia Cardinalis. "Cardinal Flower." A
handsome border plant with bronze foli-
age, and brilliant scarlet flowers; ht. 2 ft. 10c
Lupinus, Mixed, all colors, b; ht. 1 to
4 ft 5e
Lychnis Chalcedoniea. Bright searlet; 2 ft. 5e
Haageana Hybrida, finest mixed; ht. 2 ft 10c
"Jerusalem Cross." Favorite hardy plants,
for borders and shrubbery. b.

1		pkt.
	Marvel of Peru. "Four o'clocks." Fin-	
	est mixed; this well known plant has few	
1	rivals for beauty, expanding in the after-	
ĺ	noon and continuing open all night; ht.	
١	2 ft	5e
ĺ	Matricaria Eximia. "Feverfew." Double	
l	white, very handsome, showy flowers,	
١	continuing a long time in bloom, b; ht.	
İ	2 ft	5e
Ì	Mimulus Cardinalis. "Monkey Flower."	,
l	Dark red; ht. 112 ft	10e
	Tigrinus grandiflorus. Finest mixed, spotted	
	and tigred varieties; ht. 112 ft	10e
	Brilliant perennials, flowering the first sea-	
	son if sown early. Also suitable for pot	
i	eulture.	
I	Musk Plant. (Mimulus Mosehatus.) Yel-	
l	low, a universal favorito; ht. ½ ft	10c
I	Myosotis Azorica. Dark blue; ht. 1/2 ft	10e
I	Alpestris. (See cut.) Light blue; ht. ½ ft	10c
١	Dissitiflora. Brilliant blue, earliest flower-	
ı	ing; ht. ½ ft	15e
I	Palustris Semperflorens. Bright blue; ht. 1 ft	10e
ĺ	"Forget-Me-Nots." Very beautiful and much	
l	prized for spring flowers. b.	
I	Nierembergia Gracilis. Silvery lavender.	
I	Excellent for hanging baskets, edgings,	10
l	ete; ht. 1 ft	
1	Oenothera Lamarckiana. Yellow; ht. 4 ft A grand Evening Primrose, with long spikes	5e
	of yellow flowers.	
	Oxalis Rosca. Pink; ht 14 ft	10e
	"Tropaeoloides." Yellow: ht. 14 ft	10e
	"Shamrock," or Wood Sorrel. Delightful little plants for edgings, hanging baskets	
	and rock work.	
	49.00	




Giant Trimardeau Pansy.



Bugnot's	Superb	Blotched	Pansy
----------	--------	----------	-------


	rer pkt	٠
Azure Blue; ht. ½ ft	100	c
Emperor William, ultramarine blue; ht. ½ ft	100	c
Fanst, or King of the Blacks, coal black; ht. 1/2 ft	100	c
Golden yellow, pure; ltt. 1/2 ft	100	c
Golden yellow, with dark center; lit. 1/2 ft	100	c
Gold margined, brown with gold border; ht. 1/2 ft	100	c
Lord Benconsfield, large, purple violet shading off	to	
lavender: lit. ½ ft	100	c



Cassier's Pansy,

Pansy, or Heartsease.
Bugnot's Superb Blotched. (See eut.)
Extra fine; ht. ½ ft50e
Cassier's. (See cut.) Very large flow-
ered, finest mixed; ht. ½ ft 25e
English mixed, extra select, very large
and velvety; ht. ½ ft 15e
German, finest mixed, from the most
celebrated pansy grower in Germany;
ht. ½ ft
Giant Trimardean. (See cut.) Mixed,
very large and of vigorous growth;
ht. 3 ₄ ft
Odier's Five Blotched. (See cut.)
Very fine, with a black blotch on
each petal; ht. ½ ft 25c
Scotch Prize. (See cut.) From extra
selected prize flowers; ht. ½ ft 50c
Above best sorts mixed; lit. 1/2 ft 25e

Per pkt.



Striped Pansy.

Maliogany colored; ht. ½ ft
President Carnot, white, violet blotches; ht. ½ ft
Snowflake, pure white; ht. ½ ft 10c
Striped and variegated varieties. (See cut.) ht. ½ ft
Victoria, blood red; ht. ½ ft 15e
Violet, white margined; ht. ½ ft 10c
White, with black center; ht. ½ ft 10c
Above colors mixed; ht. ½ ft10c
Pansies should be carefully cultivated, and will amply repay liberal treat- ment. All the above strains are carefully saved from the choicest
flowers, and are unsurpassed in
color, form and substance.


Per pkt
Pelargonium. Fancy, best and
richest colors mixed; ht. 3 ft 25c
Large flowered, richest colors, mixed;
ht. 3 ft
"Lady Washington Geraniums." Fav-
orite bedding and greenhouse plants.
with brilliant flowers. Seeds saved
only from the finest sorts. b.
Pentstemon. Finest mixed; ht. 2 ft 50 Hartwegi Grandiflorus. New large
flowered mixed; ht. 2 ft 15c
Fine herbaceous perennials, very
showy in mixed borders. b.

Petunia. Single, Inimitable, blotched




Petunia, Fringed.

Picotee Pink. Finest mixed; ht.
1½ ft
Splendid hardy pinks, beautifully
marked on edge of petals. b.
Pink Florist's. From fine show
varieties, mixed; ht. 1 ft
"Pheasant's Eyo" Pinks. Very fine,
usually marked with a ring in center,
double and fragrant. b.
Polemonium Cœruleum. Blue; ht.
2½ ft 10c
"Jacob's Ladder." An old-fashioned
English perennial, useful in mixed
borders.
Polyanthus. Finest gold-laced var-
ieties; ht. ½ ft
Choice mixed; ht. ½ ft 10c
Charming early floworing plants, beau-
tifully laced and edged.



	Odier's Blotched Pausy. Per pkt,
Single.	(Sec cut.) Large flowered, fringed, superb
mixed	; ht. 1 ft
Single.	Good mixed; ht. 1 ft 10e
	Fringed, superb mixed; ht. 1 ft 50e
Double.	(See cut.) Extra fine, mixed; ht. 1 ft 25c
Very or	namental, free flowering plants, for bedding
in ma	sses or in borders.
Phlox.	Perennial. Finest mixed; ht. 2 ft 10c



Scotch Prize Pansy.

. Per pkt.
Poppy. (See cut.) Perennial hybrid mixed;
ht. 4 ft
Papaver Orientale. Dark red; ht. 4 ft 10e
Papaver Braeteatum. Searlet; lit. 3 ft 10e
Ieeland (Papaver undicaule.) Yellow; ht.
1 ¹ 4 ft 10c
Ieeland. White; ht. 114 ft 10e
Iceland. Orange; ht. 1 ¹ 4 ft 10e
Iceland. Mixed; ht. 114 ft 10e
Very showy plants for mixed borders. The
Iceland poppies will bloom the first year
from seed, if sown early. For other vari-
etics see list of annuals.



Poppy, Perennial Hybrid Mixed.

Primrose. True English yellow; ht. ½ ft. 15e An old-fashioned garden favorite.

and the thornest guiden the office.	
Primula Sinensis, t. Fringed white; ht.	25e
Fringed red; ht. ½ ft	25e
Finest mixed, fringed; ht. ½ ft	25e
Obeoniea, t. Light mauve; ht. ½ ft	15e
Fino pot plants for winter and spring flowering, for indoor culture.	
Pyrethrum Roseum Hybridum. Single	
finost mixed; ht. 2 ft	10e
Hybridum. (See cut.) Double mixed (Aster	
like flowers.) lit. 2 ft	15e
Parthenifolium Aureum (Golden Feather.)	
ht. ½ ft	10e
Parthenifolium Aureum Selaginoides. Yel-	1.0
low fern-like foliage, vory fine; ht. ½ ft	10e
The first two varieties are grown for their flowers, the last two are well-known edg-	

ing plants.

Per pkt.

Ranunculus. Finest mixed; ht. 1 ft....... 10e
Handsome, hardy, tuberous plants of brilliant colors.



Petunia, Double.

Romneya Coulterii. White with yellow eenter; ht. 6 ft
"California Mountain Poppy." A noble plant.
Rosa Multiflora Nana. Various colors; ht. 1
ft 15e
A new class of Polyantha Roses, blooming
from seed in 9 to 10 weeks, and produc-
ing great quantities of double and single
flowers of different colors.

Rose Campion. Crimson; ht. 1½ ft 5e Downy, silvery foliage with erimson flowers.



Pyrethrum Hybridum.

Rocket, Sweet. Fine mixed; ht. 1½ ft.. 5e "Dames' Violet." Valuable for borders, free blooming and sweet seented.

Dom . 3.
Per pki. Salvia Nutans. hh. Dark blue: ht 2 ft 10e
Patens. hh. Sky blue; ht. 2 ft
Splendens. hh. Dazzling searlet; ht 3 ft. 10e
"Flowering Sage." Brilliant flowering plants
for borders, backgrounds and centers of
beds. b.
Santolina Chamæeyparissus; ht. 2 ft 10c (Lavender Cotton.) A silvery-leaved plant,
useful for edging.
Saxifraga. Fine mixed; ht. ½ ft
"Mother of Thousands," or "London Pride," charming little trailing plants for hanging
baskets, vases or rockwork.
Scabiosa. Tall double mixed: ht. 2 ft. 5e
Dwarf, double mixed; ht. 1 ft
"Mourning Bride." A well known border plant, free-blooming and fragrant. b.
Sedum. Fine mixed: ht. 1/2 ft. 100
"Stone Crop." Curious plants. For earnet.
• Deds. Plant in sandy soil.
"Mimosa Pudica." An interesting plant
with the peculiarity of closing its leaves
when touched.
Statice Latifolia; ht. 1 ft
(Sea Lavender.) A favorite hardy perennial with bright blue flowers, very useful for
bouquets.
Solanum Weatherill's Hybrids, mixed, hh;
ht. 1 ft
orange colored berries.
Stevia Serrata. White: ht. 1% ft. 10e
A valuable plant for Florists, producing large
heads of small, white, fragrant flowers, very graceful and excellent for cutting
purposes. b.
Stocks. (Biennial and perennial.)
Intermediate. Finest mixed; ht. 2 ft 10c
Intermediate. East Lothian. Crimson, very fine; ht. 2 ft
intermediate. East Lothian. Purple, very
fine; ht. 2 ft
ht. 2 ft 15e
Brompton. Crimson: ht. 2 ft 15a
Brompton. White; ht. 2 ft
Brompton. Purple; ht. 2 ft. 15e Brompton. Finest mixed; ht. 2 ft. 15e
Cocardeau, or Giant Cape Winter. Finest
mixed; ht. 2½ ft
(For Ten-Week Stocks, see Annuals.) All
these Stocks are very doublo, fragrant and
handsome. The Intermediate varieties are biennials. The last three species are splen-
did decorative border plants. The true
"Gilly Flowers." b.
Sweet William. Hunt's Anrieula Flow-
ered Perfection. Single mixed; ht. 1½ ft 10e Single. Pure white; ht. 1½ ft
Single. Finest mixed; ht. 1½ 5c Double. Finest mixed; ht. 1½ ft
Well known and worm about 11/2 ft
Well known and very showy plants for borders; flowering early in spring, b.
Valerian. Mixed; ht. 2 ft 5c
An old fashioned English plant; valuable
for mixed borders, b.
Verbaseum Phænicenm. Mixed; ht. 3 ft. 5c Showy plants for mixed borders.
Verbena. Anricula flowered, with white
conters; trailer 15c
Blue; trailer10c



•
Verbena, Italian Striped.
Vorthone Italian string 1 (Gr. 1) Per pkt
ly striped and mottled; trailer 10e
Large white; trailer 10e
Searlet. (See eut.) trailer 10e
Mammoth mixed; trailer15e
Pink; trailer 10e
Fine mixed; trailer 5e
Lemon-seented (Aloysia Citriodora.) Lay-
ender; lit. 8 to 10 ft
A well-known favorite bedding plant. The
Lemon Verbena is a shrubby perennial in
our mild elimate. b.
Vinca Rosea. Red; lt. 2 ft
Alba. White, with red eye; ht. 2 ft
Mixed; ht. 2 ft
Odorata. "Sweet Violet." ht. 14 ft 10e
Odorata. White; ht. ¹ ₄ ft 10e
Odorata. "Sweet Violet." ht. \(^1\) ₄ ft
large; lit. 14 ft
Odorata. "California." Blue, the largest flow-
ered variety; ht. ½ ft
with the exception of Viola Cornuta, these
favorites are too well known to need comment. Viola Cornuta resembles the Pan-
sies, and is admirably adapted for bedding
nurnacec h
Wall Flower. Single mixed; ht. 2 ft 5e Blood red; ht. 1 ft
Blood red; ht. 1 ft 10e
Belvoir Castle. Dwarf yellow; ht. 34 ft 10e
Harbinger. Rich blood red; ht. 1 ft 10e
Harbinger. Rich blood red; ht. 1 ft
Well known fragrant plants. b.
Wigandia Caraeasana. Violet; ht. 8 to
10 ft 15e
Plants remarkable for the large size of their leaves; much prized as single specimens
for lawns and sub-tropical gardening.
Rando and Suo tropical gardening.
The state of the s



Verbena, Scarlet,

ORNAMENTAL GRASSES.


Most of these, if cut before they are quite ripe, will be found very useful in the formation of winter bouquets alone, or combined with Everlasting flowers.

CULTURE. - Sow in boxes in February or March, and when large enough, transplant to where they are to remain. Do not mistake the young plants for weeds.

a. — Annual. p. — Perennial. Per pkt. Agrostis Nebulosa, a. Very graceful and fine for vases and bouquets; ht. 1 ft....... 10e Avena Sterilis, a. "Animated Oats." Singular and eurious; ht. 3 ft....... 5e Graeilis, a. Slender, "Quaking Grass." Fine for bouquets; ht. 1 ft 5e Eragrostis Elegans, a. "Love Grass," with beautiful dancing spikelets, good for bouquets; Eulalia Japonica, p. "Japan Plume" Grass. Very effective in groups; 6 ft. 10e Festuca Glauca, p. Very neat and compact, fine for edgings to ribbon beds and borders; lit. Procumbens, p. Very neat and compact, fine for edgings to ribbon beds and borders; ht. ¹4 ft..... 10e Isolepis Gracilis, p. Very pretty rush-like grass for hanging baskets and pot culture; ht. 1 ft... 10e Lagurus Ovatus, a. "Hare's Tail Grass." Fino for bouquets; ht. 2 ft...... 5e Lasiagrostis Argentea, p. Very graceful and fine for bouquets; ht. 3 ft....... 10e Stipa Pennata, p. "Feather Grass." Universally admired in bouquets; 2 ft....... 10e Tricholoena Rosea, p. Very pretty, with rose-eolored panieles; ht. 3 ft....... 10e

CALIFORNIA NATIVE WILD FLOWER SEEDS.

We offor twelve varieties, all of great beauty, some of which are very rare and difficult to obtain.



Zea Japonica Fol. Variegata, hlia.

Dodecatheon Clevelandii.

Per pkt. Antirrhinum Oreuttianum. (Cal. Snapdragon.) White or violet..... 15eDicentra Chrysantha. (Cal. Bleeding Heart). Lemon yellow 15e Dodecatheon Clevelandii. (Shooting Star. See cut.) Purple bordered with yollow..... 15c Emmenanthe Penduliflora. Very rare and handsome. "Yellow Bells".... 15c EschscholtzIa Californica. (Cal. Poppy.) Yellow 5e Lathyrus Californicus. (Cal. Pea.) Crimson...... 15eLayia Glandulosa. (White Daisy.) 10c Oxyura Chrysanthemoides (Painted Cup.) Yellow and white..... 5e Phacelia Parryi. Brilliant purple 10e Platystemon Californieus. Sulphur yellow...... Romneya Coulterii. (Cal. Mountain Poppy). White with yellow stamens..... 15e Viola Pedunculata. (Cal. Violet.) Yellow..... 15e Tourists' "Souvenir" Collection of Californin Native Flower Seeds, comprising the above 12 varieties......\$1.00

50c

25e


"Striped Japanese Maize." Very ornamental; ht. 4 ft 5e

Above collections mailed free on receipt of price to any part of the world.

Gardening for Pleasure. A guide to the amateur in Fruit, Vegetable, and Flower Garden, with full instructions for the greenhouse, conservatory and window garden. By Peter Henderson. New, enlarged edition, illustrated. Mailed for \$2.10.

Eight choice varietics

Five fine varieties



Tree and Shrub Seeds.

The importance of Timber Culture is universally recognized. History shows that many countries occupied by some of the greatest nations in ancient times, and which were then fertile and productive, have been rendered sterile and barren, owing to the denudation of their forests, as nearly overy one knows.

Trees, especially on hillsides, are absorbent, retentive and retard evaporation, thereby assisting to prevent floods in winter and drought in summer. The supply of fuel is also a vital question for Southern California, and to attain that end, the varieties of Eucalypti and other rapid-growing trees are being largely planted.

The value of Trees for shade and shelter purposes need not be enlarged upon. In raising all kinds of Tree seeds successfully, the process of growth and germination in their natural habitat should be imitated as closely as possible. Thus the cones of Conifers shed their seed, which falls under the tree, generally on light soil, enriched by generations of fallen needles or "tags," at the same time it is sheltered from too much wet by the pyramidal thick foliage of the tree, which also shades the young seedlings from the direct hot sun, and thus protected, under somewhat humid conditions, germination is sure and rapid. On the contrary, seeds of Deciduous Trees lie exposed on the surface of the ground to the action of rain and frost till spring, when the weather being sufficiently warm, they germinate rapidly. As a rule, all tree and shrub seeds germinate slowly, compared with vegetable or flower seeds.

All hard seeds, as Aeacias, Loenst, Osage Orange, etc., should be soaked for 24 hours in warm water, say at 120°, before sowing, or where practicable, strew dry leaves or bushes over the beds after sowing and watering, and set fire to them.

Deciduous Tree Seeds should be planted in this section in winter or very early in the spring, as most of these seeds lose their vitality very rapidly. The soil should be well prepared, rich and deep; and the seed should always be sown in drills, and the ground kept thoroughly free from weeds. Evergreen Tree Seeds should be sown in boxes or pans, thoroughly well drained, and should be protected from the sun by being placed under the shelter of a hedge or fence. They are best sown in spring or fall, and should be earefully transplanted when necessary.

As many tree seeds are collected in distant countries, and will sometimes fail to germinate, although they may appear well enough to the eye, we wish it to be distinctly understood that we will not in any way be responsible for their failure; but, at the same time, we will use every endeavor to supply the best.

All tree and shrub seeds quoted in this list at less than 50e per oz. we can supply at 10e per pkt.; those quoted at 50e and upward per oz., we can supply at 15c per pkt.

AUSTRALIAN TREE AND SHRUB SEEDS.

We make a separate category of these, as from their value they are worthy of it. The visitor to Australia, at any season, will at once notice that all the indigenous vegetation is evergreen. The writer does not know one deciduous tree or shrub native to that country.

The most valuable are, of course, the Encalypti. These possess great antiseptic properties, and are, no doubt, also of great value in absorbing moisture from the bottom soils, thus preventing malaria. Their value as rapid growing timber is also great, some varieties making excellent fuel, while others are nearly uninflammable, but are useful in earpentry, and for railway ties, platforms, piles, jetties, etc. Others are very ornamental, bearing showy flowers.




Acacia	Decurrens,
23 (617. 464	in chitems,

Acacia Decurrens,	
Floribunda. Ornamental, with very abundant handsome flowers, valuable for lawns, parks, eemeteries, etc.; ht. 25 ft	
Latifolia. A handsome shade tree, succeeding especially well near the sea coast. Leaves broad, with yellow flowers. Native of South Africa; ht. 40 ft	
Linifolia. (Flax-leaved.) An ornamental shrub, with yellow flowers, growing in heads 2 to 4 together; ht. 8 ft. Per pkt. 15c	
Lophantha. (Albizzia Lophantha.) "Cape, or Crested Wattle." One of the most rapid growing trees for first temporary shelter, succeeding in the most desolate places. ht. 25 ft	1.25
Melanoxylon. "Blackwood." In sheltered irrigated glens, this tree will reach a height of from 80 to 100 feet, with a trunk several feet in	

diameter. The timber is very valu-


able for all eabinet makers' work; ht. 80 ft 35e

		Per lb.
Acacia Albieans. Flowers whitish yellow. Very compact; ltt. 6 ft		\$6.00
Armata. "Prickly Acacia." Much used for hedges. Good for the sea coast; ht. 15 ft		4.00
Dealbata. "Silver Wattle." Very orna- mental; ht. 15 ft		4.00
Decurrens. (See cut.) "Green or Black Wattle." A medium-sized tree of rapid growth, very useful for windbreaks. It is also very rich in tannin. Wood is valuable for fuel, and for turner's and		0.00
cooper's work; ht. 30 ft	30e	-3.00



		Per lb.
Acacia Mollissima. An abundant blooming tree, very ornamental, suitable for lawns and shrubbery; ht. 25 ft		\$4.00
Ornithophora. "Kangaroo Acacia." For hedges and windbreaks, making a close, impervious hedge; ht. 15 ft	40e	4.00
Pycnantha. "Golden Wattle." (Soe cut.) Of rapid growth, doing especially well near the sea coast, and containing a large quantity of tannin; ht. 40 ft	30e	3.00
Suaveolens. A pretty variety of pendulous habit; ht. 8 ft	40e	4.00
Trovissima. Thorny; for hedges. Growth rapid; ht. 10 ft	40c	4.00
Boronia Megastigma. A beautiful little shrub. Flowers copper color, with a powerful violet odor. Very rare. Seed germinates slowly; ltt. 3 ft. Pkt. 50c.		
Brachychiton Acerifolium. "Flame Tree." Of fine, sturdy, pyramidal growth, with large, handsome foliage, producing masses of scarlet flowers; ht. 20 ft	30e	3.00
Casuarina Equisetifolia. "Beefwood." Wood vory durable under ground for piles and jetties; ht. 150 ft	\$1.00	
Quadrivalvis. "Coast She Oak." Very valuable for sea coast culture, to prevent the inroads of the sea upon sand hills. Of quick growth. Wood valuable for shingles, etc.; ht. 60 ft	1.00	
Stricta. "She Oak." Is tougher than the other species. Excellent wood for tool handles; ht. 30 ft		
Suberosa. "Erect Sho Oak." A beautiful shade tree. Valuable for fuel; ht. 60 ft	1.50	
Torulosa. "Forest Ouk." Wood very valuable for timber, also for fuel, burning to a clear white ash, and leaving no einders; ht. 75 ft	1.00	
Eucalyptus Amygdalina. "Messmate Gum." Belonging to this variety are the tallest trees in the world. In Gippsland, Australia, are trees over 500 ft. in height. Makes first-class timber for flooring boards, scantling, etc., and is well suited for avenue planting. Yields more essential oil than any other variety; ltt. 400 ft	1.00	
Baileyana. Timber splits easily and is straight grained. Much used in Queensland for shingles. Branches spreading, with dense foliage; ht. 100 ft	1.50	
Bicolor. (Black Box.) Timber of great strength and durability. Useful for piles and railroad ties; ht. 150 ft	1.00	
Callosa. Not to be confounded with "Collossea." A scarco variety from Western Australia. Timber of good quality, and more easily worked than most of the other kinds. Also good for fuel; ht. 200 ft	1.50	
Calophylla. Ornamental, of rapid growth, with white flowers. Timber also valuable for earpentry above ground; ht. 50 ft	1.25	
Citriodora. (Lemon-scented Gum.) A fine ornamental tree with lemon-scented foliage, supplying also a useful timber. Being a nativo of Queensland it is more tender than most other kinds; ht. 80 ft	2.00	
Cornuta. "Yale Tree." A rapid growing variety, and very hardy. Wood very durable, heavy and elustie, and considered equal to Ash; ht. 100 ft	1.25	
Corymbosa. "Blood Wood." Wood of a dark red color, easily worked while fresh, but when dry becomes very hard. Useful for fonce posts and railroad ties, being durable under ground. The numerous gum veins render it of little use for sawing purposes; ht. 200 ft	1.25	
Corynocalyx. "Sugar Gum." Very ornamental, rapid growing, with dark green leaves. Highly valued in this vicinity. Timber very durable and used for railroad ties. One of the best; ht. 120 ft		15.00
Crebra. (Narrow-loaved Ironbark.) Wood reddish, heavy, elastic, and durable, is ant and teredo proof. Useful for railroad tios, bridges and piles; ht. 100 ft	1.50	
Ficifolia. (Searlet-flowored Fig-Leaved Gum.) The most ornamental of the family. Flowers bright crimson, produced well above the foliago. One of the most effective trees in cultivation; ht. 20 ft. Per 100 seeds \$1.50, 20 seeds 35c.		
Fissilis. "Victorian Yellow Gum." A large rapid growing variety. Wood casily split, straight grained, and used for floor boards, scantling, etc.; ht. 200 ft	1.50	






Eucalyptus Goniocalyx.


Eucalyptus Globulus.

Eucalyptus Globulus. "Tasmanian Blue Gum." (See eut.) Well known; one of the most useful of all, and a very rapid grower. Planted largely in all warm countries, on account of its malaria-destroying qualities. Remarkably good for fuel, being easily sawn and split; ht. 150 ft. Imported seed	
California saved seed	30e 3.00
Gonioealyx, "N. S. W. Blue Gum," (See cut.) Wood very durable, hard and tough. Much used in its native eountry by wheelwrights. A rapid grower; ht. 200 ft	\$1.00
Good for fuel; ht. 80 ft	1.50
Hemastoma. "White Gum." Good for feneing and rough building material, also makes	
a fair fuel. Grows particularly well on sandy soil; ht. 150 ft	1.50
Hemiphloia. "Common Box." Wood very hard, strong and durable above ground, also	
a first-elass fuel for all purposes; ht. 150 ft	1.50
Leueoxylon. "Vietorian Ironbark." Very hard, strong and durable, excelling Hickory in strength. Recommended for underground work in mines, and for railroad ties,	
bridges, etc.; ht. 100 ft	1.50
Lougifolia. "Woolly Butt." A large tree, of great girth, growing well in any soil.	
Timber is durable and makes excellent fuel. The leaves yield a volatile oil; Tht. 200 ft	1.50
Maculata. "Spotted Gum." Wood as strong as English Oak. Extensively employed in	
ship building and wheelwright's work; ht. 100 ft	1.50

Eucalyptus Marginata. "W. A. Jarrah." (See ent.) Impervious to teredo and ants, and much sought after for jetties and piles, and largely exported for railroadties. The timber is easily worked and takes a beautiful polish. Furniture made from this wood is much admired. Of quick growth and immense size. Snited to dry barren soils; ht. 200 ft \$1.25 Meliodora. "Black Ironbark." Of spreading growth, with a comparatively stout stem, and makes excellent fuel. The young trees are largely used for telegraph poles, and the flowers are much sought by bees. One of the strongest and most durable timbers Obliqua. "Stringy Bark." A quick grower and produces the best wood for flooring, seantling and shingles. Inferior as fuel, but makes the best charcoal for the forge; Obtusifolia. "Yellow Black Butt." A rapid growing variety, very good for fuel. Also used for staves, ecoper's and wheelwright's work; lt. 120 ft 1.50 Panieulata. "White Ironbark." Wood hard and durable, excellent for railroad ties. Also much used for building and feneing, as it splits well and is lasting underground: ht-Pilnlaris. "Black Butt." Of rapid growth. One of the best timber yielding species, Piperita. "Peppermint Gum." Timber valuable for shingles, fence rails, etc. Yields a greater quantity of oil than any other variety, and is of remarkably quiek growth; 300 ft...... 1.50



Eucalyptus Marginata.



Eucalyptus Robusta.

•		
Eucalyptus Polyanthema. "Australian Beech." The timber is much used for mining purposes, and for all underground work, being remarkably hard and durable. Also an	ı	Per lb.
excellent fuel. Flowers good for bees; ht. 150 ft	1	
very hardy. Grows on the high slopes of the Australian Alps, near the snow line. Timber durable and excellent for fuel: ht. 200 ft	1.50	
and durability. Fine for interior house work; lt. 200 ft	1.00	
especially near the sea coast. Timber strong and durable, and is much used where strength and resistance to strains is required. A remarkably healthy, robust variety. Much used for street planting in this vicinity; ht. 150 ft	1.00	
ing, etc.: ht. 200 ft	75e (\$7.50
Siderophloia. "Red Ironbark." Wood very hard, light colored and heavy, of great strength and durability, and is used for railroad ties, spokes, shingles, bridges, jetties, etc. It is stronger than hickory. As fuel, it gives more heat than any other kind; ht. 200 ft	,	
Sieberiana. "Gum Top." Wood of excellent quality, strong and elastic, and may be used for all purposes where hickory or ash are at present used. It splits easily and is soft to work. Also a most excellent fuel: ht. 150 ft		
Stuartiana. "Apple-seeuted Gum." A medium-sized tree, with drooping branches. Will thrive on any soil. Wood very dark and handsome, and takes a good polish. Useful for eabinet work, also good for fuel; ht. 100 ft		
Teretieornis. "Gray Gum." A very handsome, large-growing variety. Wood durable and useful for shingles, flooring, etc. Also an excellent fuel; ht. 200 ft		
Viminalis. "Manna Gum." A hardy, rapid growing variety, and well suited for exposed situations. On rich soils it grows to a gigantic size. The wood may be used for ordinary building purposes, also for fuel. The young bark and leaves yield the Australian Manna — a hard, opaque, sweet substance; ht. 300 ft. Imported seed		
California saved seed	75e	7.50



Grevillea Robusta;

Maerophylla. "Moreton Bay Fig," or "Long-leaved Rubber Tree" A magnifieent ornamental shade trees, with large, bright, glossy green leaves; 100 ft...... 1.00

Grevillea Hillii. A fine small tree, with ever-green, poplar-like leaves; ht. 15 ft. Per pkt. 15e.....

Linearis. A low growing shrub, flowers bright red, tipped with yellow: ht. 3 ft. Per pkt. 15e

Punieea. An erect shrub, bright searlet flowers, very fine and rare; ht. 5 ft. Per pkt. 15e....

Grevillea Robusta. "Silky Oak or Australian Fern Tree." (See cut on opposite page.) A woll known shade tree, with fern-like foliage and orange flowers, of rapid growth, and capable of resisting drought to a remarkable degree; ht 100 ft		Per lb, \$5.00
Pittosporum Engenioides. A valuable evergreen for lawns, parks, or cemeteries, of graceful form, light bright green foliage. Is suitable for tall garden hedges. From South Australia; ht. 15 ft	50 e	
Nigricans. Dark brown; ltt. 10 ft	50e	
Stereulia Heterophylla. (Brachychiton Diversifolium.) A very ornamental tree, with poplar-like foliage: ht. 40 ft. Per pkt. 15c		
Telopea Speciossissima. "Waratah, or Australian Tulip." One of the most gorgeous and showy shrubs yet introduced. Flowers crimson-scarlet in large heads, which are discernible at a great distance; ht. 8 ft. Per pkt. 15c		

CONIFER AND MISCELLANEOUS EVERGREEN TREE AND SHRUB SEEDS.

All seeds quoted at less than 50c per oz., we will supply at 10c per pkt.; those quoted at 50c and upwards at 15c per pkt. Per oz. Per lb. Buxus Sempervirens. "Evergreen Box." A hardy, compact growing evergreen of dwarf habit; ht. 8 ft..... 20c \$2.00 Camphora Officinalis. "Camphor Tree." From this tree the gum camphor of commerce is extracted; ht. 50 ft.... 30e 3.00 "Himalayan Cedar." A noble and beautiful evergreen of pyramidal form, foliago bluish green, graceful and drooping; ht. 100 ft..... 60e 6.00 Libani, "Cedar of Lebanon." A most beautiful overgreen for lawn decoration; ht. 80 ft. 75e 7.50 Cryptomeria Elegans. "Fine-leaved Japan Cedar." Foliage glaucous green, resembling a feathery Araucaria, which in winter turns to reddish brown; ht. 50 ft......... 1.00 Japonica. "Japan Cedar." A splendid confer for isolated situations on lawns; ht. 75 ft..... 50e 5.00 Cunninghamia Sinensis. A lofty overgreen tree, resembling the Araucaria Excelsa Cupressus Goveniana. "Goven's Dwarf Cypress." A native variety from the Coast range around Santa Cruz. Very ornamental; ltt. 30 ft 50e 5.00 Guadalupensis. "Blue Cypress." A rapid growing upright variety, with bluish foliage. Very ornamental for lawns and cemeterios; ht. 40 ft..... 50e 5.00 Lawsoniana. "Lawson's Cypress." A native variety found in northern California and Oregon. Wood white, fragrant, and close grained. Generally known as Oregon, or White Cedar; lt. 100 ft..... 50e 5.00 Macrocarpa. "Monteroy Cypross." Too well known to need description. Useful for hedges and windbreaks; ht. 50 ft..... 10e 1.00 Sempervirens. "Italian Cypress." A European variety, very long lived, and tho wood of which is almost imperishable; ht. 70 ft..... 20e 2.00 Jacaranda Mimosæfolia. "Brazilian Jacaranda." A handsome tree with fern-like foliage, and magnificent clusters of light blue flowers. Hardy in this vicinity; ht. 25 ft. In pods containing from 30 to 40 seeds; Por pod, 5c Janiperus Virginiana. "Red Cedar." A well known American tree; ht. 50 ft...... 15e 1.00 Libocedrus Decurrous. "California White Cedar." Native of this coast from San Diego to Oregon. Well adapted for windbreaks; ht. 100 ft..... 40e 4.00 Ligustrum Japonicum. "Japan Privet." One of the best hodge plants; ht. 12 ft..... 15e 1.50 Magnolia Grandiflora. "Large flowering Magnolia." A native of the Southern States, where its presence indicates good soil; lt. 100 ft..... 25e 2.50 Pinus Canariensis. "Canary Island Pine." Very robust and healthy, with bright green leaves. Grows nearly as fast as the "Monterey Pine;" ht. 50 ft..... 50e 5.00 Contorta. "Muglio." or "Twisted Pine." A small tree, with wide, spreading and somewhat twisted branches. Native of Oregon; ht. 30 ft..... 50e 5.00 Coulterii. (Macrocarpa.) "Big Cone Pine." A fino native tree, of very robust growth, with bluish gray leaves a foot in length. Has the largest conc of all Pines, sugar-loaf

	er oz.	Per lb.
Pinus Insignis. "Monterey Pine." This well known native variety is of very rapid	0-	0.50
growth, and succeeds well in any kind of soil; ht. 80 ft		$\frac{2.50}{1.00}$
Maritima. "Seaside Pinc." Well adapted for planting near the sea: ht 60 ft Strobus. "Weymouth or White Pinc." A stately, straight and valuable tree; ht. 100 ft.		$\frac{1.00}{2.50}$
Sylvestris. "Scotch Fir." The economic value of this tree is well proven. Growing in	256	2.50
the most sterile soils, the humus, or decayed vegetable matter, formed by this tree, will		
double that from any deciduous variety; ht. 100 ft	15c	1.25
Schinus Molle. "Mexican Pepper Tree." A well-known handsome shade tree, with	100	1.20
light feathery foliage, and bright scarlet berries; ht. 50 ft	100	1.00
Sciadopytis Verticillata. "Japan Umbrella Pine." Curious and remarkable. Leaves	100	1.00
are a dark glossy green, crowded into whorls at the joints of horizontal branches. Very		
ornamental; ht. 15 ft. Per pkt. 25c.		
Sequoia Gigantea. "California Big Tree." The biggest of all trees, and probably the		
most long lived. Specimens are often found 400 feet high; ht. 300 ft	1.00	10.00
Sempervirens. "California Redwood." Well known. Wood reddish, soft, close veined	1.00	10.00
easily split, light and brittle, but very durable. It luxuriates in the cool dampness of		
sea fogs. Ornamental for lawns or parks; ht. 200 ft	40c	4.00
Solanum Erectum. (Betaceum.) "Guatemala Treo Tomato." A handsome evergreen	100	1.00
of good form, and bearing yellow fruits the size of an egg, with a pleasant sub-acid		
flavor; ht 8 ft. Per pkt. 25e	3.00	
Sterculia Platanifolia. "China Parasol Tree." Very ornamental, with large, plane-		
like leaves. This makes an excellent tree for avenue or park planting; ht. 40 ft	40c	4.00
Thuja Aurea. "Golden Arbor Vite." A dwarf Chinese variety; compact and globular	10	4.00
in shape; top foliage yellowish green; suitable for lawns, cemeteries, etc.; ht. 6 ft Aurea Semper-aurea. "Ever Golden Arbor Vitæ." Dwarf habit and free growth.	40c	4.00
tains its golden color the year round. One of the prettiest dwarf evergroups by 4 ft.	1.00	
Compacta. "Compact Arbor Vita," Handsome dwarf variety, compact, globular form;		0 50
ht. 5 ft.	356	3.50
Occidentalis. "American Arbor Vitæ," or "White Cedar.", A common and well-known tree. Native of the Atlantic States; ht. 50 ft	200	3.00
Viburnum Tinus. "Laurustinus." One of the finest winter flowering shrubs, bloom-	. 300	3.00
ing abundantly during the winter. Also a valuable hedge plant; ht. 8 ft	15e	1.50
DECIDUOUS TREE AND SHRUB SEEDS.		
All those varieties quoted at less than 50c per oz., we supply at 10c per pkt.		
All those quoted at 50c and upwards, we supply at 15c per pkt.		
Calycanthus Floridus. "Carolina Allspice." Remarkable for the scent of its flowers,		
which resemblos that of ripe fruit. Will grow in almost any soil. Flowers brown;	00	0.00
ht. 4 ft	30c	3.00
Flowers white and purple; ht. 50 ft	15c	1.00
Ceratonia Siliqua. "St. John's Bread." The Carob, or Locust Tree of Scripture,		
with yellow flowers and edible saccharine pods, which are very fattening; ht. 30 ft		2.00
Gleditschia Triacanthos. "Three Thorned or Honey Locust." Hardy and of rapid		
growth. Will form an impenetrable hedge. Seed should be soaked in boiling water before sowing; ht. 60 ft	10e	50e
Lagerstroemia Indica. "Crape Myrtle." A favorite tree in this vicinity. bearing	100	000
rose-colored flowers in great profusion; ht. 20 ft. Per pkt. 15c.		
Lycium Horridum. (African Box Thorn.) A valuable hedge plant; ht. 6 ft. Per	=-	
pkt., 25c	75c	75.
Melia Azederach Speciosa. "True Texas Umbrella Tree." Of very rapid growth, with	10c	75e
long pinnate leaves, and wood of a reddish color, resembling the ash, durable and		
makes excellent fuel. Thrives in dry soils. Valuable for avenue planting; ht 40 ft	10c	75e
Paulownia Imperialis. "Empress Tree." Very rapid growing when young. It after-		
wards forms a broad, flat head. Flowers violet, trumpet-shaped and fragrant; ht.	25.	3.50
Robinia Pseudo-Acacia. "Yellow or Black Locust," Well known in this section; valuable	000	0.00
for fuel and timber. One of the best trees with which to plant timber claims; lit.		
60 ft	10e	40e
Syringa Vulgaris. "Purple Lilac." The common variety. One of the best; flowers	0.0	0.00
and young foliage fragrant; ht. 8 ft		$\frac{3.00}{3.00}$
Viburnum Opulus. "Snowball," or "Guelder Rose." An interesting shrub, with	300	0.00
compact heads of snowy white flowers; ht. 15 ft	20c	2.00

Fruit Seeds.

CULTURAL DIRECTIONS.

- Apple, Pear and Quince. The seeds of these varieties may be planted any time during the winter or early spring. Soak the seeds in tepid water for 3 days, and change the water each day, or soak in cold water for 8 or 9 days, then sow lightly in drills 2 feet apart.
- Cherry, Plum, Peach, Almond, Etc. The cultural directions given for the Walnut, so far as germinating the seed is concerned, may be followed; should, however, the quantity be small, the pits may be placed in layers in boxes placed on the ground in a sunny exposure. Sprinkle over each layer a coating of sand. Layers may be 4 to 6 deep. Keep constantly moist, but not soaking. As the young plants appear above ground, they should be carefully removed and planted in nursery rows 3 feet apart. A cloudy day is most suitable for this work.
- Walnut. The culture of the Walnut is the same as for all stone fruits. The seed may be planted in beds, during winter or spring, covering about 1 inch deep, and kept moist, but not wet, until they germinate, which will be in about 3 or 4 weeks, according to the temperature.
 - As soon as they crack and show the sprout, they should be transplanted to the nursery rows, $4\frac{1}{2}$ to 5 feet apart, and 6 inches apart in the row. They will grow the first year without irrigation 6 to 12 inches, and with irrigation 6 inches to 4 feet; the second year from 4 to 8 feet without irrigation, and about the same with it. They make a better tree to plant where irrigation is not practiced.
 - If ordered by mail 10c per pound additional will be charged to cover postago. Prices subject to fluctuation. Quotations for large quantities given on application.

 Per oz. Per lb.

	or 02.	x 01 10.
Almond, Hard-shelled. (Prunus Amygdalus Communis.) Per 100 lbs. markot price		20e
Apple. (Pyrus Malus.) Useful as a grafting stock	10c	50e
Apple, French Crab. A superior stock	10c	75e
Apricot. (Prunus Armeniaca.) Price on application.		
Cherry, Mazzard (Cerasus Communis.) A hardy stock	10c	40e
Loquat. (Eriobotyra Japonica.) Seed supplied in scason	10c	40e
Peach. (Prunus Amygdalus Persica.) From budded stock. Price on application.		
Peach, Seedling. (Prunus Amygdalus Persica.) Price on application.		
Pear. (Pyrus Communis.) Used as a stock	20c	\$2.00
Plum, Myrobolan. (Prunus Communis.) A splendid stock on which to graft other varieties	10e	60c
Quince. (Cydonia Communis.) Quinces generally produce the same variety from seed,		
but occasionally vary. The stock is much used for budding and grafting the Pear	25e	2.50
Walnut, Soft-shelled. (Var. of Juglans Regia.) A superior variety. 100 lbs. \$12.50		20e
Fresh Orange Seed. Taken from ripe fruit, thoroughly washed and cleansed from		•
pulp. One pound of orange seed contains about 1500 seed		75c

SMALL FRUIT SEEDS.

, $P\epsilon$	r pkt,	Per oz.
Currant. Black		
Red	10c	40c
Large mixed	10e	40e
Gooseberry. Large English mixed	10e	75c
Guava, Strawberry. (Psidium Guaiava.) Sow in boxes and transplant when 2 inches high to pots: Per lb. \$3.50	100	25.
•		
Raspberry. Finest sorts mixed		
Strawberry. Large mixed	10c	50c
Red Alpine. This is the European wild strawberry	10c	75c

Gardening for Profit, a guide to the successful cultivation of the market and family garden. By Peter Henderson, illustrated with numerous new engravings. Mailed for \$2.10.

Palm and Other Decorative Plant Seeds.

As many of the seeds of this class of plants are not reliable unless fresh, and as the varieties reach us very irregularly from the collectors, we trust our enstoners will not feel disappointed if they do not receive all of the varieties they may order; we, however, promise to book such varieties which we cannot supply, and forward promptly upon arrival. As it is impossible to test the vitality or genuineness of this class of seed, we cannot hold ourselves in any way responsible for the results of crops. As many varieties of Palms take a long time to germinate, we advise patience and careful attention to attain successful results.

PALM SEEDS.

Palms are among the finest and handsomest of all plants. In a young state they do not show their distinctive characters.

distinctive characters.	Per	Per
Areca. A genus of elegant pinnate-leaved Palms, which are widely distributed over the earth, some of the species being found in the East Indies, while others occur in the West; they exist also in the Islands of the Manritius and its dependencies, in the Island of Madagascar, in New Zealand and in Anstralia. Bauerii (Seaforthia Robusta.) Not very hardy in this climate, except under glass. Nat-	Seeds.	. 100.
ive of Norfolk Island	25e	\$2.00
Lutescens. (See cut page 104.) An extremely beautiful plant, with pinnate arching leaves; will not stand frost. Native of Mascareen Islands	25e	2.00
Rubra. The leaves are pinnate and arching, in a young state bright red, changing with age to dark green. Native of the East Indies; not hardy out of doors	25e	2.00
Chamacrops. The various species of Chamarops are found scatteded through Northern Asia, Northern Africa, North America, and the south of Europe. Leaves fun-shaped; fruit a berry and one seeded.		
Canariensis. A handsome palm worthy of cultivation, either for lawn or for pot culture. Excolsa. "Hardy Fan Palm." This palm grows to the height of from 20 to 30 feet; leaves fan-shaped; trunk enclosed by a dense mass of rough fibers. Native of the East Indies. Por oz., 25c; per lb., \$2.00 Humilis. "Dwarf Fan Palm." An extremely handsome plant. Native of Southern Europo. Per oz., 30c; per lb. \$2.50.	25e	2.00
Cocos. An elegant genus of a noble ordor, many species of which grow to majestic proportions. Australis. "Brazilian Palm." One of the hardiest of all palms, hardier than even the Date Palm; withstanding, unprotected, a cold at which oranges and lemons are injured or destroyed Bonnetii. A beautiful palm for decorative purposes; graceful in appearance. Thrifty Campestris. A hardy, handsome variety well suited for open air planting; is one of the most desirable of pinnate-leaved palms	40c 40c 40c	3.00 3.00 3.00
Plumosa. This species attains considerable size, rising upon a stout, straight column-like stem some 40 or more feet. Fruit drooping; bunches of waxy flowers, which are succeeded by quantities of orange-colored nuts, enclosed in an edible pulp, in size about as large as a chestnut. Leaves are pinnate. Native of Brazil; does well out of doors in this climate	30e 50e	2.50
Corypha Australis. (Livistona Australis.) Native of Australia; hardy	25c	2.00
Erythea Armata. (Brahea Glauca.) "Blue Palm." One of the most elegant Fan	200	2.00
Palms, from the islands off Lower California. Leaves glaucous blue. Hardy Edulis. (Brahea Edulis.) A rapid growing variety from the Gnadaloupe Islands. Fan	25e	2.00
shaped leaves, bright green. Hardy	25c	2.00

	Per 10 Seeds.	Per 100
Kentia Belmoreana. This fine palm is a valuable addition to our collections; its leaves		
are pinnate, dark green, and so beautifully crisp as to gain for it the name of "Curly		
Palm.:' It is very elegant and graceful in habit, a native of Lord Howe's Island,		
where it attains a height of 40 feet	40 e	3.00
Canterburyana. This is a truly handsome species, native of Lord Howe's Island, with		
pinnate leaves, and a very robust habit. It is ealled in its native country the "Umbrella		
Palm.'' It is an exceedingly ornamental plant, and well adapted for decorative purposes	50c 1	5.00
Forsteriana. In its native country this plant is known as the "Thatch Palm," on account		
of its leaves being used for thatching houses. It is a robust-growing species, often at-		
taining a height of from 40 to 50 feet. Leaves pinnate, and very deep green: native		
of Lord Howe's Island	50e ∑	4.00



Phœnix Canariensis.

Latania Borboniea. Native of the Isle of Bourbon. Leaves large, fan-shaped, armed edges, and enveloped at the base in a net work of brown, fibrous tissues. It is a beautiful lawn plant, and when grown in large tubs or pots, this palm is the one bost suited and most largely used for the decoration of hotel verandas; hardy. Oz. 25c; lb. \$2.50.

Oreodoxa Regia. "Royal Palm." Native of Cuba. This noble plant attains a hoight of 60 feet. Leaves pinnate. Is largely grown for house decoration, but can seareely be eonsidered hardy out of doors here.......


5e 75**e**

Phoenix Canariensis. (See cut.) An elegant and most hardy variety of the Date Palm, much used around Los Angeles for lawns. Very handsomo and durable......

e 50c

	Per O Seeds	Per 100
Phoenix Dactylifera. The Date Palm; is an erect, handsome palm. Native of Northern		
Africa and Tropical Asia, where the palm attains a height of 80 feet. Lives to a great		
age, and yields the Date Fruit of commerce. Hardy. Per oz., 10e; per lb., 50c.		
Reclinata. A very fine, large-growing species. Leaves pinnate. Largely used in Nice,		
Cannes and in the south of France for avenues, also the best for that purpose here, as		
it will stand severe frosts. A native of the Cape of Good Hope. Hardy	20e	1.50
Rupicola. This is one of the most exquisitely graceful palms and in elegance takes a		
similar place to that of Coeos Weddelliana. It is of acaulescent habit, with wide-		
spreading, arching, pinnate leaves; a most valuable aequisition. Native of East India.		
Hardy	20c	1.50
Tenuis. This is a very hardy, elegant and desirable variety of Date Palm, with long,		
bright sea green leaves; much used for lawn planting	20e	1.50
Ptychosperma Alexandra. "The Alexandra Palm." This is an extremely handsome		
Palm, although a somewhat slender-stemmed species. Leaves pinnate and beautifully		
arched, light green. Native of Australia, where it attains a height of a 100 feet. This		
variety will not stand much frost, but is very ornamental for pot culture	25e	2.00







Areca Lutescens

20e 1.50

Washingtonia Filifera. (See ent.) Well known California Fan Palm, which also goes under the names of Pritchardia Filamentosa and Brahea Filamentosa. Very hardy. Per oz., 10c; per lb., \$1.00.

Robusta. A robust Fan Palm, similar to W. Filifera, but with smoother, and darker green leaves, without threads. Per oz., 25c; per lb., \$2.50.

Practical Floriculture, a guide to the successful cultivation of florists' plants for the amateur and professional florist. By Peter Henderson. New and enlarged edition. Every grower of flowers should have a copy of this splendid book. Mailed for \$1.60.

Gardening for Profit, a guide to the suecessful cultivation of the market and family garden. By Peter Henderson, illustrated by numerous new engravings. Mailed for \$2.10.

SEEDS OF DECORATIVE PLANTS. Agaves. Six fine varietics, viz., Deserti, Lechequilla, Palmeri, Schottii, Shawii, Virginiea, each per pkt. 15c. The collection of six varieties for 75c. Dracaena Amabilis. The ground color of the leaf is glossy green, becoming beautifully 25c \$1.50 marked and suffused with pink and creamy white Australis (Cordyline.) A palm-like tree growing to a considerable height; the stem is stout, leaves from 2 to 3 feet in length, oblong, lanceolate and bright green; splendid for avenues, native of New Zealand. Per pkt. 25e.; oz. \$1.00. Draco. Yields the dragon's blood resin: the stem of this species is stout at the base; leaves are closely set, 18 inches in length and 2 broad, thick and fleshy, dark green, and ending in a long, thin nnarmed point. Native of South America; hardy. 1000 75c seeds, \$5.00 Indivisa. (Cordyline Indivisa.) Sometimes called Dracena Stricta. graceful palm-like tree, suitable for decoration either in or out of doors. Fine for avenues. Native of New Zealand. Oz., 40c; lb., \$4.00. 25e 40c Latifolia Major, per 1000 seeds, \$3.00 25eVeitchii. A beautiful variety, per 1000 secds, \$2.00



Musa Ensete.

Musa Ensete. "Abyssinian Banana." (Soe cut.) Nativo of the mountain regions of Abyssinia. This magnifieent plant attains a height of 30 feet, the leaves occasionally reaching the length of 20 with a width of 3 feet. This plant produces no suckers, and requires several years to come into flower and seed, then it dies off like the Sago Palm, the Caryota Palm and others which flower but once without reproduction from the root	15e	1.00
Phormium Tenax. "New Zcaland Flax." Ornamental and usoful. The leaves may be shredded while green into fibre, and used for tying purposes. Por pkt., 10c; oz., \$1.00. Tenax Variegata. A variegated variety of the above. Very ornamental	10c	50c
Yuccas. Six fine varieties, viz: Alba Marginata, Brevifolia, Clistoearpa, Elata, Truncata and Whippleyi, each per pkt., 15c. The collection of 6 varieties for 75c.		
Yucca Quadricolor. A large and magnificent kind. The upper surface creamy yellow, in the center tinged with crimson and orange-yellow, and broadly bordered with dark shining green. Native of Mexico. Hardy		25e



Introductory Remarks.

Plants are a necessary and natural adjunct of seeds; indeed, the latter is a complement of the former. They serve an economic as well as an ornamental purpose,—economic in the sense of time saved to planters in their growing by means of budding, grafting, or seeds, thus gaining on nature's ways by man's intervention, thereby securing new varieties and a better quality of plant as well as of product. Our fine assortment is on a par in quality with our superior grown seeds: both are the product of California soil. Unlike the eastern grown plants, ours are grown with but slight protection, without artificial heat, and in many eases in the open; hence are vigorous, hardy, and free from injurious insects and disease. As a consequence will give better results than the sensitive and tender hot house grown stocks produced in the East. Bear in mind we sell no cheap plants badly grown in a haphazard manner; nor do we substitute. Every specimen in our establishment is accurately and plainly labeled. All we ask is a trial order, feeling assured that we can furnish patrons superior values.

Concerning Transportation Charges.

All plants sent by express at the expense of the purchaser, unless specially ordered otherwise; or, where in our judgment, the expressage would be too eostly. We earnestly request our eustomers to always have their plants sent by express (except, perhaps, in the case of heavy balled shrubs or trees, or where express charges are very high), as our system of light packing makes the charges comparatively low, and they almost invariably arrive in perfect order when thus sent. In the case of small plants we will send by mail if desired, but larger and finer plants can be sent better by express than by mail, which will more than repay the expressage. Our packing and labeling is carefully attended to, and we charge for the same only to cover cost of material. All goods are delivered at railway or express office free of charge.

Important Notice.

Pay only special rate on boxed plants, which is one-third less than ordinary merchandise rate. The express eompanies are glad to bill out all our boxes at this new rate, unless there is no special rate to the shipping point; but even then there is a special discount allowed of 20 per cent. See that no mistake is made at your end of the line. Goods do not need to be prepaid to seenre either reduction. When prepaid, express companies give special low rates on plants, roots and bulbs, at eight cents per pound for three to ten pound packages to any point in the United States.

Choice Specialties in Plants and Bulbs.

Abutilon. "Souvenir de Bonn." A distinct novelty and the most wonderfully variegated Abutilon yet introduced, foliage is large, of a deep green color, not mottled as in all other variegated forms, but each leaf is edged with a broad white margin, much like the Silver-leaved Geranium. The flowers are quite large, pink, striped with crimson. The plant is a strong, robust grower, and makes a beautiful



Agapanthus Umbellatus,

Anthericum vittatum variegatum. (See eut) Elegant house plant from the Cape of Good Hope, has foliage of a bright grassy-green color, beautifully striped and margined with creamy-white. In variegation and habit it closely resembles Pandanus Veitchii, but is of more rapid growth and easy of cultivation. It has a hardy constitution, not as against cold, but against the dry atmosphere and gas of the parlor, which makes it a valuable plant for the window or conservatory. Filled in hanging baskets, jardinicres, or rustic designs, it makes a handsome ornament. Each 25c to 75c.

Antigonon leptopus. "Rosa de Montana." A native of Mexico, is a magnificent climber for the greenhouse, rivaling the Bougainvillea in the color and abundance of its flowers. The chief attraction of the flowers is afforded by the sepals which are half an inch long, of a bright rose color. As the flowers are produced in such great profusion, the plant in its season of flowering, presents a brilliant and extremely showy appearance. It is described by the discoverer as one of the most boautiful climbers he ever beheld. If planted in the garden it should be given a warm, sunny situation. Each 25c to 50c.

specimen in a short time, and is equally desirable as a bedding or pot plant. Strong plants; each 25c to 50e.

Agapanthus umbellatus. "Bluo African Lily." (See Cut.) A royal plant and flower in every senso of the word. Each crown produces an abundance of dark green, waxy amaryllis liko leaves which last for years, and throws up flower stalks 2 or 3 feet tall, crowned with immense umbels of from 30 to 100 exquisite long tubed Lily-like flowers of a lovely skyblue color, which remain unfaded for weeks. It may be confined to a good sized pot, but if not divided will finally fill a tub as shown in the cut, and produce 30 to 40 stalks of flowers at one time. One of the grandest of pot plants. It should be given an abundance of water in summer, while growing and flowering, taking care however, not to let any remain in a stagnant state about the roots. Fine plants; each 25c to 50c



Anthericum.

Araucaria excelsa. "Norfolk Island Pine." (See cut next page.) The handsomest tree grown in California, presenting a most striking, beautiful and symmetrical appearance. Its deep green feathery foliage, arranged in whorls around a perfectly straight spire-like stem, forms a plant of rare grace and beauty. It is now extensively used in Europe as a decorative plant for the table. Our stock is strong and of fine form. Plants 1½ feet, each \$1.50; 2 feet, \$2.00; 3 feet, \$3.50.

Aristolochia elegans. An elegant summer climber of rapid and dense growth. It bears even on small plants, handsome flowers of a rich dark purple color ornamented throughout with irregular markings of creamy-white, center of flower deep yellow. The flowers are followed by seed vossels of beautiful and interesting appearance, when fully opened to release the seed they are like minature parachutes. Each 25c to 50e.



Araucaria Excelsa.

Asparagus Plumosus. A beautiful climbing plant with dark green, graceful foliage, surpassing Maiden Hair fern in grace, delicacy of texture and richness of color. The fronds are 12 to 15 inches in length, flat in form and tapor to a point from a width of 12 inches. It is one of the handsomest of all foliage plants. Commonly named Asparagus fern. Each 25c to \$1.50.

Asparagus Sprengeri. (Sec cut.) This is one of the most distinct of all the indoor species of Asparagus, the cut conveys a faint idea of its exquisite beauty and it is simply impossible to overpraise it. It is not at all like the other species offered. plume-like growths, of a fresh light or apple-green hue, are thrown up in a free manner to a length of 3, 4, or even 8 or 10 feet, drooping gracefully and naturally from pot or hanging basket. It remains fresh all the year round, and in winter adds the charm of numerous red berries. For all indoor decorative purposes it is invaluable. In water it will remain quite fresh for 6 weeks after cutting, and we have had it remain fresh on the walls perfectly dry for two weeks. Everybody should grow it. Each 35c to \$3.50.

Asparagus Tenuissimus. A very useful pot plant for window culture. Trained on strings or trellis

like smilax, it will attain a great length. The foliage is very filmy and delicate of texture. Splendid for bouquets, retaining its freshness for days without wilting or changing color. Each 15e to 25e.

ASPIDISTRA.

Lurida. Native of China, remarkable for producing its flowers under the surface of the earth. The leaves of this variety are long, broad, shinning dark green. A splendid house plant. There is absolutely no other that will stand more ill-treatment, such as dust, dry air, want of light etc. Each 35c to \$1.00.

Elatior variegata. The foliage of this variety—green with broad stripes of white—contrasts finely with ornamental foliaged plants. For the production of well marked plants, the pots in which they are grown should be small, and the soil liberally mixed with sand. Each 50c to \$2.00.

BEGONIAS.

All the species of begonia are interesting and beautiful ornameuts for the conservatory or window and well adapted to amateur cultivation, their culture being very simple in any rich soil if allowed an abundant supply of water. Care should be taken to keep the foliage of the Rex varieties free from dust. Occasionally the plants may be showered, but should not be exposed to the sun until the leaves are perfectly dry.


REX VARIETIES.

Each 25e to 50c.

Clementina. The stem and upper surface of the leaf are a beautiful bronze green, decorated with large silver spots; under side a bronze red, forming a pretty contrast. This plant bears handling well and its leaves are not easily hurt by water.

Countess Louise Erdody. A handsome variety of the Rex type, having a peculiar spiral twisted leaf, a metallic luster and silvery center.

Enfant de Nancy. Strong, vigorous grower, with hick heavy leaves distinctly marked with a broad, silvery zone; edge reddish bronze.



Asparagus Sprengeri.

Lesoudsii. This is the largest leaved of any of the Rex family. It is a cross between B. Diadema and a Rex variety, but retains the Rex character.

Louise Closson. One of the richest and most beautiful of the Rex family, with large and very handsome foliage. The coloring is simply magnificent, eenter of leaf deep bronze, with broad band of silvery rose, edged with bronze and spotted rose.


Magnifica. One of the finest and largest leaved of the Rex family. The leaf is silvery, with beautiful_markings; no pen description can do it justice.

Queen Victoria. Solid silvery leaf of crepe-like texture, reddish veins, embroidered margin and fluted reddish edge. One of the largest leaved.


R. George. This is one of the strongest growing of the Rex class. Very large, beautifully lobed, rich, glossy silver leaves, with distinct palmate center of bronze green. The edge of the leaf is metallic green, distinctly spotted silver.



Begonia Argentea Guttata.



Begonia, Tuberous Rooted.



Rex Begonia.

FLOWERING VARIETIES.

Each 25e to 50e.

Argentea Guttata. (See cut.) This variety is an introduction of M. Lemoine, and is a cross between Olbia and Alba Picta. This beautiful sort has the silvery blotches of Alba Picta, and the grace and beauty of growth of Olbia. It has purple-bronze leaves, oblong in shape, with silvery markings, and is in every way a most beautiful Begonia. It produces white flowers in bunches on ends of growth stems. It is splendid for house culture.

Manicata Aurea. Its heavy, waxy leaves are boldly blotched and marbled with a rich goldencream, with a clear pink etching in the mature leaves. Easily raised and strong grower.

Metallica Velutina. Different from all others. Foliage dark, velvety, bronze-green above, under side reddish brown; a beautiful pot plant.

Nivea. (New.) This grand variety is an advance in flowering begonias. It is a constant bloomer, of dwarf, bushy habit and a vigorous grower, with large, dark green leavos, and is constantly covored with large clusters of rosy-pink flowers.

Otto Hacker. One of the best bloomers of those splendid decorative plants. Stiff, upright habit, with large, dark green leaves; great drooping elusters of coral flowers produced in bunches of 25 or more.

Rubra. One of the finest shrubby begonias in cultivation; has dark, glossy green leaves; searlet flowers produced in abundanco; stout, apright habit.

Thurstoni. A beautiful, stately plant, with romarkably handsome foliago. The under side of the leaves is a rich, purplish-red, the veinings are very prominent, while the face, or upper side, is a bronzygreen, with a peculiar glossy luster over all. Flowers rosy white, in large clusters.

Vernon. Foliage rich, glossy green, with red edge; flowers at first opening are deep red, changing to clear rose in the fully open flower. Blooms when quite small, thrives everywhere and is very popular. Will stand bedding in full sunshine.

TUBEROUS ROOTED.

(See cut on page 109.) Gorgeons blooming plants, with many colored flowers from 3 to 4 inches in diameter. They are summer bloomers, commencing to flower early and continuing in full bloom until frost, rivaling the geraniums in depth and intensity of color. They grow best if planted in partial shade in a soil composed of leaf mold, sand, and a small portion of well rotted cow manure. They also make splendid specimens when grown in pots. When through flowering they should be dried off and shaken free from earth and packed in charcoal dust or dry leaf mold and kept in a warm room until February or March, when they may be started again. Strong bulbs that will bloom this season:

Single, large flowering varieties, each 15c, por dozen \$1.25. Double, large flowering varieties, each 25c, per dozen \$2.50.

BOUGAINVILLEAS.

A magnificent family of half hardy plants, comprising some of the most showy climbers in cultivation. Their beauty lies in the showy magenta-colored bracts which envelop the small greenish flowers. They all require a warm sunny situation to produce the best results, and if planted in good rich soil and given plenty of water during dry weather, we know of no climbing plant that will give better satisfaction as to persistent flowering and general effectiveness.

Strong young plants, each 25c; larger plants, each 35c.

Glabra. Color a rich shade of light purple, though the color varies in different soils. A free bloomer and rapid grower.

Glabra Sanderiana. The most prolific flowering sort in cultivation. It blooms when only a few inches high, and it may be said that it is scarcely ever out of flower. The bracts are a rich purple color, rather smaller than the other two kinds mentioned here, but what it lacks in size it more than makes up in quantity.

Spectabilis. A very rapid grower, which produces very large bracts of a glowing carmine-purple color. The bracts are larger than those of any other variety, foliago large and covered with hairs. This variety under favorable conditions will climb to a height of 40 feet.

BRYOPHYLLUM CALYCINUM.

A beantiful and strange plant, with thick, heavy leaves which, if cut and laid on moist soil or sand, little plants will grow from the notches all around the leaf. They grow very quickly to a considerable size and make a healthy and beautiful looking plant. When in bloom it presents successively two distinct aspects; first, when the ealyx develops itself—membraneous, inflated, smooth as silk, cylindrical, round at either end, of a pea-green color, streaked with red, increasing in size, until it becomes 2 inches in length. Second, the flowers, borne upon slight pedicels, droop directly downwards, and are swayed by every breath of air like so many Chinese lanterns. It is impossible to describe the leavely tint of the leaves, which are also very prettily scalloped. A plant everyone can grow. Each 25e.

CANNAS. LARGE FLOWERING HYBRIDS.

No class of plants have made greater improvement in the past few years, as to size and texture of flowers, freedom of bloom and diversity of foliage, than the Canna. This combination of brilliant flowers and tropical foliage easily places them in the lead of all other bedding plants. With no other plant can such gorgeous results be obtained with so little outlay of time and expense. They commence to bloom soon after planting out, and are ablaze with magnificent color until winter sets in. The dwarf varieties may be grown successively in pots or tubs, making showy plants for the porch during summer, and before frost they may be removed to the conservatory or window garden where they will continue flowering all winter.

Mrs. Kate Gray. "New Giant variety." A magnificent hybrid which originated at the nursery of Capt. F. Edward Gray, Alhambra, Cal., being the result of a cross between the orchid flowered canna Italia and Mad. Crozy. The eolor is a rich shade of orange scarlet overlaid with gold, a superb coloring which, in open sunlight, is simply dazzling. The form is perfect, the petals being very broad and overlapping and measuring 2½ to 3 inches across, while the individual flowers are 6 to 7 inches in diameter. The texture of the flowers is all that could be desired, they partake of the nature of the pollen parent or Crozy race in this respect, and withstand our hottest summer sun without wilting. The foliage is a bright glossy green, equal to a Musa in size and substance, and forms an elegant contrast to the glorious heads of bloom. The height of the plant is 6 to 7 feet, the growth is luxuriant but very compact, the massive foliage and the enormous spikes of bloom gives the plant a noble tropical appearance. It is the only

Canna of its kind in existence and the forerunner of a new giant race which must eventually supplant all other kinds, as it combines in a greatly exaggerated degree the best qualities of both the parent races. Strong roots, each 50e; per doz. \$5.00.

GENERAL LIST OF UP-TO-DATE VARIETIES.

Each 25e; per dozen \$2.50; 15 varieties \$3.00.

America. The grandest of all the cannas, of the type of Anstria and Italia. Flowers of immenso size and of a rich, shade of orange salmon, feathered and splashed with searlet. Foliage reddish bronze.

Depute Ravarin. A erimson variety with very large flowers, borne in large trusses well above the foliage; it is one of the best crimsons out, and perfect in every respect.

Furst von Hohenlohe. A very fine yellow, faintly dotted with searlet on the lower petals; at a distance the effect is nearly yellow.

J. D. Eisle. Color an intense shade of vermilion searlet; a magnificent variety, unquestionably one of the best of recent introductions.


Joseph Combet. Brilliant eardinal erimson, flowers enormous, potals broad and overlapping. One of the best all around varieties of its color.

Menelek. A grand sort, in color a bright Nasturtium red; flowers immense in size, trusses the largest of any we know of. This is one of the very best of Crozy's introductions and on its advent in France three years ago it sold for 20 francs each.

Mme. Favarichon. Extra large flowers, color a rich shade of satiny earmine with an orange sheen. A lustrous shade and the best of its color in cultivation.

Leon Pepin Lehalleur. Flowers deep earmine red, trusses large and borne well above the ample foliage. A fine sort.

Mme. Leon Leclere. Brilliant searlet, tipped and margined with golden yellow after the style of Queen Charlotte, but much finer than that variety in every respect.



Mine d'Or. A reproduction of the well known Mad. Crozy in every partienlar save eolor, and that a grand one, being a clear bright eanary yollow without any searlet markings.

M'lle. Berat. This variety is the nearest approach to pink yet offered and is one of the most taking colors in all the newer varieties of cannas, always very popular.

R. Pearson. The most unique eanna in the set and distinct from anything else in cultivation. Color a bright golden yellow densely dotted with light red spots. Extra.

Secretaire Chabanne. Deep salmon colored flowers, very large; petals broad and evenly arranged, the best of its color.

Sam. Trelease. The grandest scarlet yet introduced, petals broad and overlapping and opening out perfectly flat; truss erect, borne on long stems. Its vivid color makes it a fine sort for massing or single specimens.

Sunray. A distinct and novel sort, flowers very large with broad massive petals; peculiarly striped and splashed with searlet on a golden yellow ground.

OLDER VARIETIES.

Each 15e; per doz. \$1.50; 4 varieties 50e.

Austria. A counterpart of Italia in every respect save color, being a rich light yellow, faintly dotted with searlet spots in the throat; at a distance the effect is clear yellow.

Exploreteur Crampbel. A deep rich shade of red spotted with erimson; both flower and truss are large, the combination of colors is at once odd and striking.

Florence Vaughan. Yellow spotted earmine. This variety possesses all the points necessary to a first-class Canna. Color, habit and growth are all perfect.

Italia. A deep golden-yellow, the eenter of each petal being splashed with brilliant scarlet. In point of beauty this eanna equals the finest orchids.

CARNATIONS.

Each 10e; per doz., \$1.00.

We have an immense stock of these popular favorites, and in addition to the two superb varieties mentioned below we can supply all the various colors, as Scarlet, Yellow, Crimson, Striped, etc. In ordering please state colors prefered.

Los Angeles. Pure snow white of perfect form, rich clove fragrance and enormous size. It is a free and healthy grower and altogether the largest and finest white in cultivation.

Corbett. (See ent.) A fine companion to the above, in color a delightful shade of pure salmon pink, exquisitely perfumed. Flowers very large—plants free in growth and flowering qualities.

Ageratum Princess Pauline. A very beautiful ageratum, distinct from any other in cultivation, tho body of the flower is pure white, while the numerous anthers are a pure shade of sky blue, the contrast between the two colors is a very telling one.



Corbett Carnation.

The plant is very dwarf in habit and like all other ageratums is an excellent bedding or border plant. 10c each. \$1.00 por dozen.

CHRYSANTHEMUMS.

Each 10c; per doz., \$1.00.

The merits of this well-known and favorite flower are justly appreciated. Being hardy, requiring only a minimum amount of eare and attention, and never failing to flower under the most adverse circumstances, they should be planted in overy garden. The only eare is to propagate them by division or enttings every year. For outdoor enlure, we would recommend division of the root, for pot culture, propagation by cuttings. During spring and up to July, the tops should be frequently pinched in order to induce a dwarf bushy growth. Do not pinch the tops after July. As soon as the flower buds have formed, nip out all side buds, and leave none but 1 or 2 of the terminals. These will be very large, and will well-repay the trouble by their increased size and beauty. The Chrysanthemum is a gross-feeding plant, and though it will succeed in any soil, enjoys plenty of good, well-rotted manure, which enlarges the flowers, and gives the foliage a dark green appearance. After the flower buds have formed, a weekly watering with liquid manure will greatly improve both flowers and foliage.

Creole. A deep rich purplish-erimson, petals long and erowded, but not in any way coarse. A very striking shade of color.

Ed. Molyneux. Rich erimson on the upper surface of the petals, the reverse a deep bronze, a magnificent sort and always greatly admired.

Good Gracious. An enormous flower of bright peach color, composed of long narrow petals, which whorl up into a massive ball.

Glory of the Pacific. One of the best early pink varieties, maturing about October 10th; it is the ideal of a fine Chrysanthemum.

Helen Bloodgood. Deep silvery rose, a very pleasing shade and largely grown by florists. As good pinks are rather scaree this sort is ospecially desirable.

H. F. Spaulding. Flowers very large and incurving; color a bright shade of bronzy yellow, occasionally marked with red, very fine.

Ivory. Snow white, very large and pure in color, grown by the thousands East where it is considered one of the best for market purposes.

Geo. W. Childs. Deep velvety erimson, a vast improvement on all other reds, does not fade as so many of its color do.

Mrs. Henry Robinson. The best early white and a valuable addition; reaches maturity about October 20th.

Mrs. O. P. Bassett. Identical with Mrs. Robinson save in color which is a bright clear yellow, foliage very heavy, stems stiff and erect.

Mrs. Geo. Ils. Pure white, petals long and drooping, very large and fine.

Major Bonnaffon. The yellow of yellows, flowers extra large, beautifully incurved, perfect in form and finish.

Marie Louise. An enormous white variety with long roflexed petals, blooms average 6 to 7 inches in diameter and are about as deep. A variety which whon well grown is of unsurpassed beauty.

Niveus. Pure white, petals long and pointed, flowers massive and perfect in outline, extra good.

Philadelphia. Beautiful straw yellow turning lighter with age. Very large and the best yellow grown.

President Smith. Bright pink, of a pure even shade, the center petals incurving, the outer ones reflexed; a handsome flower of the largest size.

Queen. An extra fine pure white, perfect and quite distinct in form from anything else in the list.

R. J. Gause. An extra large spreading flower; color, orange red.

Rose Yoshike. A very pleasing shade of pink, somewhat after the color of President Smith; flowers very large of reflexed form.

Viviand Morel. When well grown, this variety is simply superb, the flowers are very large, petals long and narrow, twisting and interlacing into a huge ball of bright pink, very fine.

W. G. Newitt. The latest variety to bloom we have, can be had in perfection at Christmas or even later; if wanted late in the season, afford it slight protection as frost injures the bloom. Color a pure white slightly shaded with cream towards the center; flowers very large, an indispensable late sort.

Yellow Prince. A Japanese importation, flower similar to Good Graeious, color a rich buff yellow, very distinct and desirable.

Mrs. Rieman. A grand golden yellow incurved, one of the latest to bloom of its color; stem, form and finish are all perfect, nothing finer.

King of Chrysanthemums. An enormous flower with broad spreading petals, center ones incurving outer ones reflexed, color crimson, reverse of petals buff.

DAHLIAS.

Few flowers can be grown with as little care and produce such grand results as Dahlias; for beyond well staking, tying up and frequent waterings they require practically no attention. The new Caetus varieties are the rivals of the Chrysanthemums in grace and beauty, and are undoubtedly the coming flower; the petals are flattened and pointed and often twisted at the ends, and are less formal and set than the old fashioned double Dahlias. The single Caetus are a new and elegant class, remarkable for their light, graceful appearance, and are now great favorites in Europe for cutting purposes. Single Dahlias though not a new class have been greatly improved and present some very striking and beautiful forms and colors and combinations of colors. They are of exquisite grace and beauty, very free flowering, and for a display in the garden or for cutting purposes are unsurpassed. The following are all grown from a collection imported from Europe last year, and contain many of the best novelties, and is without doubt the finest collection of Caetus and Single Dahlias offered in this country. Roots supplied from January to April. As the stock of many of these varieties is very limited we advise intending purchasers to order early. Should we be sold out of the variety ordered, we will substitute the nearest variety to it if so requested by eustomer when ordering.

CACTUS DAHLIAS.

Beatrice. A very fine variety, true eactus shape, produces flowers on long stems well above the foliage, color pale rose with lighter shade at point of petals, quite distinct. Each 50c.

Bertha Mawley. Coehineal color, vory free flowering; blooms stand npright upon stiff, wiry stems; thrown well above the foliage. Each 25c.

Chancellor Swayne. Velvety bluish-plum color, erect habit. Each 25e.

Charles Woodbridge. Bright crimson, one of the finest shaped cactus dahlias ever sent out. Each 75e.

Crawley Gem. Rich crimson searlet, small flowers. Each 25c.

Cycle. A beautiful carmine color, quite distinct and good form. Each 25e.

Daffodil. Pale primrose yellow, true eactus shape. Each 35c.

Delicata. Light salmon at base of petals, gradually shading off to a lovely delicate pink. Each 25c.

Earl of Pembroke. Bright plum color, deeper and more velvety towards the center, florets 3 inches in length, beautifully and regularly arranged porcupine-like; a fine large flower. Each 50c.

Ernest Glasse. Very free flowering, purplish magenta, flowers well above the folinge. Each 35c.

F. C. Pawle. Rich erimson, shaded rose at the tips of the petals. Each 50c.

Fusilier. A grand flower, very deep salmon or coral pink, the back of the petals having a tint of lilac. Each 25c.

Harmony. Reddish bronze, rather more yellow towards the center, medium size. Each 25c.

Harry Stredwick. Rich fiery crimson maroon, true eactus shape, flowers well above the foliage. Each 25c.

Island Queen. Quite distinct, charming light mauve color, true cactus shape, medium size, extra fine. Each 60c.

J. L. Frewer. Bright vermilion, medium size. Each 25e.

Keynes White. True cactus type, medium size and one of the finest white cactus dahlias yet produced. Each 75e.

Mayor Haskins. Bright glowing erimson, a large bold flower. Each 35c.

Mary Service. Quite distinct, fine eactus shape, pinkish heliotrope at the ends of the petals, passing towards the base to a beautiful yellowish-brown, extra fine. Each 75c.

Matchless. Rich velvety maroon, free flowering. Each 25c.

Miss A. Nightingale. Erect flowers, on long stems, clear yellow ground, flaked and heavily edged with scarlet, a very attractive sort. Each 35c.


Miss Finch. Rich earmine rose, shaded crimson, very free flowering, medium size, of good form. Each 50c.

Miss Webster. Purest white, of fine habit. Each 50e.

Miss Violet Morgan. Base of petals fawn or orange, shaded toward the edge with delicate pink, small flowers. Each 35e.

Mrs. Barnes. Pale primrose, gradually shading towards the tips of the petals to pale rosy pink. Each 30c.

Mrs. Francis Fell. White tinted rose, fine. Each 25e.



Cactus Dahlia.

Mrs. Scrase Dickens. Rich golden yellow, fine large flowers, good habit and the best yellow eactus dahlia offered. Each 75c.

Purple King. Flowers on erect wiry stems, free flowering and very lasting when ent, distinct foliage. Rich imperial purple. Each 35c.

Purple Prince. Almost black, good habit. Each 35c.

SINGLE CACTUS DAHLIAS.

Bruce. Pale lemon color, a beautiful flower. Each 25c.

Burns. Splashed crimson on buff ground. Each 25c.

Earl of Ravenswood. An attractive variety, old gold color. Each 25c.

Lochiel. Quite distinct, florets nicely twisted and reflexed, cinnabar red. Each 35c.

Pirate. A beautiful flower, dark erimson, shading to purple at the tips. Each 35c.

Sir Walter. Petals well twisted, rosy pink, resembling a pink Cosmos, very fine. Each 30e.

SINGLE DAHLIAS.

Alba Perfecta. Pure white, fine. Each 20c.

Amos Perry. Deep velvety maroon. Each 20e.

Annie Hughes. Clear yellow ring surrounding disc, shading to peach color on the margin of the flower; quite distinct. Each 25c.

Aurora. Rich yellow suffused with orange, very fine. Each 25e.

Cadet. Pure white with well defined margin of bright orange searlet. Each 25c.

Cleopatra. Rich, deep velvety crimson, medium size and nicely recurved. Each 20c.

Demon. Rich blackish maroon, fine shape and the best dark single dahlia yet sent out. Each 30c.

Donna Casilda. Copper-orange, with dark maroon ring shading to tips of petals to bright rose. Each 25c.

Duchess of Marlboro. White center of petals, edged with deep crimson, varies, flowers of a deep maroon often appearing on the same plant, very striking and effective. Each 30c.

Eclipse. Rosy mauve and salmon, with broad erimson ring around disc. Each 25c.

Emmie. Blush white, with margin of bright lake color. Each 20c.

Evelyn. Clear white center, outer margin of flower shaded delicate pinkish manve. Each 20c.

Florrie Fisher. Deep manye, with distinct white ring around the disc, beautifully refloxed, a fino large flower. Each 20c.

Formosa. Rich dazzling crimson, fine form. Each 20c.

Gulielma. White, with side margins of golden buff. Each 20c.

Harry Braten. Deep rose, splashed and striped with dark velvety maroon. Each 25c.

Hugo. Rich searlet, shaded purple and tipped magenta. Each 20c.

James Scobie. Yellow striped and flaked with searlet, very fine. Each 30c.

Jeanette. White with clear margins of bright scarlet crimson. Each 25c.

Kitty. White, deeply suffused with rosy manve. Each 25e.

Lady Montefiore. Rich deep yellow, shaded to margin of petals to a clear rosy peach. Each 20c.

Lady Whitehead. Rich rose purple, with yellow ring round disc. Each 20e.

Marion Hood. White, shading to rosy pink. Each 20c.

Maude Millet. White center, outer half of petals rosy pink, fine form. Each 20c.

Miss Glasscock. Soft clear lavender, margined pale manve, very fine. Each 25c.

Miss Morland. Rich crimson scarlet, fine shaped flowers. Each 20c.

Miss Ramsbottom. Lovely pink shaded cerise. Each 20c

Mrs. Jongkindt Coninck. White, shaded with pale manve, petals well recurved. Each 20c.

Naomi Tighe. Rich sulphur yellow, with orange ring, small recurved flower of good form. Each 20c.

Northern Star. Bright red, margined with rich golden yellow, small, well-formed flowers, strong and distinct. Each 20c.

Sunningdale White. Very fine white, good form. Each 20c.

Sunningdale Yellow. Fine deep goldon yellow. Each 25e.

The Bride. Pure white, medium size, good form, the best white. Each 25c.

Victoria. White, with side margins of velvety crimson, Very striking. Each 25c.

CYCAS REVOLUTA.

A splendid decorative plant, without a rival for indoor and outdoor use. Its noble and majestic habit is most impressive; very hardy, resisting alike the gas, cold and dust to which decorative



Cycas Revoluta.

plants must frequently be exposed. Any good garden soil will suit it. Pots should be well drained and water applied sparingly during the winter. Each \$1.50 to \$20.

DRACAENA. (Cordyline.)

Draemas rank among the most beautiful and useful of the ornamental foliaged and fine leaved plants. In a large or small state they are alike elegant and attractive. All are admirably adapted for decorative purposes, excellent for jardinieres, baskets, window gardens or the conservatory,

Amabilis. A strong growing variety that quickly forms large specimens, prettily variegated green, white and pale violet, turning to rose. Each 75c to \$2.50.

Braziliensis. A sturdy quick-growing Dracaena with broad green leaves, and stout stem and leaf stalks. As a decorative plant it has few superiors. A fine house plant. Each 75c to \$1.00.

Godseffiana. Undonbtedly one of the most striking now ornamental foliage plants of recent introduction. The plant is of an entirely diferont habit from all other Dracenas; it is free branching and throws out many snekers from the base so as to form beautiful, compact, graceful specimens in a very short time. Its foliage is broadly lanceolate, 5 to 6 inches long, and 2 to 3 inches wide; of a strong leathery texture; rich dark green color, densely marked with irregular dots and spots of a creamy-white, not unlike an

Aucuba Japonica, of which the markings in the foliage strikingly remind one. It is a plant which will mudoubtedly be used extensively for decorative purposes when it becomes more plentiful, as it is very hardy as a house plant, equaling, if not surpassing in this respect, the Aspidistra and Ficus. Each \$1.00 to \$5.00.

Sanderiana. An entirely distinct species, with thick textured, narrow leaves, which are closely set on slender, upright stems, variegated, with silvery white and green bands alternating, and of various widths, the whole surface of the plant being covered with a silvery sheen of bloom. It is altogether different from anything heretofore known in the way of Dracenas. Each 75c to \$2.50.

Terminalis. (See cut.) A splendid plant for house and window decoration, with bright tropical looking foliage of rich crimson color; beautifully marked with white and pink in well developed plants. Each 25c to \$1.00.



Dracena Terminalis.

Indivisa. Probably, all things considered, the very best plant for the centers of vases, hanging baskets, etc. It is very graceful, and is not injured by sun or wind in the most exposed situations. We have a large stock of this most popular vaso plant in splendid shape, from small plants up to extra large specimens for the largest vases, and can offer it at low prices. Each 25c to \$2.50.

FERNS.

No collection of plants is complete without ferns. Their popularity has greatly increased during the past few years, and now they are indispensable in all choice floral decorations, and are especially valued for room and table decoration. Where there is shade and moisture most of the varieties

succeed well when planted out of doors. Good drainage must be provided, as stagnant water is fatal to success. The plants we offer are in 4, 5 and 6 inch pots, and well established.

Adiantum Capillus Veneris. "Common Maiden Hair." Each 25c to 50c.

Adiantum Cuneatum. One of the most beautiful of all the Maiden Hair Ferns, and the one most popular and most generally grown by florists for decorations. It is a superb pot fern. Each 35c to \$1.00.

Adiantum Pubescens. A peculiar and beautiful fern, having a very soft, appearance from the brown pubescenco which covers the stems. Fine for baskets and fern-dishes. Each 35c to \$1.00.

Adiantum Williamsii. A very handsome tall growing variety with large fronds. Each 50c to \$2.00.

Asplenium Bulbiferum. "Bulb-bearing Fern." An exceedingly beautiful and interesting variety. Has the very singular property of bearing little buds on its surface, from which the young plants are formed. It is not an uncommon thing to see 15 or 20 of those young plants all perfectly developed, from 1 to 2 inches high, on a single frond. Each 50c to \$1.00.

Cibotium Schiedei. This is undoubtedly the fluest of all the tree ferns for use in decorative purposes, and though appearing very soft, is in fact very hardy, as has been demonstrated by the leading decorators, succeeding admirably as a house plant, which is not the ease with any other tree fern. It possesses a grace and delicate appearance that is found in no other plant. It is a variety that is always scarce and difficult to obtain. Fine plants in 6-inch pots, each \$3.50.

Cyrtomium Falcatum. "The Holly Fern." So called on account of the similarity of its foliage to that of holly — bright, glossy green. This is a tiptop house plant, easily grown. It has also been called the Leather fern on account of its easy culture. Each 35c to \$1.00.

Divallia Stricta. One of the finest ferns in eultivation whether growing as a decorative plant in the room or planted out; the fronds are of strong texture and a beautiful shade of green. Each 50c to \$1.00.

Lomaria Gibba. A strong-growing hardy fern, well-grown specimens of which are very desirable as decorative plants. Makes very symmetrical, fine specimens, and is exceedingly valuable for table decorations, or where other decorative plants are desirable. Each 50c to \$1.00.

Lygodium Scandens. The beautiful Japanese elimbing fern; as easy to grow as ivy or smilax. Each 35e to 75c.

Microlepia Hirta Cristata. We consider this one of the finest ferns in cultivation to grow into specimen plants, and while it is of such a delicate, graceful appearance, that would lead one to think that it was useless as a house-fern, it is, nevertheless, one of the best for this purpose. Each 35c to \$1.00.



FERNS.

Nephrolepis Cordata Compacta. In our estimation this variety is the finest of all the sword ferns; it is of free, strong growing, compact habit, attaining when fully grown a height of about 2 feet. The fronds, which are of a dark green color, are very rich, of upright growth, with just sufficient arch in them to make them graceful. Splendid for jardinieres. Each 50c to \$1.50.

Nephrolepis Exaltata. The true Sword fern. In well grown specimens the fronds attain a length of 6 or 7 feet, but only 1 to 3 inches wide, and like plumes arching over in every direction in a most graceful manner. Will grow either in deep shade or full sun, and no other plant is more absolutely sure to grow finely and please everyoue. Each 35c to \$1.00.

Nephrolepis Davaleoides Furcans. A beautiful and distinct variety, with numerous arching fronds; makes fine specimen plants in a very short time, crested at the ends. Each 50c to \$1.00.

Nephrolepis Exaltata Bostoniensis. Known as the Boston Fern. This is decidedly the favorite for growing in hanging baskets, wall-pockets and tall jardinieres. Its long broad arching fronds show to grand effect. Each 50c to \$2.50.

Nephrolepis Phillipense. A compact dense growing variety of dwarf habit, with pretty upright fronds. One of the best for house culture or window gardening. Each 35c to 75c.

Polypodium Aureum. A noble sort with large glaucous fronds which are of a bluish tint, deeply cloft and borne on stout brown stems, drooping over the pot and forming a majestic object. Of easy growth. Each 50c to \$1.00.

Pteris Argyraea. A very showy strong growing fern, variegated foliage; fronds large, light green, with a broad band of silvery white down the center of each; very distinct. Each 50c to \$2.00.

Pteris Biaurita Argentea. This is a compact form of P. Argyræa, which it resembles in every way except that it is more miniature in growth and the frends heavier, thicker, and of more substance, making it valuable for general use, as it withstands dry atmosphere much better than others of this type. Each 35c to 75c.

Pteris Cretica Albo-Lineata. An old but very hardy and useful dwarf species, with a whitish stripe in the fronds. A grand sort. Each 35c to \$1.00.

Pteris Serrulata Cristata. A beautiful crested fern, fine for baskets, fern-dishes and for cutting. Vory easy to grow. Each 35c to \$1.00.

Pteris Serrulata Voluta. This desirable fern is one of the most distinct varieties of Pteris Serrulata yet introduced, the volute or curled appearance of the pinne being very noticeable, not only in the mature plants, but also in the young state. Its elegant appearance being also further enhanced by the tips of the incurved pinne being prettily crested. Each 35c to 75c.

Pteris Tremula. One of the finest ferns for house decoration, growing very rapidly and throwing up large, handsome fronds; makes magnificant specimens; easily grown and very popular. Each 35e to 2.00.

Pteris Tremula Smithiana. A crested form of P. Tremula, especially adapted to grow into 5 or 6 inch pots, in which shape it is very desirable, being of bold, attractive and graceful appearance. Each 50c to \$1.50.

FICUS ELASTICA.

(Rubber Plant.)

This is certainly one of the best plants grown for decorative purposes. It succeeds well with ordinary treatment. Its glossy, thick dark-green leaves seem formed especially to resist the dust



Fiens Elastica.

and gas to which plants in dwelling houses are exposed. Its largo foliage and orect form are much admired. Each \$1.00 to \$5.00.

FUCHSIAS.

One of the finest flowers for garden decoration that we possess, which also succeeds well as a greenhouse or window plant. When planted in the open ground the only precaution to be observed is to plant them in a somowhat shaded location and thoroughly enrich the soil with well decomposed manure, and, during dry weather, water freely and give occasionally a little liquid manure.

We describe a few of our leading varieties of Fuchsias, which we consider to be the best.

Arabella. (Single.) White tube and sepals, vory large and long, well reflexed, eorolla rich rosy pink.

Avalanche. Flowers very double, large and fine, tube and sepals bright carmiue, corolla dark violet plum.

Black Prince. (Single.) Large, spreading corolla of cloar pink, sepals waxy carmine, beautiful habit and a very free bloomer.

Mrs. E. G. Hill. Flowers large, double, corolla creamy white, dark red sepals, well reflexed, of good habit and growth.

Phenomenal. The tube and sepals of a rich, reddish crimson color, enormous corolla, very full, of a beautiful azure violet color, the most gigantic double Fuchsia yet sent out.

Speciosa. Tube and sepals flesh color, shaded rose, with rosy carmine corolla. A remarkably free flowering and hardy variety.

Storm King. (See eut.) A gcm, with dwarf habit, carmine sepals, with white eorolla. A magnificent large double variety.

Tower of London. Rich velvet blue corolla, searlet sepals, well recurved.

Wave of Life. Beautiful golden colored leaves, rich scarlet tube and sepals, with bright violet blue corolla.

Price of above from 15c to 50c each.

LOTUS PELYORENSIS.

(Coral Gom.)

This charming basket plant, comparatively unknown in this country, is of rapid growth and trailing habit, admirably adapted to growing in hanging baskets and vases. Without its flowers it might almost be described as a silvery asparagus, but when covered with is bright coral red flowers, measuring 2 inches in length, it is really beauti-



Fuchsia, Storm King.

ful. It is of the easiest possible management and soems to thrive iu almost any situation and under the most adverse circumstances. A valuable addition to this class of trailing plants. Each 25c to \$1.00.

MUSA ENSETE.

(Abyssinian Banana.)

(See cut on page 105.) For producing a tropical effect on the lawn, terrace or flower garden, this plant cannot be excelled—it is also vory useful as a house decorative plant—wo have some fine large specimens. For full description see page 105. Each \$1.00 to \$5.00

PALMS.

This family is fitly called "Princes of the Vegetable Kingdom." Their beautiful characteristics, grandeur and graceful beauty places them at the head of all decorative plants. For descriptions, see Palm Seed List, pages 102-104.

Areca Lutescens. (See cut p. 104.) In 4-in. pots \$1.00; 6-in. pots \$2.50; 8-in. pots \$4.00 to \$6.00.

Caryota Urens. "Himalayan Palm," in 5-in. pots 50c.

Chamaerops Excelsa. "Hardy Fan Palm," in 5-in. pots 50c, according to size, up to \$5.00. Humilis. "Dwarf Fan Palm," in 5-in pots 50c, according to size, up to \$5.00.

Cocos Plumosus. In 4-in. pots \$1.00; 5-in. pots \$2.50, according to size, up to \$5.00. Weddelliana (see cut) $2^{1}2$ -in. pots 50c, according to size, up to \$2.50.

Corypha Australis. \$4.00.

Erythea Armata. (Brahea Glauca.) "Blue Palm," in 6-in pots \$1.00, according to size, up to \$5.00. Edulis in 6-in. pots 75c, according to size, up to \$2.50.

Kentia Belmoreana. According to size, 50c to \$10.00. Forsteriana in 3-in. pots 60c, large plants \$2.50 to \$10.00.

Latania Borbonica. Chinese Fan Palm in 3-in. pots 75c; 4-in. pots \$1.00; large plants \$1.50 to \$7.50.

Livistona Rotundifolia. A vory pretty Palm, especially suited for table decoration. The foliage is small and gracefully recurved, forming an almost globular plant. In 4-in. pots \$1.00; 5-in pots \$2.00.

Phoenix Canariensis. (See cut, p. 103.) In 6-in. pots 75c, according to size, up to \$5.00. Dactylifera in 6-in. pots 35c, according to size up



Cocos Weddelliana.

to \$2.50. Reclinata in 6-in. pots \$1.00; 8 and 10-in pots \$2.50 to \$3.00; extra large specimens in tubs \$6.00. Rupicola in 6-in pots \$1.50. Tenuis in 6-in pots \$1.00; 7 and 8-in pots \$1.50 and \$2.00.

Ptychosperma Alexandrae. Leaves feather-shaped, beautifully arched, quite red when young, but light green (with a silver tinge underneath) when older—makes a very ornamontal pot plant. In 4-in. pots 50c; 5-in. pots \$1.00 to \$1.50.

Raphis Flabelliformis. In 6-in pots \$1.50; 7-in. pots \$2.50; 10-in, pots \$5.00.

Seaforthia Elegans. In 3-in. pots 25e; 5-in. pots 75c, according to size, up to \$2.00.

Washingtonia Filifera. In 5-in. pots \$20.00 per 100; each 25c; in cans or boxes, oxtra large, 2 to 3 ft. high 75c to \$1.50. Robusta in cans or boxes, extra largo, 2 to 3 ft. high \$1 to \$2.

PANDANUS UTILIS.

(Scrow Pine.)

One of the most noblo, beautiful and useful decorative plants that can be grown. For majesty of form and gracefully arranged foliago it is almost without an equal, while its vigorous constitution enables it to stand more neglect, without serious injury, than almost any other plant wo know of. Whether in the window garden, the center of a vaso, or hanging basket, or among the piazza plants in summer, it fills a place for which it seems especially adapted. The sharply serrated edges of the leavos are bright red and the body of the loaf grecu, glistening in the sunlight and rendering it unusually attractive. A plant which will delight everybody. Each 50c to \$2.00.

Pandanus Veitchii. (See cut.) Is even more attractive than the foregoing. The leaves are light green, beautifully

Pandanus Veitchii.

The leaves are light green, beautifully marked with broad stripes and bands of pure white and most gracefully curved. No collection of decorative plants should be without this magnificent variety. Each 75c to \$2.50.

ROSES.

This, the "Queen of Flowers," is so generally known and grown, that but little space need be occupied in describing the mode of planting, etc., all that is necessary being a good, deep, rich soil, liberal manuring and good cultivation. The roses we offer are all grown out of doors, are well furnished with roots, and range in height from 1 to 3 feot. They are well established in 4-inch, 6-inch, 8-inch and 10-inch pots. Prices respectively 25c, 50c, 75c and \$1.00 each; \$2.50, \$5.00, \$7.50 and \$10.00 per dozen, except where specially marked. We give the leading varieties, but can also supply many other kinds not herein montioned.

TEA ROSES AND THEIR HYBRIDS.

Bon Silene. Brilliant carmino rose, a well known variety, beautiful in bud.

Bougere. Deep rosy bronze, large and full.

Catherine Mermet. Fine fleshy rose color, large, full, and of perfect form, a splendid fall bloomer.

Comtesse Riza du Parc. Salmon rose, tinted with copper, large and globular, distinct.

Cornelia Cook. Large, fine buds, creamy-white.

Doctor Grill. Coppery yellow, suffused with rose.

Duchess de Brabant. Rosy flesh, globular form, floworing in clustors.

Elise Sauvage. Palo yellow, with orange center, large, double and globular.

Etoile de Lyon. Sulphur yellow, deeper in center, large, double and of good form.

General de Tartas. Dark roso color, large and double.

Homer. Bright rose, with frequent markings of white.

Isabella Sprunt. Sulphur yellow, very beautiful in the bud.

Jules Finger. Rosy pink, shaded with salmon; large, double and finely formed.

La France. Beautiful lilac rose, with silvery luster, and perhaps the sweetest fragrance of all roses. Universally admired and popular.

Madame de Watteville. The "Tulip" Rose. Salmon white, each petal bordered with bright rose, like a Tulip, large and double, a fine rose.

Madame Falcot. Apricot yellow, fullor and lighter in color than Safrano, charming in bud.

Madame Jos. Schwartz. White, tinted with bright rose, exquisite in coloring, a grand rose.

Madame Lambard. Salmon pink, shaded with rose, large, double and globular; good.

Madame Margottin. Dark eitron yellow, with deep center; large, globular and free blooming.

Madame Welche. Pale yellow, with orange center, distinct.

Meteor. Rich velvety crimson, large buds and flowers borne on long stems; strong grower and free bloomer.

Marie Van Houtte. Canary yellow, tipped with rose; finely formed, good.

Niphetos. Beautiful elear white, with long pointed buds, free growing and vigorous.

Papa Gontier. Dark carmine crimson, with long buds; exceedingly free flowering.

Perle des Jardins. Beautiful rich yellow, of large size and perfect form.

Rainbow. Deep pink, striped and splashed with crimson; base of petals, rich amber; large, very fragrant and fice flowering.

Safrano. Bright apricot in bud, changing to buff.

Sombreuil. White, shaded salmon; large, double and vigorous; fine.

Souvenir de Wootton. Bright crimson and very fragrant, especially good.

Souvenir d'un Ami. Delieato rose, shaded salmon; large, double and exquisitely fragrant; a vigorous grower and free bloomer.

Sunset. Deep apricot, beautifully shaded with salmon, very fine; a sport from Perlo des Jardins, and of the same habit.

The Bride. Pure white, shaded lomon, large and full; a sport from Catherine Mermot, of the same habit.

The Queen. Pure snow-white, very sweet, fine buds; a vigorous, healthy grower, and a continuous bloomer.

HYBRID PERPETUAL ROSES.

American Beauty. Rosy crimson, shaded scarlet, very double and fragrant.

Baroness Rothschild. Pale delicate rose shaded with white, large and globular.

Captain Christy. Delicate flesh color, deeper in centre, large and effective, a good full bloomer,

Dinsmore. Rich scarlet crimson, large double and an incessant bloomer.

Duchess of Albany. Similar to La France, but a rich, deep, even pink throughout. This rose is in reality a Hybrid Toa, though usually classed with the Hybrid Perpetuals.

Empereur de Maroc. Deep velvety maroon, distinct and beautiful.

General Jacqueminot. Brilliant volvety crimson, beautiful in bud, probably the most popular red rose.

John Hopper. Bright rose, with crimson centre; large, full and good.

La Reine. Rose, tinted with lilae, large, full and fine; very fragrant.

Madame Charles Wood. Vivid crimson, flushed with scarlet, large, very double, and a continuous bloomer.

Magna Charta. Bright pink, very large, full and of good form; habit erect, with magnificent foliage.

Mrs. John Laing. Clear bright pink, exquisitely shaded, buds long and pointed.

Paul Neyron. Dark rose, immense flower, fine form and habit. One of the best.

Prince Camille de Rohan. Crimson maroon, shaded with blood red, very rich and velvety; distinct.

Ulrich Brunner. Rich glowing scarlet crimson, of exquisite shape, a strong vigorous grower.

CLIMBING ROSES.

Banksian. White. Very sweet, blooming in clusters, violet scented; a good pillar rose.

Banksian. Yellow. Small, but very beautiful, well adapted for training up on verandas.

Celine Forestier. Pale yellow, a free bloomer, large and double.

Climbing La France. Silvery rose, changing to pink.

Climbing Niphetos. Pure white, large and globular.

Climbing Perle des Jardins. Very deep yellow, buds largo and highly fragrant.

Cloth of Gold. Yellow, large and very double, of very robust and vigorous growth, succeeds well in this climate.

Gloire de Dijon. Fawn tinted with salmon and rose.

Gloire de Margottin. Dazzling red, large, very full and deliciously fragrant.

Gold of Ophir. Salmon and fawn, shaded with copper, of vigorous growth.

Lamarque. White, well known, constant flowering. The best white climbing rose.

Marechal Niel. Beautiful, deep yellow, full and globular; magnificent.

Reine Marie Henriette. Cherry-red, large full flowers, a great acquisition as a climbing or pillar rose.

Reve d'Or. Deep yellow, large and full.

Solfaterre. Sulphur yellow, largo and fine; vigorous.

W. A. Richardson. Growth very vigorous, flowers full, color splendid orange-yellow, beautiful in bud.

POLYANTHA ROSES.

Clothilde Soupert. Medium size, very double and beautifully imbricated, produced in clusters, liable to vary, producing often red and white flowers on same plant.

Mademoiselle Cecile Brunner. A very beautiful and valuable rose; the flowers are very full and regular, perfectly double and fragrant; color clear rosy-pink, passing to white.

Mignenette. One of the most lovely miniature roses; the flowers are full and regular, perfectly double, borne in clusters, and deliciously perfumed; color clear pink, changing to white, tinged with pale rose. A vigorous grower, and constant and profuse bloomer.

Perle d'Or. Charming and very distinct; color coppery gold, changing to fawn and salmon; flat, rayed form; very double, and finely perfamed.

VIOLETS.

Strong pot-grown plants, 50c per dozen.

California. A grand single violet now grown in great quantities all over the country for cut flower purposes, flowers very large and fragrant, stems often a foot long.

Czar. The old dark purple single Russian violet, very fragrant and a free bloomer.

Farquahar. A very dark double violet, at least 2 or 3 shades darker than Marie Louise, very fragrant and, for a double violet, produced on very long stems. It is considered one of the best commercial sorts.

Marie Louise. Large double blue, flowers very large, intensely fragrant, and very free, later in bloom than single sorts.

Princess of Wales. A magnificent new single, the largest violet in cultivation. The flowers open out flat similar to a pansy and are deliciously fragrant and extra long stemmed. This sterling novelty originated with Millet, the celebrated French violet specialist about 4 years ago; it is regarded as one of the finest of his productions.

Swanley White. This variety is the counterpart of Marie Louise in every respect save color, it being pure white, very fragrant.

CAMPANULA ELEGANS. A handsome new Campanula, native of Siberia and regarded as one of the finest in existance; it forms tufts 24 to 30 inches high and produces many long spikes of large bell shaped drooping flowers of a beautiful purplishblue. It belongs to the same family as the Canterbury Bells but greatly exceeds them in point of beauty, it is useful for cut flowers or for bedding purposes. Each 20¢; per dozen, \$2.00.

HARDY ORNAMENTAL TREES AND SHRUBS.

HARDI ONNAMENTAL INCES AND SINCEDS				
Abbreviations; e evergreen. d deciduous, s shrub, t tree.				
, ,	dio	Price		
Abutilon. 6 different varieties	\$U			
Acacia. "Wattle." For full descriptions see Australian Tree Seed List.		Price each.		Price
Dealbata, et	\$0	15	\$1	L 50
Decurrens, et	. , .	15	']	L 25
Melanoxylon, et		15]	$1\overline{25}$
Mollissima, et		$\tilde{1}5$		50
Pyenantha, et		15		50
Tychantin, co		Price	eac	h
Achania Malvaviscus, es. Bright Scarlet	. \$0	35 t	0	50
Aloysia Citriodora, ds. "Lemon Verbena." White	. '	15 t	0	25
Brachychiton Acerifolium, et. "Flame Tree." (See Australian Tree Seed list for descrip.)		25		
Extra large plants	. 1	50		
Camellias, es. We have a splendid collection of these showy flowers		-50 t		l 50
Clianthus Puniceus, es. "Glory Pen." Bright Scarlet		50 t		75
Coprosma Baneriana Variegata, es. Beantiful foliage		35 t		1 00
Cyperus Alternifolius, es. A pretty aquatic plant		25 t	0	-50 .
Deeringia Amherstii Variegata, es. Leaves white and green, very pretty		35		
Deutzia Crenata, fl. pl., ds. Double white		35		
Gracilis, ds. Very graceful and pretty; pure white		$\frac{35}{2}$		
Diosma Ericoides, es. "Breath of Heaven." White, with scented foliage		50		1 00
Dracaena Draco, es. "Dragon's Blood Tree"	•	75 t		1 25
Euonymus Japonica, es. "Spindle Tree,"		25 t		50 50
Aurea Variegata, es		25 to	O	50
Fabiana Imbrieata, es. White, heath-like flowers		-50 -25 t		50
Grevillea Robusta				-
		ice ch. pl	Lar lants	
Heliotropium, es. President Garfield. Bright mauve purple, large trusses				50c
Queen of the Violets. Purplish violet, large	00	to 25	ic	50c
Hibiseus, es. Brilliantissimus. Scarlot, with black ring	5e :	to 35	ic.	75e
Cooporii. Beautifully variegated foliage	5e	to 35	бe	75e
Minatus Semi-double, red	5e	to 35	бe	75e
Schizopetalus. Deep red, vory distinct flowers	5c	to 35	ie –	75e
Hydrangca Otaksa, ds. Flesh color	5e	to 35	ie	50e
Paniculata Grandiflora, ds. White				50e
miner trans de William 9	-	. 0-		~ ^
Thos. riogg, us. write	oe_	to 30	ЭС	50e
Thos. Hogg, ds. White		Large	plan	
	1	Large j ea	plan ch	ts
Jacaranda Mimosæfolia, et. Blue, a magnificent treeSmall plants, each 25c	1	Large ; ea 75 t	plan ch O	ts 1 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0	Large ; ea 75 te 15 te	plan ch o \$0	ts 1 00 0 25
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1	Large ; ea 75 to 15 to 00 to	plan ch o o \$6	ts 1 00 0 25 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	Large ; ea 75 to 15 to 00 to	plan ch o o \$6	ts 1 00 0 25
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 100	plan ch o \$6	ts 1 00 0 25 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	Large ; ea 75 to 15 to 00 to	plan ch o \$6	ts 1 00 0 25 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00 to 25 to	plan ch o \$6	ts 1 00 0 25 1 50 2 00 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00 to 25 to	plan ch o \$6	ts 1 00 0 25 1 50 2 00 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00 to 25 to 25 Price	plan leh lo \$6 lo \$6	ts 1 00 0 25 1 50 2 00 75 50 h
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to	plan ceh co \$6 co \$6 co \$6	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00	plan ceh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00	plan ceh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	75 to 15 to 00 to 00	plan ceh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 . \$0	25 to 25 Prices 75 to 15 to 25	plan ceh co \$	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 75 75 15
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 . \$0	25 to	plan ch co \$6 co \$	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 \$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 to	plan ce co \$6 co \$	ts 1 00 0 25 1 50 2 00 75 50 50 h 1 50 75 75 75 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1	25 to	plan ch co \$	ts 1 00 0 25 1 50 2 00 75 50 1 50 75 75 75 75 2 00 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 to	plan ch co \$	ts 1 00 0 25 1 50 2 00 75 50 1 50 1 50 75 75 75 2 00 50 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 . \$0 . \$0 	25 to	plan ich ich ico \$	ts 1 00 0 25 1 50 2 00 75 50 1 50 75 75 75 2 00 1 50 2 00 1 50 2 00
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 \$0	25 to	plan ich ico \$ ico	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 75 15 75 2 00 1 50 2 00 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 to	plan leh co \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6	ts 1 00 0 25 1 50 2 00 75 50 1 50 75 75 75 2 00 1 50 2 00 1 50 2 00
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 true 25 tru	plan leh co \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6 \$6	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 15 75 2 00 1 50 2 00 75 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 true 25 tru	plan ich co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 15 2 00 1 50 2 00 75 75 1 50 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 true 25 tru	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 15 75 2 00 1 50 2 00 75 1 50 1 50 75 1 50 1 50 75 1 50 1 50 75 1 50 1 50 1 50
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	75 to 15 to 00 to 00 to 25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 15 75 2 00 1 50 2 00 75 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	75 to 15 to 00 to 00 to 25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 15 75 2 00 1 50 2 00 75 1 50 1 50 75 1 50 1 50 75 1 50 1 50 75 1 50 1 50 1 50
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1	75 to 15 to 00 to 00 to 25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 15 75 2 00 1 50 2 00 75 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1	75 to 15 to 00 to 00 to 25 to	planteh co \$6 co \$	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 15 75 2 00 1 50 75 15 2 00 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1	25 t t 25 t 1 25	planteh o \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 75 2 00 1 50 75 75 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosœfolia, et. Blue, a magnificent tree	\$0 1 1 1	25 to	plan leh of the total to	ts 1 00 0 25 1 50 2 00 75 50 1 50 1 50 75 75 75 1 50 75 1 50 75 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 . \$0 	25 to	planteh o \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0 \$6.0	ts 1 00 0 25 1 50 2 00 75 50 50 h 50 1 50 2 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 . \$0 	25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75
Jacaranda Mimosæfolia, et. Blue, a magnificent tree	\$0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	25 to	plan leh co \$6 co	ts 1 00 0 25 1 50 2 00 75 50 50 1 50 75 75 75 75 75 75 75 75 75 75 75 75 75

CONIFERAE.

For extended descriptions see our Tree Seed List, pp. 99-100.				
Araucaria Bidwellii. "Bunya Bunya." Plants 2 ft in height.		P		each. 50
15-in. in height			$\dot{2}$	50
3 to 4 it. nign				00
Cedrus Deodara. "Indian Cedar." Plants 1 to 2 ft. high	\$	۸ .	\$,	50
Libani. "Cedar of Lebanon." Plants 1½ ft. high			1	50
Cryptomeria Elegans 2 to 3 ft. high	-2.50	0 to 5 to		00 50
Japoniea. "Japan Cedar."	5	0 to	•	7 5
Cupressus Guadalupensis. "Blue Cypress."	5	0 to	,	$\begin{array}{c} 75 \\ 50 \end{array}$
Extra large plants in tubs or boxes			1	50
Macroearpa. "Monterey Cypress." In 4-in pots, 2 to 3 ft				
Sempervirens. "Italian Cypress."	2	5 to	,	50
Pinus Insignis. "Monterey Piue." In 4-in. pots; plants 1 ft. highPer doz. \$1.00 Large plants, 3 to 4 ft. high				75
Sequoia Gigantea. "California Big Tree." Plants 2 to 3 ft. high	1 00) to	2	
Large plants			1	$\frac{50}{50}$
Thuja Orientalis. "Chinese Arbor Vitæ." Aurea Compaeta		0 to 5 to		$\begin{array}{c} 50 \\ 00 \end{array}$
	('	, 10	_	00
HARDY CLIMBING PLANTS.				
Abbreviations — e, Evergreen; d, Deciduous.	P	dee :	each	
Akebia Quinnata, e. Flowers violet-brown, with a Cinnamon fragrauee	\$0/3	5 to		00
Ampelopsis Quinquefolia, d. "Virginia Creeper." A very rapid grower	$\frac{2}{2}$			50 50
Aristolochia Elegans, e. Flowers purple, marked white, with yellow eye				50
Sipho, d. "Dutchman's Pipe." Yellow and brown. Bignonia. "Trumpet Vine." Six different varieties	$\frac{23}{23}$			$\begin{array}{c} 50 \\ 50 \end{array}$
Cobaea Seandens, e. A rapid elimber, with purple, bell-shaped flowers and good foliage	18	5		25
Dolichos Lignosus, e. "Australian Pea Vine." Rosy pink	15			25
Hardenbergia Alba, e. "Australian Lilae." White Hedera Helix, e. "English Ivy."	26			$\frac{50}{25}$
Hibernica, e. "Irish Ivy."	28	5		50
Hoya Carnosa, e. "Wax Plant."	28 50	5 to		$\frac{50}{50}$
Variegata, e. "Variegated Wax Plant.". Ipomoea Learii, e. "Blue Moonflower." Sky blue			_	15
Mexicana Grandiflora alba, e. "True White Moonflower"	18)		$\frac{25}{35}$.
Graeilis, e. "Jasmine." White, very graeeful	38	5		$\frac{50}{25}$
Poetieum, e. "Poet's Jasmine." Yellow	50)		$\frac{25}{75}$
Lonicera Sinensis, e. "Chinese Honeysuekle." White and red, very fragrant	$\frac{2i}{1i}$			$\frac{50}{35}$
Halleana, e. White and pink	25	5		50
Heckroth, e. Pink	2: 2:			$\frac{50}{50}$
Passillora, e. "Passion Vine." 6 different varieties	25	5		50
Phaseolus Caracalla. "Snail Flower," e. Lilae, purple and yellow, splendid	$rac{2i}{2i}$			50 50
Plumbago Capensis, e. "Leadwort." Light blue	15	5		25
Alba, e. "Leadwort." White	$\frac{2!}{2!}$			$\frac{50}{50}$
Rhynchospermum Jasminoides, e. "Star Jasmine." Pure white, fragrant	5(00
Trieolor, e. White, foliage beautifully mottled with white and pink	$\frac{75}{75}$		_	50 50
Senecio Seandens, e. "German Ivy." Yellow, fine for hanging baskets				15
work, festooning, ete	10	•		15
ln 3-in potsper 100 \$7.50 Solanum Wendlandi, e. A splendid elimber, with gorgeous light blne flowers				50
Sollya Heterophylla, e. Beautiful small bright blue flowers, in elusters	50	•		7 5
Stephanotis Floribunda, e. Flowers waxy white, very fragrant. One of the handsomest elimbers. Requires a sheltered, warm situation	50)	1	50
Tacsonia Buehananii, e. Deep rose eolor. Flowers similar to Passion flowers but larger	2 5	,	-	50
Tecoma Jasminoides, e. White and purple	$\begin{array}{c} 25 \\ 25 \end{array}$	to		75 75
Wistaria Sinensis, d. Lavender. The best of all deciduous climbers, flowering in early spring, well known				
carry spring, won known				50

CACTI.

The most Wonderful Family of Plants in Existence.

NOTE.—All varieties of Cacti and Succulents offered in this list are priced mail or express charges free, to any part of the United States.

The Caetus family contains many of the most singular and grotesque, as well as the most beautiful productions of the vegetable world.

The flowers of many of the species are most gorgeous, of others the most delicate and beautiful known to botanists. Of distinctive and striking forms, there is no end in this strange family.

Nearly all the species require but little care, will endure any amount of ill treatment and will thrive and blossom where other plants starve. The plants themselves are a bright green during summer and winter, while their individuality is so marked and their manner of growth so curious and unique that no one who has ever cultivated them can fail to appreciate and admire.

As a house plant they have no superiors, grouped with bright colored stones in the form of a rockery or even massed artificially in a large flower pot or fernery base they make a most handsome and unique parlor ornament. They may also be grown successfully out of doors, forming most beautiful and grotesque objects.

Cacti for Indoor Rockeries.

The following article was written by Mr. Elias A. Long of Buffalo, N. Y., in "Popular Gardening": "In order to enjoy the greatest possible share of pleasure, with the least possible inconvenience in growing a fair collection of Cactuses, the writer has adopted for house use a method which he has not be-



Cactus Rockery for the Window,

fore now seen employed in Caetus houses. It is to set a dozen or more plants in a mass in one large pot or other receptaclo for earth, the surface of which is treated as a miniature rockery, and with the center considerably higher than the edge. Recently, in thus disposing of a fine collection, an ordinary fernery base, bought at a local seed store, was used for holding earth. This was planted as shown in the engraving, and up to the present time it has developed into the most handsome and unique parlor ornament we think we have ever seen. It is the admiration of all our friends, not only because of the charming effect created by the various forms and colors of the plants themselves, but because in one or another of these it is rarely without a flower. The addition of the rockery feature affords advantages in several ways. First, by the sclection of pleasing colors of stone, as marble and granite, red and gray, and other kinds, as they may be had in fragments from the stone cutter's yard, and then of a few seashore pebbles, etc., a handsome contrast in color with the Cactuses is produced. The stones also enable one to build up the soil (this we prefer to have consist of one-half sand) mound-like, in a way that is conducive to providing the dryness of soil which all Cactuses enjoy."

With regard to the culture of Cacti, it is found that, generally speaking, they ought to be watered sparingly

while dormant and freely when in bloom, and grown in a light sandy soil, always bearing in mind that wherever planted the drainage must be perfect, for if the soil be allowed to get in a stagnant, saturated condition, the strongest plants will soon die.

When potting, cut off all dead, dried roots close to the stems, and select pots slightly larger than the diameter of the plant; or, just large enough to hold the roots correctly spread out. The soil should be in a semi-dry condition so that it may be easily worked in amongst the roots. A small stick may be used to advantage in pressing the soil firmly around the plant, leaving sufficient space between the soil and rim of pot to facilitate watering.

Under the heading of each genera we give brief instructions as to the character of soil found most suitable to successful culture.

ANHALONIUM.

This interesting family are spineless and entirely distinct from any other cactus in appearance. They thrive best in very gravelly soil, require but little water and enjoy plenty of sunshine. No collection is complete without them.



Anhalonium Fissurata.

Fissurata. (See cut.) Commonly called "Living Rock," owing to its resemblance to some curiously carved specimens of stone, is decidedly a most wonderful plant. Its habitat is among dry rocks in a region where but little rain falls. Still it thrives well under pot culture and makes a most interesting and unique addition to any Cactus collection. It blooms in September and October, and has a very beautiful and variegated flower, imbedded in a white silky wool areolæ. The lower part of the plant is top-shaped, the upper part which you see in the illustration scarcely projects from the ground, and is from 2 to 4 inches in diameter when growing wild; but under cultivation it is double the usual size. Each 50c to \$1.


Prismaticum. "Seven Stars." This rare plant is found on the top of arid, barren, rocky mountains at great altitudes in Mexico, where it is too hot and dry in the summer for other vegetation and too cold in winter for even animal life. It will live and thrive in all extremes of temperature. In potting, gravelly soil should be used, so as to insure good drainage, as too much water is the only thing that will injure the plant. It will grow and bloom in any sitting room, without being watered, for a long time. Each 50c to \$1.00.

Williamsii. Commonly called "Dumpling," or "Turnip" Cactus. It is devoid of spines, and has a long root. The flowers are pale rose in color. This variety is entirely distinct from the two species just described. Each 25c to \$1.00.

ASTROPHYTUM MYRIOSTIGMA.

(Bishop's Hood. See cut.)

All Cacti commend themselves to our eonsideration by reason of their curious forms and suggestiveness of particular objects. Thus we have the "Old Man Cactus," the "Turks Head," the "Fish Hook," etc. Of this group, not one is so strikingly individual and typical as the "Bishops Hood," representing as it does to the smallest detail a veritable Bishops Hood carved out of simple stone. This feature is so pronounced that it is readily sought after by all plant lovers, and particularly the admirers of strange plants of the desert. The flowers of this species are produced near the summit of the stem, generally several together; open early in the day, expanding on each succeeding day for nearly a week. Plants will also continue bearing flowers from June to September. The past season we sold our stock entirely out and booked orders for arrival. We now have a large stock of fine specimens which we offer at very reasonable rates. Each \$1.00 to \$3.00.



Astrophytum Myriostigma.

CEREUS.

An extensive genus, the species of which are remarkable for their singularity of form and for the beauty of their flowers. Few classes present greater contrasts. Some are round, some angular, some smooth and others fluted. Some are climbers or creepers while others grow like huge trees, attaining a height of 60 feet, with a diameter of 2 or 3 feet. The night blooming section is very interesting and beautiful. The flowers vary in size from 6 to 14 inches in diameter, according to the species; C. MacDonaldi being the largest, measuring 14 to 16 inches.

The soil for Cereus should consist of two thirds good garden loam, one-third coarse sand and if for strong growing kinds a little old cow manure mixed in, will make a good safe compost.

Colubrinus. Quick strong grower of stately proportions, flowers white, of delicious fragrance, blooming at night, also bears fruit almost the color and size of an orange. Each 25c to 50c.

Emoryi. One of the finest California Cereuses; the long transparent golden yellow spines being so distinct from any other Cereus known that they brighten up a collection wonderfully, placed in the sun they glisten like gold. Each 50c to \$1.00.

Flagelliformis. Commonly called "Rats Tail Cactus," fine trailing variety with rosy colored flowers. Each 25e to 50e; cuttings 15e.

Grandiflora. "Queen of Night" or "Night Blooming Cerens." Strong growing plant with deliliciously fragrant flowers, creamy white inside and reddish brown outside, of immense size. Each 25c to \$2.00, according to size; enttings 15e.



Cereus MacDonaldi.

MacDonaldi. (See ent.) Handsome slender stemmed species, flowers creamy white and yellow, of immenso size, a bonquet in itself. Each 25c to \$2.00; enttings 15e.

Nycticalus. A fine, strong night bloomer, something like Grandiflora, the flowers are almost yellow and borne very freely. Each 25e to \$1.00; cuttings 15c.

Serpentinus. In appearance something like Colubrinus with the exception of the spines which are soft and silky. This variety is well adapted for training on trellisos. A quiek grower and good bloomer. Each 35e to \$1.00; cuttings 20e.

Speciosissimus. One of the very best bloomers. Flowers from 6 to 8 inches in diameter, color a beantiful combination of searlet and purplish crimson, will keep for days when cent and placed in water. Each 50c to \$2.00; cuttings 15c.

Triangularis. Easily distinguished by its triangular stems, has white flowers followed by bright searlet fruit, a rapid grower, each 25e to \$1.50; enttings 15 cents.

We have healthy grafted plants of the following; Flagelliformis Cristata, each \$1.00 to \$3.00. Formosus Monstrosus, each \$1.00 to \$3.00. Pernyianus Monstrosus, each \$1.00 to \$3.00.

ECHINOCACTUS.

The "Hedgeling Cactus." A large genns and most beautiful of the order, the grotesque appearance of the plants, erowned as they are at times with their large flowers, renders them objects of much attention among Caetus admirers. The soil we prefer for their enlture is a mixture of rich loam, thoroughly decomposed eow manure and coarse sand in equal proportions. This must be well drained by mixing small lumps of charcoal and broken pots with the earth, and by placing a layer of the same material at the bottom of the pot.

Bicolor. Flowers between 2 and 3 inches long, petals bright rosy purple, spines all the colors of the rainbow, a most beautiful little plant. Each 35e to \$1.00.


Brevihamatus. Color very dark green, flowers yellow, spines shaded from pure white to brown, a handsome variety. Each 50e to \$1.00.

Capricornis. (See eut.) A most interesting variety, even handsomer and more distinct than the "Bishop's Hood," being a better bloomer; has fine markings of white spots all over its surface, which gives it a clean, neat appearance; the flowers are yellow, of good size, freely produced. Each 50e to \$1.50.

Cornigereus. This is a beautifully formed plant with very broad, flat, blood-red spines, eurved sharply at the end. It has pretty purple flowers. No collection should be without it. Each 50e to \$1.

Cylindraceus. A native of our California deserts, with long interlacing spines, bright yellow, erimson and blood red in color. One of the most beautiful of the genus. Each \$1.00 to \$3.00.

Grusoni. A very handsome variety, with bright golden colored transparont spines, which closely cover the plant, giving it a bright, clean, distinct appearance; has beautiful red and yellow flowers. Each \$2.00 to \$5.00.



Echinocaetus Capricornis.

Horizonthalonius. A handsome species of a beautiful gray color, quite distinct. The flowers are funnel shaped, purplish-pink, the sepals being tipped with a darker shade of purple, which have a pretty effect when open in the sunlight. Each 50e to \$1.50.

Setispinus. The best bloomer, lovely, fragrant, eanary yellow flowers with red eenter, followed by red berries. Each 25c to 50c.

Sinuatus. Yellow flowers 2 or 3 inches long, a most excellent bloomer. Each 25c to 50c.

Texensis. Has handsome fringed flowers of various shades of pink, followed by large red seed pods. Each 25e to 50c.

Veridescens. Flowers greenish, 1½ inches long, the spines beautiful when wet, color red. Each 25c to 50c.

ECHINOCEREUS.

This class of Cacti, with its gorgeous flowering stems, appeals strongly to Cactus lovers. Though not so vivid in spine-coloring as Echinocactus or Mamillaria, still this deficiency is more than offset in the superior size, color, and texture of its flowers. No more magnificent sight is possible than a field of E. Candicans, (the "Rainbow Cactus") in full flower. Imagine from 6 to 8 blossoms 4 to 5 inches across, to each plant - what a brilliaut blaze of color! From a horticultural point of view, the Echinocereus can be commended, because several of the most ornamental and free flowering species are hardy in dry situations, and will succeed in a cool frame house; hence are desirable for amateur planters who have no facilities for growing the tropical sorts. Another important and valuable quality is the length of time the flowers last, in which respect they are quite different from the majority of their allies. Some will expand every day for a week and in a fow exceptional cases the flowers will continue opening at intervals for 12 or 14 days. The soil best suited for thom is 23 rich loam and 13 coarse sand.

Berlandieri. A fine dwarf basket plant, bearing large clusters of fragrant purple colored flowers. Each 25c to 50c.

Candicans. The "Rainbow Cactus." A beautiful plant, flowers magenta, white, orange and green, measuring 3 to 4 inches in diameter, and the spines ranging in color from creamy white to the deepest red. Each 50c to \$1.00

Dasyacanthus. A distinct variety densely covered with grey and reddish spines, has very showy flowers of large size, color red and bright yellow. Each 50c to \$1.50.

Emoryi. A very handsome California variety with bright golden spines densely covering the plant Flowers yellow. Each 50c to \$1.00.

Ennecanthus. One of the best bloomers. The flowers are 3 inches long, reddish-purple in color and borne freely. Plant grows in clusters. Each 25c to 50c. Clusters, 75 to \$1.50.

Fendleri. Distinct in form, long dark spiues turning upwards, very large flowers in color dark rose to shining crimson. An excellent plant for rockeries and similar situations, being very hardy. Each 50c to \$1.00.

Pectinatus. Pure white spines, large pink flowers 4 inches in diameter, one of the very best plants for blooming, fragrant. Each 25c to 50c.

ECHINOPSIS.

This large flowering hardy genus is the most useful for growing in city gardens, being of a strong robust constitution, thriving equally well planted along side geraniums in the flower border or in pots as window Cacti.

They produce many young plants from the base and side which can easily be rooted in sand and soon form nice blooming specimens. Any rich sandy garden soil will grow them well.

Eyriesii. (See cut.) White flowers 6 to 8 inches long like a curved funnel and 4 to 5 inches broad. The delicions fragrance possessed by the flowers is very pleasing and most powerful. Each 25e to 50c.



Echinopsis Eyriesii.

Mulleri. A beautiful variety whose satiny rose colored flowers will remain open for a week, very fragrant. Each 25c to 50c.

Multiplex. Flowers of immense size, 6 to 8 inches across the mouth when fully expanded, color a delicate rose, deeper towards the apex. Each 25c to 50c.

Oxygona. Very large flowers from well grown plants have measured 8 inches long by 4 inches in diameter. In color the outer part of tube is curiously marked with green and red, the petals being white, stained with red on the margins. Each 25c to \$1.00.

EPIPHYLLUM.

("Crab" or "Lobster Caetus.")

The varieties of this beautiful genus are numerous and are largely cultivated for their showy flowers, E. Truncatum and its varieties are the kinds usually cultivated in our green-houses and are among the most highly colored and beautiful of our winter flowering plants. They are often grafted on Cereus grandiflora but do best perhaps on Peroskia. A large symmetrical head is easily formed and with proper attention will make a plant worthy of a situation in any green-house. The Epiphyllum is one of the best of sitting room plants, and may be had in bloom from November to March with good management. Strong grafted plants, blooming size. Each 50c to \$2.50.

MAMILLARIA.

These beautiful gems of the Cactus family are natives of Mexico principally. In their native habitat they grow in rich loam and therefore require a better soil than the different kinds of Cereus and Echinocactus which grow among calcarcous rocks in the mould formed by the decomposition of vegetable matter in the fissures.

By attending to these particulars the Mamillarias may be easily grown in any situation where they can be kept free from frost. When kept in a room they should be allowed as much air as possible and the dust which lodges among their spines should be frequently blown off with a small pair of bellows or the breath. Care should be taken when selecting the soil, to guard against such as has been lately manured, at least none should be added, loam from good rotted turf with ¹3 sand is best.

Applanata, A fine plant bearing bright red berries, very attractive. Each 25c to 50c.

Decipiens. Has lovely, large yellow flowers, which last for several days. Each 25c to 50c.

Elegans. A very handsome, short, white spined variety, has bright colored flowers, followed by a circle of red berries or seed pods, excellent as a pot plant. Each \$1.00.

Fulvispina. Magnificent plants, the spines are ivory white in color at the base, turning to dark purple towards the point, and are regularly curved towards the top of the plant. Flowers pink, very large and freely produced. Each 50e to \$1.00.

Goodrichii. A beautiful California variety, color gray, forms fine large clusters, flowers yellowish, petals with red midrib, a very good kind, producing quantities of flowers and fruit. Each 25c to 50c.

Grahammi. A very neat and striking plant, with pretty rose colored flowers. Each 50e to \$1.00.


Meiacantha. Flowers white with a reddish stripe through the center, followed by beautiful fruit. Each 25c to 50c.

Pusilla. Bright silvery spines, flowers white with red stripe, very small species, flowering when 1 inch high. Each 15c to 50c.



Pilocereus Senilis.

Micromeris. (See cut.) Called by some the "Button" or "Mushroom Cactus." On account of its small, neat, delicate appearance. The flowers are followed by bright carmine berries, which remain on it all winter. Each 35c to 75c.



Mamillaria Micromeris.

Minima. A very small, neat plant, with starlike white flowers, blooms continuously throughout the summer. It is of rapid growth, soon forming large clusters of heads. Each 25e; clusters \$1.00.

Pectinata. A strikingly showy plant, with beautiful sulphur yellow flowers, 2 to 3 inches in diameter when open. Each 25c to 50c.

Stella Aurata. (Golden Star.) When in good condition the entire plant is covered with star-like rosettes of yellow spines; flowers small and white. Grafted on Cereus grandiflorus stock it makes a beautiful head. Each 25c to 50c; grafted plants \$1.00 to \$1.50.

PILOCEREUS.

The well known Old Man Caetus, P. Senilis is a native of Mexico. It attains a height of from 20 to 25 feet, with a diameter of 9 or 10 inches, and its fluted character gives it somewhat the appearance of an architectural column. The stem is divided into 30 or 40 narrow furrows, with corresponding ridges, which are furnished at very short distances with tufts of white spines, surrounded by numerous long flexible white hairs, resembling the gray hairs of an old man's head, hence has arisen not only the common name of the plant, but also its scientific appellation. When young the stems are fleshy and succulent but when they get old their tissue becomes filled with an extraordinary quantity of small sand like grains, composed of oxalate of lime, not less than from 60 to 80 per eent having been found in individual stems. This genus requires the same culture as other Cacti and is increased in the same manuer.

Senilis. "Old Man Cactus." (See cut.) In potting this general favorite a little old lime rubbish should be added to the soil. Each 75c to \$5.00.

OPUNTIA.

There are upwards of 150 species of the Opuntia or Prickly Pear. Some species grow erect and tree-like, while others are procumbent or creep on the ground, and nearly all have spines. The upright growers sometimes reach a height of 10 feet or more. The Opuntia Tuna, for instance, have been introduced into Southern Europe, Africa and other places where they are cultivated for the sake of obtaining Cochineal. The fruit is pear shaped, 2 or 3 inches long, bright earmine in color when ripe, is edible and has a pleasant sub-acid flavor, being considered cooling and refreshing. Large orchards of these varieties were planted by the Mission Fathers throughout Southern California which still stand and yield their crop for the market as of yore.

There are many very beautiful varieties of the flat leaved Opuntia, several of which we will describe in the following list, they will be found to be highly decorative and interesting.

The best soil for Opuntias is 2 3 loam, 1 3 coarse sand and old lime rubbish such as can be procured from some torn down wall or building and a little well rotted cow manure, all being thoroughly mixed together. Like all of the Cacti family they must be given perfect drainage to attain a successful growth.

Basilaris. A pretty variety, forming fan shaped leaves, originating from a common base resembling somewhat an open cabbage head, minutely pubescent, the color being almost purple. It blooms during the summer, the flowers are a beautiful shade of purple. Each 25c to \$1.00.

Basilaris, Heart Shaped. A beautiful variety of the above mentioned, having heart-shaped leaves of splendid color. Is generally sold under the name "With All My Heart." Each 50c.

Cylindrica. An upright cylindrical stemmed variety with spindle-shaped tubereles, looks like a Cereus. The flowers are red, 2-in. in diameter. Each 25c to \$1.00.

Cylindrica Cristata. A contorted monstrosity of the above, rare and interesting. Each 75c to \$1.50.

Clavata. A dwarf variety with largo spines and pretty flowers. Finc for small indoor rockeries. Each 25c to 50c.

Frutescens. "Tree Cactus." A beautiful slender sort, forming fine specimens. It blooms freely and bears an immense number of red fruit, which gives the plant a most attractive appearance. Each 15c to \$1.00.

Lurida. This plant is of branching habit, with slender stems and short spines. Each 25e to \$1.50.

Microdasys. This is without doubt the handsomest of all the Opuntia family. Its flowers are golden yellow and the branches which are of a bright lively green are thickly spotted with tufts of beautiful golden yellow, in appearance looking like soft plush. No collection should be without this distinct and striking sort. Each 25c to \$1.50. Monacantha Variegata. (See cut.) This is another beauty, largely grown as a honse plant. The flat stems are dark green in color, liberally marbled and splashed with pure white. The young growth is prettily margined with pink. It has but few spines and bears bright orange colored flowers. Each 50c to \$1.50.



Opuntia Monacantha Variegata.

Senilis. An interesting variety, completely eovered with long white hairs; often named, though not correctly, "Old Man Caetus." Each 25c to \$1.00.

Tuna. Our Mission fruiting variety, the well known priekly pear. A very strong grower. We supply only cuttings, which root very easily. Each 25c to 50c.

PHYLLOCACTUS.

This magnificent specie is unexcelled for the quantity, size and beauty of their flowers which comprise all the richest tints of color. They are distinguished by their curious flat, broad, lcaf-like branches, the flowers are produced from the notelies or indentures along the edge of the branches. When well grown they form attractive and striking decorative plants for the house. All the species, are readily increased by cuttings which should be allowed to dry a day or two after being taken off, then place in sand, and water sparingly until rooted when they may be placed in small pots of rich sandy soil.

The soil best suited for large specimens is light, turfy loam, leaf-mould, well-rotted eow manure and sand about equal proportions and well mixed. In potting only use a size that will comfortably hold the roots of the plant and be certain that the drainage is perfect, as stagnant water around the roots is fatal to success.

PHYLLOCACTUS - Continued.



Phyllocactus Ackermanni.

Ackermanni. (See ent.) A most profuse bloomer named the "King Cactus," has flowers measuring as much as 7 inches across, of a rich searlot color, with broad very sharp pointed, and slighly waved petals. Its stems are round at the base, which bear little tufts of short spines and its flat branches or leaves are from 2 to 21/2 inches broad and waved or doeply dented along the margin. Each 75e to \$2.50.

Albus Superbus. (See cut.) A bold erect strong-growing

variety, bearing large white flowers in abundance. One of the most desirable house plants. Each 75c to \$2.00.

Anguliger. A most remarkable and distinct sort, with deeply and sharply lobed flat leaves, notched like the toeth of a saw. The flowers which are large and fragrant have brownish sepals and pure white petals. It is a good bloomer and rare species. Each 75c to \$1.50.



Phyllocactus Albus Superbus.

Conway's Giant. A strong grower of splendid appearance, fine decorative plant for the house. Its enormous flowers are deep searlet shading to purple. Each 75c to \$2.50.

Crenatus. This specie grows to a height of about 2 feet. Is a very free bloomer, the flowers are of mammoth size, color creamy white shading to rose, valuable for cutting and placing in water. Each 50c to \$1.50.

Latifrons. "The Queen Cactus" This is considered when well grown to be the grandest eactus known. The foliage is fine, being long, broad and of bright green. The flowers are exquisite, deliciously fragrant, pure white and of immense size, 6 to 8 inches in diameter. During the summer it should be given plenty of water and shaded slightly from the sun. Each 25c to \$3.00.

Hookeri. The branches and stems are flat and deeply crenated. They grow from 2 to 3 feet high and bear white, delightfully fragrant flowers on the margins of the stems. Each 75c to \$1.50.

Phyllanthus. Often erroneously called the night blooming Cereus, bears large creamy white flowers, 9 to 12 inches in length, opening at night and exhaling a peculiar odor. Each 75c to \$1.50.

Phyllanthoides. Resembling the latter, has much smaller flowers, the petals being colored rose and white in irregular streaks. It is a very beautiful species and one of the most floriferous of the family. Each 75c to \$2.50.

Wrayi. A very handsome stont branched specie bearing immense flowers, 6 to 8 inches in diameter, color creamy white shaded with gold, fragrant when first expanded. Each 75c to \$2.50.

PELECYPHORA.

A native of Mexico. Very rare. It is nearly allied to the Mamillarias but in place of the spines of that genns it bears 2 rows of flat horny scales which overlap like the tiles on a roof. It derives its name "Hatchet Cactus" from some fancied resemblance of these scales or tubercles to a hatchet. It bears near the summit of the stem, pretty, white and rose colored flowers 1 to $1\frac{1}{2}$ inches in diameter. The most suitable soil for this variety is same as for Mamillarias.

Aselliformis. "Hatchet Cactus." Each \$1.00 to \$2.00.

PERESKIA.

This genus is entirely different in appearance from any other of the Cactus family. Most interesting and distinct, will thrive in any good soil.

Aculeata. Indigenous in the West Indies where it is commonly known as the Barbadoes Gooseberry or Blad Apple. It grows about 15 feet high, the stem armed with bundles of straight spines, and having trailing branches bearing oblong, elliptical leaves, not unlike that of the orange, and clusters of beautiful yellow, edible and pleasant tasting fruit which is used in making preserves in the same manner as the gooseberry. This specie is an excellent stock to graft Epiphyllums on. Each 25c to \$1.00.

Bleo. Of shrubby form, with rather soft, fleshy leaves 5 or 6 inches long of an elliptical form, sharp pointed at the top and tapering to the base. It bears handsome, large rose-colored flowers, remaining perfect for a long time. The leaves are eaten as a salad in Panama. It makes a good grafting stock for Epiphyllums. Each 35c to \$1.00.

Subulata. A fine strong growing variety, of very ornamental appearance. Each 50c.

RHIPSALIS.

Very curious succulent plants which are natives of South America and the West Indies. As the Opuntias may be said to be all leaves, and the different kinds of tree Cereus all stems, so the Rhipsalis may be said to be all branches, spreading in all directions. The flowers of this genus differ from those of Cacti generally, in being usually small but produced in great abundance. They are propagated by cuttings and require the same soil and treatment as other Cactaceous plants.

Cassytha. Long fleshy whip-like branches and white berries, resembling the Mistletoe in form color and substance. Each 25c to 50c.

Funalis. A free flowering, easily grown, strong.

upright plant, with thin round stems. Flowers white, produced in spring. Each 25c to 50c.

Mesembryanthemoides. A trailing variety, the plant bearing small cylindrical branches covered with tufts of fine hair. Flowers yellowish-white, fruit a small white berry; rare. Each 50c to \$1.

Saglionis. Sometimes called "Golden Paint Brush" on account of its numerous small brush-like flowers having the appearance of being tipped with gold. A very neat and interesting variety. Each 25c to 50c.

Salicornoides. "Coral Cactus." Of peculiar growth, has leafless knotty branches. Flowers yellow, becoming red with age. Each 25c to 75c.

Agaves, Aloes, Gasterias, Haworthias and Other Succulents.

AGAVE VICTORIA. (See eut.)

"Queen Victoria Century Plant." A handsome plant, of close compact growth. The leaves curve gracefully inward and are curiously marked with narrow, pure white, zigzag stripes. Each 50c to \$2.50.



Agave Victoria.

ALOE PICTA. (See cut.)

A remarkably handsome plant with broad, thick, and charmingly recurved leaves. The color is green, spotted and mottled all over with white and green of a still lighter shade. Bears large spike of yellow-orange and green flowers. Each 50c to to \$2.50.



Aloe Picta.

ALOE VARIEGATA. (See cut.)

"Partridge-Breast." A most beautifully formed plant, splendid ornament in the window, garden or among a cactus collection. Leaves spirally arranged, face concave, back keeled, bright green, copiously striped with light grey on both sides. It bears magnificent flower spikes freely, color red and yellow. Each 50c to \$1.00.




Aloe Variegata.

COTYLEDON EDULIS.

Commonly named "Indian Lettuce" or "Finger Tips." A native variety with long, round, green leaves, and pretty pink flowers. Each 15c to 25c.

DASYLIRION GRACILE. (See cut.)


Highly ornamental plant, of fast growth. Will stand any amount of heat, as well as several degrees of frost. The flowers are quite interesting. Each 25c to \$1.00.



Dasylirion Gracile.

EUPHORBIA SPLENDENS.

"Crown of Thorns" (See eut.) A very eurious and romarkable window plant. It is a strong-growing creeper or elimbing plant that can be trained over any desired form, as shown in the illustration; and when full of its bright searlot flowers, which almost cover the deep, glossy, green leaves, it is an object of rare and striking beauty. Easily grown, and always attracts attention. Each 25c to \$1.00.



Euphorbia Splendens.

ECHEVERIA.

The Echevorias are succulent plants, all more or less ornamental, particularly so when in flower. They are all free growing plants suitable for rockerios, edgings or massing; where carpot bedding is done the Echeverias are indispensable.

Hoveyii. (Opal Echoveria.) Exceedingly beautiful with leaves of a bluish opal tint, white, bluish greon and pink striped. It sports, giving leaves of different shapes, changing and mixing its colors variously; pretty yellow flowers. Each 25e to 75e.

Metallica. Large foliage, beautiful pearly lavender-pink in color, contrasting finely with the tall spikes of waxen red flowers. Each 25c to 50c.

Secunda Glauca. (See cut.) A fine border plant with handsome glaucous green leaves and bright red flowers. Each 15c; per doz. 75c.

GASTERIA. (See cut.)

A somewhat oxtensive genus of succulent plants from the Cape of Good Hope, allied to the Aloe, which they closely resemble and requiring the same treatment. The leaves are mostly tongue-shaped, all beautifully marked with raised white spots, flowers scarlet, lined and tipped with green.

Four beautiful varieties, each 25 to 50c.



Gasteria.

HAWORTHIA.

Handsome little Agave-like plants of perfect form, dark green in color and beautifully marked with raised white spots on the surfree of their leaves. Some have round semi-transparent or translucent leaves which are most interesting. Each 25c to 50c.

MESEMBRYANTHEMUM TIGRINUM.

"Tiger's Jaw." Is a very rare plant. Leaves thick, fleshy, edged with soft spines and resembling the open jaws of some animals. Very large and beautiful yellow flowers. A great euriosity. Each, 35c to \$1.00.

ROCHEA FALCATA.

An interesting plaut with large thick, fleshy leaves of a light frosted green. Flowers brilliant scarlet; a splendid house plant. Each 25c to 50c.




Echeveria Secunda Glauca.

STAPELIAS.

This is a genus of very curious plants, with pretty star-like flowers proceeding from the base. These are very singular as well as showy, and would be highly prized were it not for their offensive odor, nevertheless thoy are interesting plants, and the odor is of short duration.

Stapelia variegata. (See cut.) Bears beautiful flowers, color buff yellow, with maroon markings resembling golden stars. Each 15c to 50c.



Stapelia Variegata.

Grandiflora. A rare variety of stronger growth than the above. The flowers are star-shaped, in color rich maroon red, completely covered with reddish hairs; blooms in large clusters. Each 35c to \$1.00.

Cylindrica. An interesting variety. Stem round and delicately marked by imbricated fissures; flowers yellow. Each 35c to \$1.00.

SANSEVIERA ZEALANICA. (See cut.)

A beautiful plant, splendidly adapted for house decoration, as it stands drouth and dust with impunity. The leaves grow to a length of 3 to 4 feet, and are beautifully striped crosswise, with

broad, white variegations on a dark, green ground. It is a rare and beautiful plant, which should be abundantly grown for positions out of reach of sunlight, where other plants will not thrive. It has a singular beauty for decorative purposes which other plants do not possess, and is useful for both winter and summer. For vases or baskets



Sanseviera Zealanica.

it makes a fine center piece, and it grows spleudidly out of doors during the summer months. Strong, healthy plants. Each 25c to \$1.00.

Special Collections of Cacti.

The home of many if not quite all varieties of Caeti native to the United States is in the arid and mountainous regions of Southern California, Arizona, New Mexico and Western Texas. Conditions of soil and elimate being naturally favorable, the species from other countries, -old Mexico and South and Central America, flourish and are of easy growth. Owing to these advantages, we are enabled to offer only first-elass plants. In order to stimulate a keener interest and a wider appreciation of these denisons of the desert we have made up a couple of eollections of our selection. as follows:



THE SUNSET COLLECTION.

Of our own selection, and sent prepaid by mail or express to any portion of the United States and Canada upon receipt of price:

- 6 plants correctly named and labeled for \$1.00 No. 1. 12 plants correctly named and labeled for \$1.75 18 plants correctly named and labeled for \$2.50 No. 2.
- No. 3. 24 plants correctly named and labeled for \$3.25 No. 4.
- 36 plants correctly named and labeled for \$4.50

THE OLD MISSION COLLECTION.

Composed of larger and higher priced varieties:

- No. 1. 6 plants correctly named and labeled for \$1.50
- 12 plants correctly named and labeled for \$2.50 18 plants correctly named and labeled for \$3.50 No. 2. No. 3.
- 24 plants correctly named and labeled for \$4.50 No. 4. 36 plants correctly named and labeled for \$6.50 No. 5.
- Mixed collections of Cacti and Succulents supplied at the same rates.

Note. — Our facilities for collecting and propagating Caeti are unsurpassed, and the preceeding list comprises but the leading standard sorts. We are prepared to supply on short notice any and all varieties not mentioned. Write us briefly what you want, giving specific as well as the common name, and we will quote you price and particulars.

Agricultural and Horticultural Requisites.

INSECT, BLIGHT AND VERMIN DESTROYERS.

Buhach. (Porsian Powder.) It is resinous, impalpable and non-poisonous, and kills all sorts of insects and worms by filling up the pores and acting on the skin. Apply when everything is dry, as the moisture destroys its properties. Per lb. 50c. (Special price given for large quantities.)

Fir Tree Oil. This insect destroyer has proved to be one of the most reliable for red spidor, green fly, mealy bug, seale, ants, thrip, onion fly, caterpillar, slugs, blight, araucaria scale, etc. Per pint tin 80c; quart \$1.50; gallon \$5.50.

Flour of Sulphur. Amorican. Prevents and eures mildew on roses, grapes, etc. Apply with a gun or bellows while the leaves are damp. Prico per lb. 5c; 100 lbs. \$2.50.

Flour of Sulphur. Imported, French. Of greater strength than the preceeding. Price per lb. 10c; per 100 lbs. \$4.50.

Hammond's Slug Shot. An inpalpable powder, containing ingredients that will destroy the cut worm, potato bug, chinch bug, rose bug, rose slug, curculio, and all lieo, worms or caterpillars. Price per lb. 10c; per 100 lbs. \$7.50.


Tobacco Dust. Kills green and black fly, etc. To be dusted or blown on while the foliage is moist. Price per lb. 15c.

Tobacco Soap. Makes an oxcellent wash for plants and trees infested with green fly, lice and eggs of insects. Dissolve 2 ounces in a gallon of water. In ½ lb. tins 25c.

Whale OII Soap. Makes an excellent wash for troos and plants, kills insects and their eggs on the bark. Per lb. 15c; 2 lbs. 25c. Larger quantities, price on application.

INSECTICIDE APPLIANCES.

Bellows. Used for dusting plants with sulphur, slug shot, tobacco dust eteeach \$1.25.



Woodason Spraying Bellows.

Bellows. Woodason Liquid Spraying. (See cut.) For the destruction of insects, etc., in houses, gardens, orchards or fields, throwing a spray as fine as smoke, reaching insects under the leaf, and every part of the bush, grape vine, etc. Price, size 8×22 in. \$2.00; small size \$1.25.

Woodason Patent Double Cone. (Sce cut.) Worth their weight in gold; 3½ feet long; blows sulphur, to-baceo dust, slug shot, etc. By placing a cork in the end of the tube, the powder escapes through a slot near the end in an npright or any direction desired, thereby being the best article for killing insects under the leaf, especially in gooseberry and

thick growing plants, having no crook to hitch to the thickest shrub. Price \$3.00. Woodason Single Cone. (See cut.) Recommended for sulphuring chicken houses, green houses; also for insect powder, tobacco dust, slug shot, etc., in gardens. Price \$2.00; small size \$1.00.

Powder Guns. For applying insect powder, etc. Small size each 10c Jumbo. Large size each 25c

SPRAY PUMPS, ETC.

Climax Spray Pumps. These are made entirely of iron and brass, all parts that have to bear any strain being malleable iron. They are supported by three removable gas pipe legs, and can be taken apart and packed in a box for shipping. We recommend these as being the most practical, easy working, and best all round pumps for orchard spraying, etc.

Climax Spray Pump No. 1. Has 2 discharge orifices and is supplied with 2 lengths of ½-inch discharge hose, each 8 feet in length, 20 inches suction hose and 4 nozzles. A single hose can be used at a time if desired, by unscrewing the other hose and attaching a cut-off which is supplied with the pump. Price complete \$12.50.



Climax Pump No. 2.

Climax Spray Pump No. 2. (See cut.) Can be attached to any kind of vessel or tank in a few minutes by means of brass connections, or the suction hose can be dropped into a barrel, trough or eistern, with equal success. It has 1 discharge orifice, 16 feet discharge, and 4 fect suction hose, 2 nozzles and the necessary connections. Price complete \$17.50.

Climax Spray Pump No. 3. Has 2 discharge orifices, 2 lengths of 34-inch discharge hose, each 16½ feet loug, 2 fect suction hose, agitator, cut off, and 4 nozzles. This pump can be used in all cases where a spray or solid stream is desired, and is capable of throwing a spray nearly as fine as mist, 20 feet in the air, or a solid stream 50 feet. If desired the legs can be removed and the pump firmly bolted to the top of a barrel. This is one of the most powerful and easy working pumps on the market, and one of the most valuable for large orange orchards, etc. Price complete \$22.50.

Extra Nozzles for the above pumps \$1.50 each.


"Daisy" Pump. A cheap effective pump for spraying chicken houses, and for use in small gardens. Made of lacquered tin. Price \$1.25.

Myers' Bneket Brass Spray Pump. (See cut.) Constructed of brass, not affected by the poisonous arsenites used in different formulas for spraying fruit trees, vines, shrubbery, poultry houses, etc. The cylinder air chamber and all the working parts are brass, has rubber ball valves and is equipped with the Myers' combination spray nozzle, and will throw a spray as fine as mist or as coarse as required. It will throw a solid stream 50 feet and is of unusual value for washing windows, etc. For spraying it is arranged so it discharges a fine jet in the bottom of the bucket to keep the solution thoroughly mixed and agitated, a feature peculiar to this pump. Price with clasp to attach to side of bucket \$3.00; with malleable foot rest \$3.50.


 ${\rm An~8}\mbox{-foot~Pipe~Extension}$ is necessary with the above pump, to spray large trees. Price 50c.

Faultless Sprayer. (See cut.) The best constructed sprayer of its class ever offered, and will throw a spray as fine as mist. For durability and strength it has no equal. The air chamber is brought to a tapering point, giving great force to the spray, and is fastened to the tank in the most substautial manner, being soldered to the top of the reservoir and also supported by a broad strap of metal passing over the point of the tube. Price, made of tin 85c; made of brass \$1.50.

Double-Tube Lightning Insect Exterminator. This exterminator is made with double tubes, throwing two large sprays as fine as mist, at one time. The capacity of the reservoir is 1 quart and the filling hole is made funnel-shaped, so it is very easy to fill. Price \$1.25.



Myers' Bucket Brass Spray Pump.



Faultless Sprayer.

Syringes. Brass. Of the best make and of various sizes and patterns, fittled with roses for ejecting water in one stream, or in a fine or coarse spray. From \$2.50 to \$6.00.

GARDEN HOSE AND ATTACHMENTS.

Rubber Hose. 1/2 inch diameter. Per	Hose Nozzles. Brass. Each 50c and 75e	
foot, 6c to 10e. 34 inch diameter. Per foot 8 to 18c.	Reducers. Each	.25
1 inch diameter. Per foot 8 to 18c.	Rubber washers. Per doz	.10
Hose Menders. Wood. Per doz	Reels or Trucks, on wheels, wooden. Each	1.50
Brass. 34 inch. Per doz 1.00	Reels or Trucks, on wheels, iron. Each	2.50
Each		

LAWN MOWERS.

Lawn Mower. "Royal Ball Bearing." (See eut.) The axles of the revolving cutter, like the axles of a bicycle, work in "ball-bearing" cups, which reduces the friction greatly and makes the machino much easier running. It has high driving wheels; self-sharpening knives, and is mado of the best material throughout. We recommend this machine as being the best and easiest working mower on the market. A 24-in. machine cuts the grass just as easily as a 16-in. mower

of the old style. 16, 18, 20 and 24-in. Per ineh 70c.

"Keystone." Open or solid wiper. Has rear cut floating construction, self-sharpening knives, adjustable handle, incased gear, self-working and adjustable pawl, noiseless ratchet, and is made in


the most superior manner. 10, 12, 14, 16 and 18-in. Per inch 65e.

"New Departure." Made by the same reliable firm that manufacture the "Keystone," and other standard mowers, but is of cheaper material. 10, 12, 14 and 16-in. Per inch 45c.

"Pennsylvania." A standard mower, one of the best known and most popular machines upon the

market. Similar in appearance to the Koystone and made of the very best material. 16 and 18-in. Por inch 60e.

Attachments for catching the mown grass, to fit 12 and 14-in. Lawn Mowers. Each 50c. To fit 16 and 18-in. Lawn Mowers. Each 75e.



Royal Ball Bearing Lawn Mower.

LAWN SPRINKLERS.



Crown. (See cut.) The most simple and complete lawn sprinkler ever offored. No friction; will not elog; cannot wear out. It is very simple, consisting of a small circular box only, with an aperture in the top, and being made of one piece of metal is very durable. Price 35e.

A combination sprinkler; can be adjusted to throw a circular spray for the lawn, or a coarse or fine spray in oue direction. Price \$1.00.

Dandy. Fitted with spike to go into the ground, niekel plated. Price 75c.


Propeller. With spike, rotary. Price 50c.

"PLANET JR." LABOR SAVING GARDEN TOOLS.

FOR HAND USE.

These are the most perfect garden tools made, and have long been the most popular. They are known the world over, and beyond question are the most complete in equipment and most practical and labor saving in the field that have yet been invented. Our special "Planet Jr." eatalogue, fully illustrated and describing the sorts of work accomplished, free on application.

Attachments and parts of the different tools catalogued can be supplied if required.	
The "Planet Jr." No. 16. Single Wheel Hoe. Cultivator, Rake and Plow com-	Price.
bined\$	6.00
The "Planet Jr." No. 10 Double Wheel Hoe. (See cut.) Cultivator, Rake and	
Plow combined	7.25



The "Planet Jr." No. 10 Double Wheel Hoe.

The "Planet Jr." No. 1 Combined Drill. Wheel Hoe, Cultivator, Rake and Plow	10.50
The "Planet Jr." No. 2 Seed Drill.	7.75
The "Planet Jr." No. 3 Hill and Drill Seeder.	11.00
The "Planet Jr." No. 4 Combined Hill and Drill Seeder. Wheel Hoc, Cultivator, Rake and Plow	
The "Planet Jr." No. 21 Combined Hill and Drill Seeder and Fertil-	
izer Drill	19.00
The "Planet Jr." Grass Edger.	6.00
The "Firefly" Garden Plow.	2.50
"PLANET JR." HORSE IMPLEMENTS.	
The "Planet Jr." No. 8 Horse Hoe and Cultivator. With lever wheel	10.50
•	
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator.	
·	17.00
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator	17.00 10.50
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator The "Planet Jr." Twelve-Tooth Harrow, Cultivator and Pulverizer	17.00 10.50 14.00
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator The "Planet Jr." Twelve-Tooth Harrow, Cultivator and Pulverizer The "Planet Jr." Double Celery Hiller	17.00 10.50 14.00 11.00
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator The "Planet Jr." Twelve-Tooth Harrow, Cultivator and Pulverizer The "Planet Jr." Double Celery Hiller The "Planet Jr." Single Celery Hiller	17.00 10.50 14.00 11.00 20.00
The "Planet Jr." Nine-Tooth Horse Hoe and Cultivator. The "Planet Jr." Twelve-Tooth Harrow, Cultivator and Pulverizer. The "Planet Jr." Double Celery Hiller. The "Planet Jr." Single Celery Hiller. The "Planet Jr." Irish Potato Digger.	17.00 10.50 14.00 11.00 20.00 40.00

For full description of the above and for other "Planet Jr." tools, write for our special "Planet Jr." Catalogue, fully illustrated. Mailed free upon application.

MISCELLANEOUS TOOLS AND GARDEN REQUIS	ITES.
Corn Planter. Batcheller	
Corn Planter. Eclipse]
Dibbers. (See cut.) Germain's New Steel, pointed, round, all steel, erooked hand	
Dibbers. Germain's New Steel, dagger shaped, tapering, all steel, D handles, 8×2	/2 111011
Forks, Digging. Short, D handle, 4 pronged 1.25	
Forks. Digging. Long straight handle, 4-	
pronged 1.00	
Forks. Hay, or Pitch, 2-pronged	W
Forks. Hand Weeding. Best Steel	
Forks. Manure, 4-prouged 1.00	()
Garden Line Reels	ber.
Garden Lines. Best braided	ft. \$1.40.
Garden Lines. Small, thin, yellow	
Grafting Compound. Ongerth's Improved. In 1 lb. cans	
Grafting Wax. Trowbridge's	
Grafting Wax. Bees' Wax. (Subject to fluctuation)Pe	
Prices for large quantities on application.	
Grass Hooks, or Sickles.	
Hand Cultivator. "The Osborne." This tool will cultivate both sides of	
vegetables at the same time. It consists of 3 shovels, 1 being moveable,	
work the two shovels on both sides of the row, the other, or center one, can be ins	
nsed when working between the row	
teeth, so disposed as to divide from the middle, thus enabling the operator to culti	
sides of a row at the same time	
Hoes. Draw "Aeme Plow." This hoe is composed of 1 5-in. blade and 2 cultivat	
on the reverse side, all east in 1 solid piece	
Hoes. Draw. Bishop's Cast Steel5-in. 3	5e; 7-in.
Hoes. Draw. Planters'. Very useful, sharp eutting6-in. 30e; 7-in. 40e; 9-in. 5	5e; 10-in.
Hoes. Draw. Prong, or Potato Hooks. 6-pronged	
Hoes. Draw. Warren. or "Bayonet" Hoe	
Hoes. Push. Seuffle, or Dutch. A very useful garden tool for keeping do	wn weeds Oe: S-in
Hoe and Rake Combined. According to size	e, 40e and
	Per 100. Per
Labels. Wooden Pot, 4-inch plain	\$0,20 \$ 25
Labels. Wooden Pot, 5-inch, plain	
Labels. Wooden Pot, 4-inch, painted	25
Labels. Wooden Pot, 5-inch, painted	30 35
Labels. Wooden Pot, 6-ineh, painted	
Labels. Wooden Tree, 3½-inch, notched or pierced, painted	25
Labels. Wooden Garden, 8 inches long by 1 inch wide, plain	60
Labels. Wooden Garden, 8 inches long by 1 inch wide, painted	75
Labels. Wooden Garden, 12 inches long by 1 ¹ 8 inches wide, painted	1.00
Lubricators. Filled with oil, with patent cap. For lawn mowers, etc	
Manure Hooks. Fine steel and well finished.	
Moss. Sphagnum, per bale of about 30 pounds	•••••
Peneils. Wolf's Indelible, solid ink, will dispense with painting labels	
Potato Hooks. Six pronged	
Post Hole Digger. "Samson"	
Rakes. Garden, cast steel, 10 teeth, 40e; 12 teeth 50e; 14 teeth, 60e; 16 teeth Rakes. Lawn, "Ohio Boy," galvanized; the teeth run right through the frame, f	orming 24
teeth on one side and 12 looped teeth on the other	
Polyon Lawn weeden frame Od with total	
Rakes. Lawn, wooden frame, 24 wire teeth	
Rakes, Lawn, wooden, 20 teetli	s] Per lb
Rakes. Lawn, wooden, 20 teeth	es] Per lb. 1
Raffia. Lawn, wooden, 20 teeth	es] Per lb, 1 2

Sacking Twing In hundles of 10 manuals		11 00	Eac
Sacking Twine. In bundles of 12 pounds Scythes and Snaths		per lb. 30c	den i
Seythe Stones. Talacre. Imported. Finest	Sectely		φ⊥ 2.
Seythe Stones. Domestic.			
Seed Drill. "Acme." (See cut.) This cheap ga	rden seed drill, will sow beet, cab	bage, carrot.	• •
radish, turnip, and all other such seeds with p			
anything but accurately, and is so simply c			
one day it will cover twelve times the ground			1.0
Seed Sower. Cahoon's Broadcast. A useful l			3.5
Shovels. Short, D handles			1.5
Shovels. Long Handled			1.
pades. Boys' or Ladies,' small			
Spades. Best makes, full size, D handles		75e to	1.
Spades. Long handled			1.
	6		
	X	and the	
5 = 5 0	THE WALL BEING THE PARTY OF THE		
\$ 2 P			
Fin Ga	Transplanting Trowel.		A
			A
0 = 0 11 - 13 - C	•		W
0000			N.
	and a second	VĒ.	
	The state of the s		2/
Acme Seed Drill.		0. 11. 1. 0.	
Acine Seed Dini.	Disston's Garden Trowel.	Scollay's Spri	unkl
dening, also very useful for dampening clothe large \$1.00; medium, 75c; small		•••••	. (
Transplanters. The Avery. Just the thing transplanting, doing it better and quicker, say its cost. Plants removed by it do not wilt. two-hand size	ring plants and time enough to ma Price, small single-hand size, eac	ny times pay h 60c; large	0
Transplanters. Widney's. Well known her			2.8
112 inches in diameter, \$1.50; 2 inches \$1.7			2.0
			-
			嫌
			1
			14
			Я
			1
4 A M			V
Excelsior Weeder.	Hazeltine Weeder.	Noyes' W	Veed
Traps, Gopher. "Dead Lock"			
2 / 2			•
Craps, Mole. Olmsteds.' Sure death to mole			2.
	nsplanting and weeding, 5-inch 2	•	
	ned		•
, —	ed		
Frowels, Garden. American. 6-inch, pla	inlue steel, 6-inch		
Trowels. Garden. (See cut.) Disston's, b			

	Each
Trowels, Garden. English, shank and blade solid steel, 6-ineh	
Trowels, Transplanting. (See cut.)	
Watering Pots. French model, galvanized iron, with long spouts, 6 qts; \$2;25	
Weeders. Hand, "Excelsior," (See cut); Useful for weeding seed beds, stirring to	
Weeders. Hand, Hazeltine. (See cut); one of the best, solid steel, good size, at	
Weeders. Hand, Noyes' (See cut); well known, a standard article	
HORTICULTURAL CUTLERY.	
Knives. Asparagus, American, V edge, bevelled	\$.50
Knives. Asparagus, English, saw edge	
Knives. Budding, English and German imported	
Knives. Corn, 18-in. blades, kris-shaped	
Knives. Flower Gatherors, a bar on the blade, holds the stem of the flower after	-
Knives. Potato. Humphroys' concave and curved.	
Knives. Pruning, German imported. (Henckel's)	
Saws. Pruning, Brown's 16-in	
Savar Tituling, Diona & To In	
	7 8
	H A
District the second sec	
Lopping Shears. Pruning Shears.	Hedge Shears
	A A
	11 //
	4/
	Control of the second
Lee's Telegraph Tree Pruner.	Border Shears.
Saws. Pruning, Disston's Creseent, with upward cut, 12-in. and 14-in	
Saws. "Keen Kutter," 15-in	
Shears. Border or Edging, 9-in, long handles	
Shears. Border or Edging. (See cut.) 9-in., long handles, with 1 wheel	
Shears. Border or Edging, 9-in., long handles, with 2 wheels	
Shears. Hedge. (See eut.) "Sheffield," 8-in	
Shears. Hedge, "Sheffield," 9-in	
Shears. Lopping Treo. (See eut)	
Shears. Tree Pruning. (See cut.) Loe's Telegraph, 6-ft. \$1.00; 8-ft. \$1.15; 1	-
Shears. Pruning, small for ladies' use; mado of fine steel, niekel-plated, 2 sizes	
Shears. Pruning, (See eut) German imported. (Henekel's)	
Shears. Pruning, the "Levin," light and strong, easy to handle, makes a clean en	
Shears. Grass, American, cranked handle, 6-in. blades	
Shears. Grass, English, cranked handle	

PLANT STAKES AND TRELLISES.

1.75

2.00

2.50

.30

.40


		akes.	-		Round,	painted
g	recu a	nd smoot	hly tur	rned:		
_					Per Doz.	Per 100
$\frac{2}{2}$	feet.				\$0.25	\$2.00
$\frac{21}{2}$	feet.				.30	2.50
3	feet,	light			.40	3.00
3	feet,	heavy			.85	6.50
$3\frac{1}{2}$	feet,	light			.55	4.00
4	feet,	light			.70	5.00
4	rect,	neavy			1.00	7.50
5	feet,	$light \dots$.85	6.50
5	feet,	heavy	• • • • • • • • • • • • • • • • • • • •		1.50	12.00
6	feet,	heavy			2.00	15.00
Plan	t Sta	akes. S	quare,	painted		
gı	reen:					

1½ feet

feet

feet

Plant Trellises. Veranda. (Sec cut.) 5 ft. long by 18 inches wide, each 85c; 6 ft. \$1; 7 ft. \$1.25; 8 ft. \$1.50.



Plant Stakes.

Fan Trellis. Veranda Trellis-

Pampas Plume.

FERTILIZERS.

Gypsum or Land Plaster. (Sulphate of Lime.) We strongly recommend its use on all black alkali land, as it is the best leacher we know of. In 100-lb. bags, 75e; per ton \$10.00.

Lawn Fertilizer. Our own special mixture. To keep a lawn in good order, it is necessary that it should be supplied with the invigorating power with which to produce a rich green growth. This want is amply fulfilled by our special lawn fortilizer, which is a clean, convenient and portable dressing, it never fails to improve the lawn, and will not introduce weeds as stable manure does. It should be sown broadcast at the rate of 600 pounds to the acre; 15 pounds will fertilize well, a piece of ground 25×25 feet. Per lb. 5c; per 100 lbs. \$3.00.

Nitrate of Soda or Chili Salt-petre. This is a fertilizor that should be used with a great deal of care, as, if used in excess, it is likely to kill the plants, we, therefore, advise it only to be used in small quantities. In applying it to pot plants, dissolve a tablespoonful in one gallon of water and use it every two weeks. The ammonia in this salt is about 20 per cent. Per lb., 5c; per 100 lbs., \$3.00; per ton, at market rates.

Pure Granulated Bone. For lawns, etc. Recommended for plants and fruit trees. Per lb., 5c; per 100 lbs., \$2.50; larger quantities, prices on application.

PAMPAS PLUMES.

FLORISTS' SUPPLIES.

We carry a full line of Florists's Supplies, such as: Wire Designs, Flowor Baskets, Metal and Bcaded Funeral Pieces, Immortello Lettering, Tinfoil, Wire, Toothpicks, etc.

Prices and particulars upon application.

Orchard Trees and Small Fruits.

The nursery industry throughout the State, and indeed throughout the Southwest, has been in a transition state during the past few years—a condition bordering onto stagnation induced and intensified by three or four seasons of scant rainfall. This has made the sale of citrus and deciduous fruit trees during that period rather dull, and as a consequence much stock became unsalable while at the same time many trees were dug up and burned. This has made nursery stock searce and prices this year have materially advanced. It is now safe to say that the period of depression has lifted; people with the advent of plenty of rain, are planting freely; confidence in commercial horticulture has been restored; the demand for trees is now almost in excess of the source of supply. Under these conditions specific prices in large quantities can not be given here, but in spite of that fact we want our patrons to understand that we can supply citrus and deciduous fruit trees of all varieties as low as is consistent with good reliable stock. Fifteen years experience in this line has not been without its advantages. We are at all times ready to quote prices. The following prices are subject to change without notice:

times ready to quote prices. The following prices are subject to change wit	hout 1	notiee:
CITRUS FRUIT TREES.		
Orange. Washington Navel, 2-year buds4 to 6 ft	\$1.50	$^{ m Per}_{ m 10}$
Other varioties. Same price	-	
Lemon. Eureka, Lisbon, Villa Franca	1.50	12.50
Pomelo or Grape Fruit 4 to 6 ft	1.25	10.00
Lime, Mexican 2 to 3 ft	1.25	10.00
Orange Plants. Seed bed stock, 1 year, 8 to 15 inches. Market Price		
DECIDUOUS FRUIT TREES.		
Apple. Leading Varieties4 to 6 ft		
Pear. Leading Varieties		2.00
Cherry. Leading Varieties4 to 6 ft	.25	2.00
Plum. Loading Varieties 4 to 6 ft		2.00
Prune. Leading Varieties	.25	2.00
Apricot. Leading Varieties	.59	4.00
Peach. Leading Varieties	.30	2.50
Nectarine. Leading Varieties	.30	2.50
Quince. Leading Varieties	.25	2.00
Almond. Leading Varioties	.25	2.00
Filbert. Leading Varieties		3.00
Chestnut. Leading Varieties	.40	3.00
Pecan. Leading Varieties	.40	
Paper Shelled 4 to 6 ft	75	0.50
Wainut. Soft Shellod 5 to 6 ft Soft Sholled 7 to 8 ft	.30	$\frac{2.50}{3.00}$
Fig. Leading Varieties. 3 to 4 ft.	$.40 \\ .30$	$\frac{3.00}{2.50}$
		$\frac{2.50}{2.00}$
Olive. Leading Varieties	$\begin{array}{c} .25 \\ .25 \end{array}$	$\frac{2.00}{2.00}$
Ponegranate. Leading Varioties3 to 4 ft	.35	$\frac{2.00}{3.00}$
Loquat. Gennine Giant	1.25	3.00
Common	1.20	
		Per 100
Grapes. Rooted. Black Malvoise, Rose of Peru, Flame Tokay, Black Cornichon Black Hamburg, Emperor, Mission, Museat of Alexandria, Sultana, Thompsons Seedless		
Each 10c	\$T.00	\$ 5.00
Blackberries. Crandall's Early. Kittatinny, Lawton, Wilson's Early. Each 10c		2.00
Raspberries. Red Varieties, Cuthborts, Malboro. Each 10c	.50	$\frac{2.00}{2.00}$
Raspberries. Yellow Varieties. Golden Queen, Yellow Antwerp. Each 10c	. 50	$\frac{2.00}{5.00}$
Gooseberries. 2-Year. Downing, Oregon Champion, Smith's Improved. Each 20c	1.50	3.00
Currant. 1-Year. Black Naples, Cherry, Fay's Prolific. Each 15c	75	
	10	
STRAWBERRY PLANTS.	Per 100	Per 1000
Arizona Everbearing. One of our best summer varieties, very prolific		
Brandywine. The largest berries on the Los Angeles market this season were the	φυισυ	φ 4.00
Brandywine. Bright red all over, fine flavor, and a good fall and winter bearer Laxton's Nobie. Recently introduced into Southern California seems to agree perfectly with this climate. Is fully as productive as the Arizona Everbearing, but		4.00
a great deal more profitable on account of being 5 or 6 weeks earlier. The berry is very large, of a beautiful dark red color all over	.50	4.00
in early spring better than most varieties. It is one of the earliest, good bearing sorts, bringing the highest market price, no insects bother it	.50	4.00

. . We are Headquarters for Everything required by the Breeders of . . .

Poultry, Belgian Hares


AND

Miscellaneous Pet Stock

For want of space, and also in deference to the fact that we publish a separate and distinct catalogue descriptive of Poultry and Pet Stock Supplies, we here enumerate only a few of the standard articles we carry constantly in stock. If you do not see what you want send for a copy of this catalogue.

PETALUMA INCUBATORS AND BROODERS.

We pay the freight on Incubators and Brooders.





ALFALFA CUTTERS.

Mann's without legs.

Price...... \$10.00

Mann's, with legs.

Price...... \$12.50

VEGETABLE CUTTERS.


Evans No. 5.

Price\$5.00

Evans No. 10.

Price\$7.00

Egg Testers, to fit the Ordinary 2 or 3 burners	il 45c
The Hydro Safety Lamp No. 2	\$1.75
The Hydro Safety Lamp No. 1	2.00



GERMAIN FRUIT COMPANY

Poultry Netting Staples......Per lb. 10c

326-330 SOUTH MAIN ST.

at the advance of wire, we are able to quote low prices on application.

LOS ANGELES, CAL.

Valuable Agricultural and Horticultural Books.

BY MAIL POSTPAID AT PRICES AFFIXED.

AMERICAN CATTLE, by L. F. Allen. Cloth, 528 pages	\$ 2.65
ASPARAGUS CULTURE by J. Barnes and Wm. Robinson. Cloth, 84 pages	$\begin{array}{c} .55 \\ 1.15 \end{array}$
BEE-KEEPING, by L. C. Root. Cloth, 271 pages	$\frac{1.13}{1.60}$
BULBS AND TUBEROUS-ROOTED PLANTS, by C. L. Allen. Cloth, 311 pages	2.15
CABBAGES AND CAULIFLOWERS, by Jus. J. H. Gregory, Paper cover, \$8 pages	.35
CALIFORNIA FRUITS AND HOW TO GROW THEM, by E. J. Wickson. Cloth, 477 pages	2.70
CALIFORNIA VEGETABLES IN GARDEN AND FIELD, by E. J. Wickson Cloth, 336 pages CARROT, SUGAR BEET AND MANGEL CULTURE, by Jas. J. H. Gregory, Paper cover, 61 p.	$\frac{2.20}{.35}$
CELERY MANUAL. Paper cover, 59 pages	.55
COMMERCIAL FLORISTS' MANUAL, by Wm. Scott	5.00
ELEMENTS OF FORESTRY, by F. B. Hough. Cloth, 381 pages	1.65
FARM-GARDENING AND SEED-GROWING, by Francis Brill. Cloth, 166 pages	1.10
FLORAL DESIGNS, by J. Horace McFarland. Cloth, 148 pages, 50 tinted illustrations	$\begin{array}{c} 3.75 \\ .55 \end{array}$
GARDENING FOR PLEASURE, by P. Henderson. Cloth, 404 pages	2.10
GARDENING FOR PROFIT, by P. Henderson, Cloth, 376 pages	2.10
GARDEN AND FARM TOPICS, by P. Henderson, Cloth, 244 pages	1.10
GRAIN TABLES, by J. L. Elwood. Cloth, 200 pages	1.35
GRASSES AND FORAGE PLANTS, by Charles L. Flint. Cloth, 398 pages	$\frac{2.20}{2.70}$
HANDBOOK OF PLANTS, by P. Henderson. Cloth, 526 pages	$\frac{2.70}{4.30}$
HANDBOOK OF TREE PLANTING, by N. H. Egleston. Ctoth, 126 pages	.80
HINTS TO HORSE-KEEPERS, by H. W. Herbert, Cloth, 425 pages	1.90
HOP CULTURE, by A. S. Faller. Paper cover, 40 pages	.35
HOW THE FARM PAYS, by Wm. Crozier and P. Henderson. Cloth, 400 pages	$\frac{2.70}{4.20}$
INSECTS AND INSECTICIDES, by Charence M. Weed. Cloth 284 pages	1.10
- IRRIGATION FOR THE FARM, GARDEN AND ORCHARD, by H. Stewart - Cloth 976 nos -	1.10
MUSHROOM CULTURE, by W. Robinson. Cloth, 172 pages	.55
MUSHROOM CULTURE, Paper pamphlet	.10
NICHOLSON'S DICTIONARY AND ENCYCLOPEDIA OF HORTICULTURE. Cloth, 4 vol ONION RAISING, by Jas. J. H. Gregory. Paper cover, 66 pages	$\frac{21}{.35}$
"ON THE PIG," by J. Harris. Cloth, 318 mages	1.60
OKNAMENTAL GARDENING, by E. A. Long, Cloth, 390 pages	2.15
OUR HOMES AND HOW TO BEAUTIFY THEM. Cloth, 198 pages	1.10
PEANUT PLANT, by B. W. Jones. Paper cover, 69 pages. PRACTICAL FLORICULTURE, by P. Henderson. Cloth, 325 pages.	.50
PRACTICAL FORESTRY, by A. S. Fuller. Cloth, 299 pages	$\begin{array}{c} 1.60 \\ 1.60 \end{array}$
PROPAGATION OF PLANTS, by A. S. Fuller. Cloth, 349 pages.	1.65
SHEPHERD'S MANUAL, by II. Stewart, Cloth, 276 pages	1.60
SORGHUM AND ITS PRODUCTS, by F. L. Stewart. Cloth, 240 mages	1.60
STRAWBERRY CULTURE, by A. S. Fuller. Cloth, 59 pages SUGAR BEET, by L. S. Ware. Cloth, 323 pages	$\begin{array}{c} .30 \\ 4.15 \end{array}$
SWEET POTATO CULTURE, by J. Fitz. Cloth, 86 pages.	$\frac{4.15}{.55}$
TALKS ON MANURES, by J. Harris, Cloth, 366 pages	1.90
THE ROSE, by H. B. Ellwanger. Cloth, 340 pages	1.35
TOBACCO CULTURE. Paper cover, 50 pages	.30
LITERATURE FOR POULTRYMEN.	
BY MAIL POSTPAID AT PRICES AFFIXED.	
AMERICAN STANDARD OF PERFECTION. Cloth, 200 pages	1.00
-AKTIFICIAL INCUBATION AND BROODING, by J. M. Curtis - Pancer 4.16 pages	.50
BROILERS FOR PROFIT, by Michael K. Bover. Paper, 64 pages	.50
CAPONS FOR PROFIT, by T. Greiner. Paper, 50 pages. DUCK CULTURE, by James Rankio. Paper, 108 pages.	.30
PISEASES OF POULTRY, by P. H. Jacobs. Paper 20 nages	.25 .25
DIFFERENT BREEDS, by P. H. Jacobs. Paper, 22 pages	.25
TIVE HUNDRED QUESTIONS AND ANSWERS ON RAISING POHLTRY $\langle P \rangle$ H. Jacobs, $\langle 48 \rangle$ ng $\langle -$.25
INCUBATORS AND BROODERS, by P. H. Jacobs. Paper, 48 pages	.25
FOULTRY CULTURE, by I. K. Felch. Cloth, 438 pages	1.50
POULTRY HOUSES, by P. H. Jacobs. Paper, 32 pages PRACTICAL CAPONIZING, by Wm. H. Wigmore. Paper, 75 pages	$\frac{.25}{.25}$
REMARKS POULTRY MANUAL. Paper, 89 pages	$\frac{.25}{.25}$
TILL DANTAM FOWE, by T. F. McGrew Paper 44 pages	.50
THE AMERICAN FANCIERS' POULTRY BOOK, by George H. Howard. Paper 169 pages	.50
THE PLYMOUTH ROCKS, by breeders and judges. Paper, 62 pages. THE PRACTICAL POULTRY KEEPER, by L. Wright. Cloth, 247 pages.	2.50
wright. Cloth, 247 pages.	2.00

